CHAPTER

08

LEVELING



CHAPTER 08 LEVELING

| Subject/Page | Date | Subject/Page | Date | Subject/Page | Date |
|--------------------|-------------|--------------|------|--------------|------|
| 08-EFFECTIVE PAGES | | | | | |
| 1 | Feb 05/2016 | | | | |
| 2 | BLANK | | | | |
| 08-CONTENTS | | | | | |
| 1 | Aug 05/2014 | | | | |
| 2 | BLANK | | | | |
| 08-00-01 | | | | | |
| 1 | Aug 05/2014 | | | | |
| 2 | Aug 05/2014 | | | | |
| 2 | Aug 03/2014 | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

A = Added, R = Revised, D = Deleted, O = Overflow

08-EFFECTIVE PAGES



CHAPTER 08 LEVELING

SUBJECT TITLE PART NO.

08 LEVELING

08-00-01 GAUGE ASSEMBLY - AIRPLANE ATTITUDE F70043

08-CONTENTS



PART NUMBER: F70043

NAME: GAUGE ASSEMBLY - AIRPLANE ATTITUDE

AIRPLANE MAINTENANCE: YES

AMM 08-21-03

COMPONENT MAINTENANCE: NO

USAGE & DESCRIPTION: The F70043 airplane attitude gauge assembly is used on all 737-100 thru

-900 airplanes.

F70043 is used to determine the attitude of the airplane on the ground prior to a fuel quantity check. The F70043 tool can also be used to


determine the degree of pitch or roll.

Measurement of pitch or roll angles can be obtained by holding the probe parallel or at a right angle to the airplane centerline. The F70043 probe tips should rest on the flat ceiling support beams in the wheel well. Refer to the current F70043 tool drawing and AMM 08-21-03 for complete usage instructions.

The F70043 airplane attitude gauge assembly consists of a structural

case, two leveling probes and a bubble vial.





Attitude Gauge Location Figure 1

08-00-01

Page 2 Aug 05/2014