



737
NON-DESTRUCTIVE TEST MANUAL

PART 6 - EDDY CURRENT

TABLE OF CONTENTS

<u>SUBJECT</u>	<u>CHAPTER SECTION SUBJECT</u>
<u>STANDARD PRACTICES</u>	
CONTROL CABLE MATERIAL IDENTIFICATION	
CONTROL CABLE MATERIAL IDENTIFICATION	20-10-01
<u>FUEL</u>	
STORAGE	
AUXILIARY FUEL TANK INSPECTION	28-10-01
<u>LANDING GEAR</u>	
MAIN GEAR AND DOORS	
MAIN LANDING GEAR UPPER AND LOWER DRAG STRUT FUSE BOLT	32-10-01
WHEELS AND BRAKES	
737-300 AND 737-400 EDDY CURRENT INSPECTION BRAKE VALVE SUPPORT HOUSING	32-40-01
<u>STRUCTURES</u>	
GENERAL	
STRUCTURES GENERAL	51-00-00
Procedure 1 - FASTENER HOLES IN ALUMINUM PARTS (METER DISPLAY)	
Procedure 2 - FASTENER HOLES IN STEEL PARTS (METER DISPLAY)	
Procedure 3 - INVESTIGATION OF FIRE DAMAGE ON AIRCRAFT STRUCTURE	
Procedure 4 - SURFACE INSPECTION OF ALUMINUM PARTS (METER DISPLAY)	
Procedure 5 - CORROSION LOSS IN ALUMINUM SKINS (METER DISPLAY)	
Procedure 6 - STRUCTURES - GENERAL	
Procedure 7 - FASTENER HOLES IN TAPERED PARTS (METER DISPLAY)	
Procedure 8 - INSPECTION FOR CRACKS IN ALUMINUM STRUCTURE (METER DISPLAY)	
Procedure 9 - INSPECTION FOR SUBSURFACE CRACKS AT FASTENER HOLES IN ALUMINUM STRUCTURE	
Procedure 10 - LOW FREQUENCY INSPECTION FOR SUBSURFACE CRACKS WHICH PROPAGATE TRANSVERSE TO A SPLICE GAP (METER DISPLAY)	
Procedure 11 - FASTENER HOLES IN ALUMINUM PARTS (IMPEDANCE PLANE DISPLAY)	
Procedure 12 - CORROSION LOSS IN ALUMINUM SKINS (IMPEDANCE PLANE DISPLAY)	
Procedure 13 - SURFACE INSPECTION OF STEEL PARTS (METER DISPLAY)	

PART 6 FRONTMATTER
TABLE OF CONTENTS

Page 1

Nov 15/2015

D6-37239

BOEING PROPRIETARY - Copyright © Unpublished Work - See title page for details



737
NON-DESTRUCTIVE TEST MANUAL

<u>SUBJECT</u>	<u>CHAPTER SECTION SUBJECT</u>
Procedure 14 - SURFACE INSPECTION OF TITANIUM AND OTHER LOW CONDUCTIVITY MATERIALS (IMPEDANCE PLANE DISPLAY OR METER DISPLAY)	
Procedure 15 - GENERAL SURFACE INSPECTION OF ALUMINUM WITH THE MAGNETO OPTIC IMAGER (MOI)	
Procedure 16 - ALUMINUM PART FASTENER HOLE INSPECTION (ROTARY SCANNER)	
Procedure 17 - OPEN HOLE INSPECTION OF TITANIUM AND OTHER LOW CONDUCTIVITY MATERIALS	
Procedure 18 - INSPECTION OF FLAT-BOTTOM HOLES IN ALUMINUM	
Procedure 19 - OPEN HOLE INSPECTION IN STEEL WITH A ROTARY SCANNER	
Procedure 20 - ELECTRICAL CONDUCTIVITY MEASUREMENT FOR ALUMINUM	
Procedure 21 - DUAL FREQUENCY EDDY CURRENT FOR SECOND LAYER CORROSION (IMPEDANCE PLANE DISPLAY)	
Procedure 22 - OPEN COUNTERSUNK HOLE INSPECTION IN STEEL WITH A ROTARY SCANNER	
Procedure 23 - ALUMINUM PART SURFACE INSPECTION (IMPEDANCE PLANE DISPLAY)	
Procedure 24 - STEEL PART SURFACE INSPECTION (IMPEDANCE PLANE DISPLAY)	
Procedure 25 - CRACKS IN SKINS BELOW FLUSH HEAD RIVETS	
ALUMINUM PART SUBSURFACE INSPECTION - MULTILAYER	51-00-26
ALUMINUM PART SURFACE INSPECTION THROUGH A NONCONDUCTIVE LAYER UP TO 0.090 INCHES (2.29 mm) THICK	51-00-27
EDDY CURRENT ARRAY (ECA) SURFACE CRACK INSPECTION	51-00-28
BARKHAUSEN NOISE INSPECTION OF STEEL FOR HEAT DAMAGE	51-00-29
Procedure 1 - BARKHAUSEN NOISE INSPECTION OF STEEL FOR HEAT DAMAGE WITH THE ROLLSCAN 300 AND 350	
Procedure 2 - BARKHAUSEN NOISE INSPECTION OF STEEL FOR HEAT DAMAGE WITH THE ROLLSCAN 200	
<u>DOORS</u>	
CARGO	
FORWARD AND AFT CARGO DOORS	52-30-01
<u>FUSELAGE</u>	
MAIN FRAME	
LOWER LOBE CARGO COMPARTMENT CIRCUMFERENTIAL FRAMES - INNER FLANGE (LFEC)	53-10-01

PART 6 FRONTMATTER
TABLE OF CONTENTS

Page 2

Nov 15/2015

D6-37239

BOEING PROPRIETARY - Copyright © Unpublished Work - See title page for details



737
NON-DESTRUCTIVE TEST MANUAL

**CHAPTER
SECTION
SUBJECT**

SUBJECT

FUSELAGE - OUTER CHORD HORIZONTAL FLANGE AT BS 227.8 FROM LBL 18.0 TO RBL 18.0 (LFEC)	53-10-04
FUSELAGE - INNER CHORD AT COCKPIT FLOOR BS 227.8, WL 207.5 (HFEC)	53-10-05
BULKHEAD CHORD AND SPLICE ANGLE AT BS 540, STRINGERS S-20 THRU S-26 (HFEC)	53-10-06
BULKHEAD PRIMARY AND FAILSAFE CHORDS, HORIZONTAL AND VERTICAL FLANGES - BS 259.5 AT WL 192.5 (HFEC)	53-10-07
FORWARD GALLEY DOOR CUTOUT (HFEC)	53-10-08
FRAME INNER AND OUTER CHORD FLANGES AT AFT GALLEY DOOR CUTOUT (HFEC)	53-10-09
AFT ENTRY DOOR CUTOUT - WITH AND WITHOUT AIRSTAIRS (HFEC)	53-10-10
AFT ENTRY DOOR CUTOUT - WITH AND WITHOUT AIRSTAIRS (HFEC)	53-10-11
AFT ENTRY DOOR CUTOUT WITH AND WITHOUT AIRSTAIRS (LFEC)	53-10-12
AFT GALLEY DOOR CUTOUT TEAR STRAP (LFEC)	53-10-15
PRESSURE BULKHEAD "Y" CHORD - BS 1016 (LFEC)	53-10-16
BULKHEAD OUTER CHORD, DOUBLER AND STRAP, STRINGERS S-25L THRU S-25R AT BS 294.5 (LFEC)	53-10-17
BULKHEAD OUTER CHORD AT BL 0.0 - BS 294.5 (HFEC)	53-10-18
AFT CARGO DOOR CUTOUT TEAR STRAP (LFEC)	53-10-19
AFT CARGO DOOR CUTOUT FRAMES	53-10-21
BULKHEAD FAIL-SAFE CHORD AND STRAP - BS 727.0 (LFEC)	53-10-25
BULKHEAD PRIMARY AND FAILSAFE CHORDS SKIN AND WEB FLANGES FROM STRINGER S-18L THRU S-25L AND S-18R THRU S-25R - BS 727 (HFEC)	53-10-26
AFT BULKHEAD CHORD, CHORD WEB AND DOUBLER - BS 1156 (LFEC)	53-10-28
FORWARD AND AFT CARGO DOOR CUTOUTS (LFEC)	53-10-31
FORWARD CARGO DOOR FRAMES (HFEC)	53-10-32
FORWARD CARGO DOOR CUTOUT - BS 400 (-500), 440 (-300/-400) AND BS 452.4 (-500), 492.4 (-300/-400) FRAMES	53-10-33
NOSE LANDING GEAR WHEEL WELL WEB STIFFENER - BS 268.25	53-10-34
FORWARD GALLEY DOOR CUTOUT (LFEC)	53-10-35
FORWARD LOWER ACCESS DOOR CUTOUT (HFEC)	53-10-37
FORWARD ENTRY DOOR CUTOUT WITH AND WITHOUT AIRSTAIRS (LFEC)	53-10-38
FORWARD ENTRY DOOR CUTOUT WITH AND WITHOUT AIRSTAIRS (HFEC)	53-10-39
AFT GALLEY DOOR CUTOUT FRAME - BS 951.0 (LFEC)	53-10-40
AFT PRESSURE BULKHEAD - BS 1016 (LFEC)	53-10-41
FORWARD GALLEY DOOR CUTOUT	53-10-42

PART 6 FRONTMATTER
TABLE OF CONTENTS

Page 3

Nov 15/2015

D6-37239

BOEING PROPRIETARY - Copyright © Unpublished Work - See title page for details



737
NON-DESTRUCTIVE TEST MANUAL

<u>SUBJECT</u>	<u>CHAPTER SECTION SUBJECT</u>
MAIN DECK CARGO DOOR CUTOUT (HFEC)	53-10-43
MAIN DECK CARGO DOOR CUTOUT - BEAR STRAP DOUBLER (LFEC)	53-10-44
FORWARD CORNERS OF THE HORIZONTAL STABILIZER CUTOUT AT THE UPPER HORIZONTAL BEAM (STRINGER S-5A) AND THE LOWER HORIZONTAL BEAM (STRINGER S-12) BODY STATION 1138	53-10-45
NOSE WHEEL WELL INSPECTION OF STIFFENERS AND DOUBLERS (WITH METER DISPLAY INSTRUMENTS)	53-10-46
NOSE WHEEL WELL INSPECTION OF STIFFENERS AND DOUBLERS (WITH IMPEDANCE PLANE INSTRUMENTS)	53-10-47
LOWER LOBE FRAMES AT STRINGER 17 (METER DISPLAY INSTRUMENTS)	53-10-48
LOWER LOBE FRAMES AT STRINGER 17 (IMPEDANCE PLANE DISPLAY INSTRUMENTS)	53-10-49
AFT PRESSURE BULKHEAD - WEB LAP SPLICES	53-10-50
NOSE WHEEL WELL STATION 294.5 - INSPECTION OF THE AFT WEB AT LBL 6.12 AND RBL 7.50	53-10-51
FUSELAGE CROWN STRINGERS	53-10-52
CONTROL CABIN - "F-N" WINDOW POST	53-10-53
BS 1016 AFT PRESSURE BULKHEAD WEB AT THE "Y" CHORD	53-10-54
SHEAR TIED FRAMES AT STRINGER 17 FROM STATIONS 259.5 TO 540 AND FROM 727 TO 1016	53-10-55
SUBSURFACE INSPECTION AT THE AFT ENTRY AND AFT GALLEY DOOR CUTOUTS AT STATIONS 951 AND 992.8	53-10-56
AFT GALLEY AND ENTRY DOOR CUTOUTS	53-10-57
OUTER CHORD INSPECTION AT THE HINGE PIN OF THE BS 1156 BULKHEAD	53-10-58
SHEAR TIED FRAMES FROM BS 259.5 TO 540	53-10-59
SHEAR TIED FRAMES FROM STRINGERS 13 TO 17 AND FROM BS 727 TO 1016	53-10-60
UPPER LOBE FRAME AT STRINGER CLIPS	53-10-62
FUSELAGE BULKHEAD AT BS 1016	53-10-63
APEX AREA OF THE AFT PRESSURE BULKHEAD - BS 1016	53-10-64
STRAPS AT THE FORWARD AND AFT CARGO DOOR CUTOUTS	53-10-65
SHEAR TIED FRAMES AT LOWER LOBE, S-17L to S-17R, BS 360 to BS 540	53-10-66
FORWARD ENTRY DOOR CUTOUT WITH AND WITHOUT AIRSTAIRS	53-10-67
BS 727 BULKHEAD - PRIMARY AND FAILSAFE CHORD SKIN AND WEB FLANGES FROM STRINGERS S-18L THRU S-25L AND S-18R THRU S-25R	53-10-68
FORWARD GALLEY DOOR CUTOUT	53-10-69
BORE OF THE SIDE STRUT SUPPORT FITTING AT BS 685	53-10-70

PART 6 FRONTMATTER
TABLE OF CONTENTS

Page 4

Nov 15/2015

D6-37239

BOEING PROPRIETARY - Copyright © Unpublished Work - See title page for details



737
NON-DESTRUCTIVE TEST MANUAL

<u>SUBJECT</u>	<u>CHAPTER SECTION SUBJECT</u>
INCONEL ANGLE OF THE B-D SILL IN THE CREW CABIN	53-10-71
POINT 'D' SPLICE FITTING AT THE CREW CABIN C-D POST	53-10-72
SURFACE INSPECTION OF THE B-D SILLS IN THE CREW CABIN - LBL 8.0 TO LBL 26.5 AND RBL 8.0 TO RBL 26.5	53-10-73
E-F POST IN THE CREW CABIN	53-10-74
A-B POST IN THE CREW CABIN AT BL 0	53-10-75
SUBSURFACE INSPECTION OF THE B-D SILLS IN THE CREW CABIN FROM LBL 8.0 TO LBL 26.5 AND RBL 8.0 TO RBL 26.5 (LFEC)	53-10-76
VERTICAL FIN - AFT ATTACHMENT FITTINGS OF THE FRONT SPAR AT THE BS 1016 BULKHEAD	53-10-77
VERTICAL FIN - FORWARD AND AFT BULKHEAD ATTACHMENT FITTINGS AT THE FRONT SPAR OF THE BS 1016 BULKHEAD	53-10-78
FUSELAGE - STRINGER SPLICE FITTINGS - S-9L TO S-9R AT BS 1016 PRESSURE BULKHEAD	53-10-79
FORWARD CARGO DOOR SURROUND - INNER CHORD OF THE FORWARD AND AFT EDGE FRAMES AT S-18R	53-10-80
SURFACE INSPECTION OF THE INNER CHORDS OF THE FORWARD AND AFT FRAMES AT THE AFT CARGO DOOR SURROUND FROM S-17R TO S-19R (HFEC)	53-10-81
INTERCOSTALS OF THE AFT CARGO DOOR	53-10-82
STRAPS AT THE FORWARD FRAME OF THE AFT GALLEY DOOR OPENING AT DOOR STOPS 1, 2, 5 AND 6 (HFEC AND LFEC)	53-10-83
INTERCOSTALS AT THE AFT FRAME OF THE AFT GALLEY DOOR OPENING AT DOOR STOPS 1, 2, 5 AND 6 (HFEC)	53-10-84
OUTER CHORD AND WEB AT BULKHEAD STA 1156 AT THE PIVOT FITTING ATTACHMENTS	53-10-85
HINGE FITTINGS OF THE HORIZONTAL STABILIZER AT THE PIVOT PINS OF THE BULKHEAD AT STA 1156	53-10-86
INNER CHORD OF THE FORWARD AND AFT EDGE FRAMES (STA 440 AND 492.4) BETWEEN S-17R AND S-18R AT THE FORWARD CARGO DOOR SURROUND	53-10-87
AFT CARGO DOOR CUTOUT - INSPECTION OF THE INNER CHORD FROM S-18R TO S-26R AND THE FAIL-SAFE STRAP FROM S-17R TO S-18R AT THE FORWARD AND AFT EDGE FRAMES	53-10-88
SURFACE INSPECTION OF THE FRAME AT THE CUTOUT FOR THE FORWARD ENTRY DOOR - STA 303.9, S-7L TO S-13L	53-10-89
FORWARD CARGO DOOR SURROUND - INNER CHORD OF THE FORWARD AND AFT EDGE FRAMES AT STA 440 AND 492.4, BETWEEN S-18R AND S-26R	53-10-90
FORWARD CARGO DOOR SURROUND - BEAR STRAP AT S-24R, BS 440 AND BS 492.4	53-10-91
AFT BULKHEAD FRAME OF THE WHEEL WELL AT BS 727 (HFEC)	53-10-92

PART 6 FRONTMATTER
TABLE OF CONTENTS

Page 5
Mar 01/2016

D6-37239

BOEING PROPRIETARY - Copyright © Unpublished Work - See title page for details



737
NON-DESTRUCTIVE TEST MANUAL

<u>SUBJECT</u>	<u>CHAPTER SECTION SUBJECT</u>
AFT BULKHEAD CHORD OF THE WHEEL WELL AT BS 727 (HFEC)	53-10-93
STA 1042 BULKHEAD LUGS, LINKS AND FITTINGS (HFEC)	53-10-94
JACKSCREW FITTING ASSEMBLY AT THE STA 1088 BULKHEAD	53-10-95
FORWARD PANEL OF THE APU INLET ENCLOSURE	53-10-96
BULKHEAD BS 1016 - PRESSURE BULKHEAD WEBS AT TEAR STRAPS	53-10-97
SURFACE INSPECTION OF THE INTERCOSTAL TENSION STRAPS IN THE EDGE FRAME FOR THE FORWARD GALLEY DOOR AT DOOR STOPS 1, 2, 5 AND 6 (HFEC)	53-10-98
SURFACE INSPECTION OF THE WL 172 CHORD AT BL 17 OF THE NOSE WHEEL WELL AFT BULKHEAD AT STA 294.5 (HFEC)	53-10-99
MAIN FRAME (CONTINUED)	
SURFACE INSPECTION OF THE STOP STRAPS AT STRINGERS S-7 THRU S-16 AT THE FORWARD EDGE FRAME OF THE FORWARD ENTRY DOOR (HFEC)	53-11-01
INTERCOSTAL WEBS AT THE AFT AND FORWARD FRAMES OF THE FORWARD CARGO DOOR OPENING (HFEC)	53-11-02
OVERWING EMERGENCY EXIT CUTOUT	53-11-03
DRAG BRACE FITTINGS FOR THE NOSE LANDING GEAR	53-11-04
STIFFENER AT THE MID/AFT PANEL INTERFACE OF THE APU INLET ENCLOSURE	53-11-05
WHEEL WELL FRAME AT BS 685 - UPPER CHORD OF THE STUB BEAM (HFEC)	53-11-06
BULKHEAD BS 1016 - PRESSURE DOME WEB AT THE INTERSECTIONS OF THE LAP SPLICES AND TEAR STRAPS (HFEC)	53-11-07
BULKHEAD BS 1016 - PRESSURE DOME WEB AT THE INTERSECTIONS OF THE LAP SPLICES AND TEAR STRAPS (LFEC)	53-11-08
MAIN LANDING GEAR SUPPORT FRAME AT BS 716 - STUB BEAM (HFEC)	53-11-09
EXTERNAL DOUBLER AT THE CUTOUT FOR THE OVERWING EMERGENCY EXIT (LFEC)	53-11-10
BULKHEAD BS 1016 - PRESSURE DOME WEB AT THE PRESSURE CHORD (HFEC)	53-11-11
SKIN AND DOUBLERS AT THE CUTOUT FOR THE OVERWING EMERGENCY EXIT (HFEC)	53-11-12
SKIN AND DOUBLERS AT THE CUTOUT FOR THE OVERWING EMERGENCY EXIT - OPEN HOLE INSPECTION (HFEC)	53-11-13
MAIN LANDING GEAR SUPPORT FRAME AT BS 716 - STUB BEAM (HFEC)	53-11-14
DOUBLERS AT THE CUTOUTS FOR THE OVERWING EMERGENCY EXITS (HFEC)	53-11-15
INNER DOUBLER (BEAR STRAP) AT THE CUTOUTS FOR THE OVERWING EMERGENCY EXITS (LFEC)	53-11-16
WHEEL WELL FRAME AT BS 685 - INNER CHORD AND WEB (HFEC)	53-11-17

PART 6 FRONTMATTER
TABLE OF CONTENTS

Page 6

Nov 15/2015

D6-37239

BOEING PROPRIETARY - Copyright © Unpublished Work - See title page for details



737
NON-DESTRUCTIVE TEST MANUAL

<u>SUBJECT</u>	<u>CHAPTER SECTION SUBJECT</u>
SKIN AND DOUBLERS AT THE CUTOUTS FOR THE OVERWING EMERGENCY EXITS (LFEC)	53-11-18
SIDE STRUT SUPPORT FRAME AT BS 706 (HFEC)	53-11-19
AFT ENTRY AND GALLEY DOOR SURROUND STRUCTURE - OUTER CHORD AT THE LOWER MAIN SILL (HFEC)	53-11-20
BEAR STRAP INSPECTION AT THE EDGE FRAMES OF THE SURROUND STRUCTURE FOR THE FORWARD AND AFT CARGO DOORS (HFEC)	53-11-21
WEB INSPECTION AT THE BS 847 EDGE FRAME OF THE SURROUND STRUCTURE FOR THE AFT CARGO DOOR (HFEC)	53-11-22
INNER CHORD AT THE UPPER SILL OF THE SURROUND STRUCTURE FOR THE AFT AND FORWARD CARGO DOORS (HFEC)	53-11-23
WINDOW FRAME AT STA 616 (737-600/-700) OR STA 578 (737-800/-900) (HFEC)	53-11-24
SPLICE ANGLE AND INNER CHORD INSPECTION AT THE BS 727 AFT WHEEL WELL BULKHEAD AND PRESSURE WEB (HFEC)	53-11-25
MAIN LANDING GEAR - STUB BEAM AT THE BS 695 SUPPORT FRAME (HFEC)	53-11-26
AIRSTAIR DOOR CUTOUT - FORWARD AND AFT EDGE FRAMES - STA 303.9 AND 351.2 AT THE LOWER CORNERS (LFEC)	53-11-27
INSPECTION OF THE FRAME WEBS AT THE FLOOR BEAM TO FRAME JOINTS FROM BS 360 TO BS 500 (HFEC)	53-11-28
FUSELAGE - STIFFENER ATTACHMENT FITTING TO THE FLOOR BEAM AT THE BS 727 PRESSURE BULKHEAD (HFEC)	53-11-29
FORWARD AND AFT LINK ASSEMBLIES AT BS 663 AND S-18A (HFEC)	53-11-30
SPLICE STRAPS AT THE FORWARD AND AFT LOWER CORNERS OF THE CUTOUTS FOR THE OVERWING EMERGENCY EXIT DOORS (HFEC)	53-11-31
INTEGRATED BULKHEAD STATION 1156 - WEB INBOARD OF THE FAIL-SAFE STRAP, ABOVE AND BELOW THE PIVOT FITTING ATTACHMENTS (HFEC)	53-11-33
EXTERNAL INSPECTION OF THE BEAR STRAP BETWEEN THE CUTOUT FOR THE FORWARD ACCESS DOOR AND THE CUTOUT FOR THE NOSE WHEEL WELL (LFEC)	53-11-34
INNER SURFACE INSPECTION OF THE BEAR STRAP BETWEEN THE CUTOUT FOR THE FORWARD ACCESS DOOR AND THE CUTOUT FOR THE NOSE WHEEL WELL (HFEC)	53-11-35
FORWARD PRESSURE PANEL IN THE APU INLET ENCLOSURE	53-11-36
MID PRESSURE PANEL IN THE APU INLET ENCLOSURE	53-11-37
WEB AT THE PRESSURE CHORD OF THE AFT PRESSURE BULKHEAD FROM S-5L TO S-7L AND S-5R TO S-9R (HFEC)	53-11-38
PRESSURE DOME WEB AT THE WEB LAP SPLICES THAT ARE BEHIND RADIAL STIFFENERS (LFEC)	53-11-39

PART 6 FRONTMATTER
TABLE OF CONTENTS

Page 7

Nov 15/2015

D6-37239

BOEING PROPRIETARY - Copyright © Unpublished Work - See title page for details



737
NON-DESTRUCTIVE TEST MANUAL

<u>SUBJECT</u>	<u>CHAPTER SECTION SUBJECT</u>
WEB ATTACHED TO THE PRESSURE CHORD OF THE BS 1016 PRESSURE BULKHEAD (BETWEEN THE STIFFENER AREAS OUTSIDE OF STRINGERS S-5L TO S-7L AND S-5R TO S-9R) (LFEC)	53-11-40
INNER CHORDS FROM STRINGERS 17 TO 19 AT THE FORWARD AND AFT FRAMES OF THE FORWARD CARGO DOOR SURROUND (HFEC)	53-11-41
AFT PRESSURE BULKHEAD - WEB INSPECTION AT THE PRESSURE CHORD SPLICE AND DOUBLER BETWEEN S-1 AND S-3 AND AT THE CHORD SPLICE BETWEEN S-15 AND S-18 (LFEC)	53-11-42
MID PRESSURE PANEL BEHIND THE BS 1030 FRAME IN THE APU INLET ENCLOSURE (HFEC)	53-11-43
BEARSTRAP AND OUTER CHORD INSPECTIONS AT THE UPPER SILL OF THE FORWARD AND AFT CARGO DOOR SURROUNDS (HFEC)	53-11-48
INNER CHORD AT THE S-9 AND S-10 SPLICE STRAPS OF THE STA 540 BULKHEAD FRAME (HFEC)	53-11-49
INNER CHORD OF THE FRAME AT THE BS 663 BULKHEAD (HFEC)	53-11-50
OUTER CHORD OF THE FORWARD (STA 440) AND AFT (STA 492.4) EDGE FRAMES AT THE FORWARD CARGO DOOR SURROUND FROM S-17R TO S-26R (HFEC)	53-11-51
PRESSURE DOME WEB AT THE WEB LAP SPLICES BETWEEN TEAR STRAPS (HFEC)	53-11-53
PLATES/SKINS	
PLATES AND SKINS	53-30-00
Procedure 1 - COUNTERSINK INSPECTION OF ALUMINUM PARTS (METER DISPLAY)	
Procedure 3 - COUNTERSUNK HOLE INSPECTION OF ALUMINUM PARTS (ROTARY SCANNER)	
Procedure 4 - COUNTERSINK INSPECTION OF ALUMINUM PARTS (IMPEDANCE PLANE DISPLAY)	
Procedure 5 - INSPECTION OF EXTERNAL FUSELAGE REPAIRS	
Procedure 6 - SUBSURFACE CRACK INSPECTION OF FAYING SURFACES	
Procedure 7 - SUBSURFACE CRACKS THAT START AT THE FAYING SURFACES OF THE AIRPLANE SKINS - INTERNAL INSPECTION	
Procedure 8 - SLIDING PROBE INSPECTION PROCEDURE FOR FASTENER LOCATIONS WITH DECALS	
Procedure 9 - SLIDING PROBE INSPECTION OF THE INBOARD SKIN OF THE LAP SPLICE	
FUSELAGE CROWN SKIN (HFEC)	53-30-02
LONGITUDINAL LAP JOINTS - WITHOUT FASTENER REMOVAL	53-30-03
RIVET EDGE DISTANCE FOR CHEM-MILL POCKETS	53-30-04

PART 6 FRONTMATTER
TABLE OF CONTENTS

Page 8

Jul 01/2016

D6-37239

BOEING PROPRIETARY - Copyright © Unpublished Work - See title page for details



737
NON-DESTRUCTIVE TEST MANUAL

<u>SUBJECT</u>	<u>CHAPTER SECTION SUBJECT</u>
EDDY CURRENT INSPECTION AT COUNTERSUNK FASTENER LOCATIONS	53-30-05
RIVET EDGE DISTANCE FOR LOWER SKIN PANEL STR. 10R LAP SPLICE B.S. 597 to B.S. 663.65	53-30-06
FUSELAGE-BONDED DOUBLER	53-30-07
FUSELAGE SECTION 41 - SKIN CRACK INSPECTION FROM BS 188 THRU 251.6 - DUAL FREQUENCY MODE	53-30-08
FUSELAGE SKIN CRACK INSPECTION ALONG SUBSURFACE EDGES	53-30-09
SLIDING PROBE INSPECTION OF THE INBOARD SKIN OF THE LAP SPLICE	53-30-10
SLIDING PROBE INSPECTION OF THE INBOARD SKIN OF THE LAP SPLICE	53-30-11
LAP SPLICE INSPECTION OF THE INBOARD SKIN BEHIND TEAR STRAPS - INTERNAL	53-30-12
LAP SPLICE INSPECTION OF THE INBOARD SKIN FOR SUB-SURFACE CRACKS THAT ARE WITHIN 0.010 INCH (0.25 MM) OF THE SURFACE - INTERNAL	53-30-13
LAP SPLICE INSPECTION OF THE INBOARD SKIN AT LOCATIONS WITH STEEL FLUSH-HEAD FASTENERS OR OVERSIZE PROTRUDING-HEAD FASTENERS	53-30-14
SLIDING PROBE INSPECTION OF THE INBOARD SKIN OF THE LAP SPLICE AT TEAR STRAP LOCATIONS	53-30-15
LAP SPLICE AND LAP SPLICE REPAIR INSPECTION OF THE INBOARD SKIN FOR SUB-SURFACE CRACKS THAT START AT THE FAYING SURFACE - INTERNAL	53-30-16
SLIDING PROBE INSPECTION OF THE INBOARD SKIN OF THE LAP SPLICE - DUAL FREQUENCY MODE METHOD	53-30-17
FUSELAGE CROWN SKIN - CRACK INSPECTION OF OUTER SKIN AT SUBSURFACE EDGES	53-30-18
MAGNETO OPTIC IMAGER (MOI) INSPECTION OF SKIN CRACKS AT DOUBLER EDGES	53-30-19
INSPECTION FOR INTERNAL SKIN CRACKS AT DOUBLER EDGES	53-30-20
FUSELAGE LAP SPLICES - SLIDING PROBE INSPECTION TO IDENTIFY ALODINED RIVETS	53-30-21
FUSELAGE SKIN SCRIBE LINE CRACK INSPECTION - LOWER SKIN AT THE EDGES OF LAP JOINTS, EXTERNAL DOUBLERS AND STRUCTURE	53-30-22
INSPECTION FOR CRACKS THAT ARE ON THE BACK SIDE AND NOT FULLY THROUGH THE THICKNESS OF AN ALUMINUM PART	53-30-23
INSPECTION OF SPLICE STRAPS AT THE SKIN BUTT-SPLICES	53-30-24
C-SCAN INSPECTION OF SKIN CRACKS AT DOUBLER EDGES	53-30-25
FUSELAGE SKIN SCRIBE LINE CRACK INSPECTION - LOWER SKIN AT THE LAP JOINTS - ROTARY PROBE	53-30-26
FUSELAGE SKIN SCRIBE LINE CRACK INSPECTION - VERTICAL SCANS OF THE LOWER SKINS AT THE LAP JOINTS	53-30-27

PART 6 FRONTMATTER
TABLE OF CONTENTS

Page 9
Jul 01/2016

D6-37239

BOEING PROPRIETARY - Copyright © Unpublished Work - See title page for details



737
NON-DESTRUCTIVE TEST MANUAL

<u>SUBJECT</u>	<u>CHAPTER SECTION SUBJECT</u>
SURFACE INSPECTION OF THE FUSELAGE SKIN AT THE UPPER RIB PLUS CHORD	53-30-28
INSPECTION OF SPLICE STRAPS AT BUTT-SPLICES WITH A SMALL DIAMETER PENCIL PROBE	53-30-29
FUSELAGE LOWER SKIN SCRIBE LINE CRACK EDDY CURRENT ARRAY INSPECTION	53-30-30
MEASUREMENT OF THE DISTANCE BETWEEN TWO PARTS	53-30-31
OUTER CHORD SURFACE INSPECTION AT THE LOWER MAIN SILL OF THE FORWARD CARGO DOOR	53-30-32
OUTER CHORD AT THE LOWER MAIN SILL OF THE FORWARD CARGO DOOR - SUBSURFACE (LFEC)	53-30-33
SKIN INSPECTION AT THE SCUFF PLATE ON THE LOWER SILL OF THE AFT ENTRY AND GALLEY DOORS (HFEC)	53-30-34
STRAPS AT THE FORWARD FRAME OF THE AFT ENTRY DOOR OPENING AT DOOR STOPS 1, 2, 6 AND 7 (HFEC)	53-30-35
INTERCOSTALS AT THE AFT FRAME OF THE AFT ENTRY DOOR OPENING AT DOOR STOPS 1, 2, 6 AND 7 (HFEC)	53-30-36
DOUBLER (BEAR STRAP) AT THE CUTOUT FOR THE OVERWING EMERGENCY EXIT FOR 737-700/-700C/-700GW AIRPLAINES (LFEC)	53-30-37
DOUBLER (BEAR STRAP) AT THE CUTOUT FOR THE OVERWING EMERGENCY EXIT FOR 737-600 AIRPLANES (LFEC)	53-30-38
SLIDING PROBE FOR CHEM-MILL EDGE CRACK DETECTION	53-30-39
EDDY CURRENT ARRAY (ECA) INSPECTION OF FASTENERS IN THE OUTBOARD SKIN	53-30-40
LAP SPLICE INSPECTION AT THE UPPER ROW OF FASTENERS IN THE OUTBOARD SKIN (HFEC)	53-30-41
SURFACE INSPECTION OF THE OUTER SKIN AT STA 203.8 OF THE FORWARD ACCESS DOOR (HFEC)	53-30-42
SURFACE INSPECTION OF THE SKIN BEHIND THE SCUFF PLATES AT THE CUTOUT FOR THE FORWARD ENTRY DOOR (HFEC)	53-30-43
FUSELAGE SKIN CRACK OR TROUGH INSPECTION ALONG SUBSURFACE EDGES	53-30-44
FUSELAGE SKIN CRACK C-SCAN INSPECTION ALONG SUBSURFACE EDGES	53-30-45
FUSELAGE SKIN AT THE SECTION 48 BUTT SPLICE FROM BS 1016 TO BS 1042 AT S-9L AND S-9R (LFEC)	53-30-46
WING TO BODY - UPPER AND LOWER DRAG ANGLE ASSEMBLIES (HFEC)	53-30-47
SURFACE INSPECTION OF THE SKIN BEHIND THE SCUFF PLATE AT THE CUTOUT FOR THE FORWARD GALLEY DOOR (HFEC)	53-30-48
FUSELAGE SKIN BEHIND THE STRAP AT THE SIDE OF BODY (LFEC)	53-30-49

PART 6 FRONTMATTER
TABLE OF CONTENTS

Page 10
Jul 01/2016

D6-37239

BOEING PROPRIETARY - Copyright © Unpublished Work - See title page for details



737 NON-DESTRUCTIVE TEST MANUAL

CHAPTER SECTION SUBJECT

SUBJECT

INSPECTION OF THE INBOARD SKIN OF THE LAP SPLICE (LFEC)	53-30-50
FUSELAGE SKIN AT THE SECTION 48 BUTT SPLICE FROM BS 1016 TO BS 1042 AT S-9L AND S-9R (HFEC)	53-30-51
FUSELAGE CROWN SKIN PANELS IN SECTIONS 41, 43, 44, 46 AND 47, BETWEEN STA 259.5 AND STA 1016 AND FROM S-10L TO S-10R (HFEC)	53-30-52
FUSELAGE SKIN AT THE SATCOM ANTENNA INSTALLATION FROM BS 748 TO BS 778 AT S-1 AND S-2L (LFEC)	53-30-53
FUSELAGE SKIN AT THE AERO I SATCOM ANTENNA INSTALLATION (CANADIAN MARCONI AND HONEYWELL) FROM BS 747 TO BS 777 AT S-1 AND S-2L (LFEC)	53-30-54
FUSELAGE SKIN AT THE CUTOUT FOR THE FORWARD GALLEY DOOR AT THE STA 291 AND STA 328 FRAMES FROM S-8R TO S-14R (HFEC)	53-30-55
INNER FUSELAGE SKIN AT THE S-4R LAP SPLICE FROM STA 1016 TO 1042 (LFEC)	53-30-56
DOUBLERS BELOW THE CROWN SKIN PANELS FROM STA 203 TO STA 259.5 (LFEC)	53-30-57
INBOARD SKIN AT THE S-24L LAP SPLICE FROM BS 1016 TO BS 1042 ON THE LEFT SIDE OF THE AIRPLANE (LFEC)	53-30-58

ATTACH FITTINGS

FIN REAR SPAR MAIN CHORD FORWARD ATTACHMENTS - BS 1088 BULKHEAD	53-40-01
VERTICAL STABILIZER ATTACH FITTINGS AT BS 1088 (HFEC)	53-40-02
LOWER FITTING OF FRAME AT BODY STATION 695	53-40-04
MAIN LANDING GEAR SUPPORT FRAME AT BS 716 - FRAME INNER CHORD AND WEB AT S-16 (HFEC)	53-40-05

AERODYNAMIC FAIRINGS

MEASUREMENT OF RADOME THICKNESS	53-50-00
Procedure 1 - INSPECTION OF REPAIRED AREAS OF THE RADOME	

NACELLES/PYLONS

PLATES/SKINS

ENGINE STRUT SKIN DOUBLER	54-30-01
---------------------------	----------

ATTACH FITTINGS

FUSE PIN INSPECTION WITH A ROTARY SCANNER - STRUT-TO-UPPER LINK (P/N 311A1091-1); MID SPAR-TO-STRUT (P/N 311A1092-1 AND -2); DIAGONAL BRACE-TO-WING (P/N 311A1093-1)	54-40-01
FUSE PIN INSPECTION WITH A MANUAL PROBE - STRUT-TO-UPPER LINK (P/N 311A1091-1); MID SPAR-TO-STRUT (P/N 311A1092-1 AND -2); DIAGONAL BRACE-TO-WING (P/N 311A1093-1)	54-40-02
ENGINE STRUT - FORWARD ENGINE MOUNT BULKHEAD AND LOWER SPAR CHORDS AT THE AFT ENGINE MOUNT BULKHEAD	54-40-03

PART 6 FRONTMATTER

TABLE OF CONTENTS

Page 11
Jul 01/2016

D6-37239

BOEING PROPRIETARY - Copyright © Unpublished Work - See title page for details



737
NON-DESTRUCTIVE TEST MANUAL

<u>SUBJECT</u>	<u>CHAPTER SECTION SUBJECT</u>
ENGINE STRUT - R3 AND R4 FITTING INSPECTIONS AT THE FIRST FASTENER ROW (HFEC AND OHEC)	54-40-04
LEFT AND RIGHT UPPER SPAR CHORDS AT NSTA 210.6, NSTA 222.6, NSTA 235.1 AND NSTA 256.5 (HFEC)	54-40-05
LEFT AND RIGHT UPPER SPAR CHORDS AT NSTA 242.7 (HFEC)	54-40-06
UPPER SPAR CHORDS BETWEEN THE FORWARD AND AFT ENGINE MOUNTS (HFEC)	54-40-07
LOWER SPAR CHORD AND WEB ON THE RIGHT SIDE OF THE ENGINE STRUT BETWEEN NSTA 224.7 AND NSTA 231.8 (HFEC)	54-40-08
LOWER SPAR CHORDS BETWEEN THE FORWARD AND AFT ENGINE MOUNTS (HFEC)	54-40-09
LOWER SPAR CHORDS AT THE FIRE SEAL AND THE DEPRESSOR BRACKETS (HFEC)	54-40-10
ENGINE STRUT - SIDE SKINS AT THE NSTA 252 AND NSTA 270 CUTOUTS (HFEC)	54-40-11
MID STRUT BULKHEAD AT NACELLE STATION 241.5 - END PAD (HFEC)	54-40-12
UPPER CHORD ON THE RIGHT SIDE OF THE NACELLE STRUT BETWEEN THE FORWARD AND AFT ENGINE MOUNTS (HFEC)	54-40-13
HORIZONTAL AND VERTICAL LEGS OF THE LOWER CHORDS OF THE NACELLE STRUT (HFEC)	54-40-14
HORIZONTAL LEG OF THE LOWER CHORD ON THE RIGHT SIDE OF THE NACELLE STRUT (HFEC)	54-40-15
HORIZONTAL LEG OF THE LOWER CHORDS OF THE NACELLE STRUT AT NSTA 211 AND NSTA 233 (HFEC)	54-40-16
VERTICAL LEG OF THE LOWER CHORD OF THE NACELLE STRUT (LFEC)	54-40-17

STABILIZERS

HORIZONTAL

HORIZONTAL STABILIZER UPPER REAR SPAR CHORD - STAB STA 68 TO 164 (HFEC)	55-10-01
HORIZONTAL STABILIZER CENTER SECTION REAR SPAR UPPER CHORD AT GUSSETS (HFEC)	55-10-02
HORIZONTAL STABILIZER CENTER SECTION REAR SPAR UPPER CHORD TO WEB (HFEC)	55-10-03
HORIZONTAL STABILIZER CENTER SECTION REAR SPAR ATTACHMENT LUG AND CLEVIS FITTINGS (HFEC)	55-10-04
HORIZONTAL STABILIZER REAR SPAR UPPER CHORD AT STAB STA 68.14 AND 83.50 (HFEC)	55-10-05
RIVET EDGE DISTANCE FOR CHEM-MILL POCKETS	55-10-06
HORIZONTAL STABILIZER - LOWER SKIN INSPECTION AT THE CHEM-MILL EDGE	55-10-07

PART 6 FRONTMATTER

TABLE OF CONTENTS

Page 12

Jul 01/2016

D6-37239

BOEING PROPRIETARY - Copyright © Unpublished Work - See title page for details



737
NON-DESTRUCTIVE TEST MANUAL

<u>SUBJECT</u>	<u>CHAPTER SECTION SUBJECT</u>
MAGNETO OPTIC IMAGER (MOI) INSPECTION OF CRACKS IN THE LOWER SKIN OF THE HORIZONTAL STABILIZER	55-10-08
SURFACE INSPECTION OF THE HORIZONTAL STABILIZER UPPER REAR SPAR CHORD FROM STAB STA 68.14 TO 193.9	55-10-09
HORIZONTAL STABILIZER - CENTER SECTION - THRUST BEAMS	55-10-10
HORIZONTAL STABILIZER - CENTER SECTION - PRIMARY BEAMS	55-10-11
ATTACHMENT LUG AND CLEVIS FITTING INSPECTION AT THE REAR SPAR OF THE CENTER SECTION OF THE HORIZONTAL STABILIZER	55-10-12
SURFACE INSPECTION OF THE UPPER CHORD IN THE REAR SPAR OF THE HORIZONTAL STABILIZER FROM STAB STA 68.14 TO 193.9	55-10-13
UPPER CLEVIS LUGS ON THE FRONT SPAR OF THE HORIZONTAL STABILIZER CENTER SECTION (HFEC)	55-10-14
MAST ARM FITTING OF THE ELEVATOR TAB	55-10-15
HORIZONTAL STABILIZER CENTER SECTION - UPPER CHORD OF THE REAR SPAR AT BL 0 AND BETWEEN BL 2.7 AND BL 6.7 (LEFT AND RIGHT) (HFEC)	55-10-16
HORIZONTAL STABILIZER - TERMINAL FITTING ADJACENT TO THE UPPER CHORD OF THE REAR SPAR	55-10-18
HORIZONTAL STABILIZER CENTER SECTION - PIVOT AND LOWER LUGS OF THE HINGE FITTINGS AT THE REAR SPAR	55-10-19
UPPER AND LOWER SPLICE PLATES AT THE THRUST-BEAM-TO-THRUST-BEAM JOINTS	55-10-20
UPPER CHORD TERMINAL FITTING AT THE REAR SPAR OF THE HORIZONTAL STABILIZER	55-10-21
HORIZONTAL STABILIZER CENTER SECTION - UPPER CHORD OF THE REAR SPAR - BL 8.1 TO BL 19.7 (ON THE LEFT AND RIGHT SIDES OF THE AIRPLANE)	55-10-22
SURFACE INSPECTION OF THE HINGE RIB CLEVIS LUGS AT ELEVATOR STATIONS 66, 121, 176, 213, 250 AND 265	55-10-23
SURFACE INSPECTION OF THE HINGE RIBS AT ELEVATOR STATIONS 66, 121, 176, 213, 250 AND 265	55-10-24
VERTICAL FLANGE OF THE UPPER CHORD IN THE PRIMARY BEAM OF THE HORIZONTAL STABILIZER FROM STA 1216 TO 1242	55-10-25
UPPER CHORD OF THE REAR SPAR OF THE HORIZONTAL STABILIZER - BETWEEN THE TITANIUM FITTINGS (OPEN HOLE)	55-10-26
SURFACE INSPECTION ON THE UPPER CHORD OF THE REAR SPAR BETWEEN THE TITANIUM FITTINGS OF THE HORIZONTAL STABILIZER (HFEC)	55-10-27
HORIZONTAL STABILIZER - UPPER CHORD OF THE FRONT SPAR (LFEC)	55-10-28
UPPER CHORD OF THE REAR SPAR FROM STAB STA 80.00 TO STAB STA 258.28 OF THE HORIZONTAL STABILIZER (HFEC)	55-10-29

PART 6 FRONTMATTER
TABLE OF CONTENTS

Page 13
Jul 01/2016

D6-37239

BOEING PROPRIETARY - Copyright © Unpublished Work - See title page for details



737
NON-DESTRUCTIVE TEST MANUAL

<u>SUBJECT</u>	<u>CHAPTER SECTION SUBJECT</u>
UPPER CHORD OF THE REAR SPAR AT ELEV STA 213.32, 250.04, 265.45 AND STAB BL 254.66 OF THE HORIZONTAL STABILIZER (LFEC)	55-10-30
UPPER CHORD OF THE REAR SPAR BETWEEN STAB STA. 258.52 AND STAB STA BL 254.66 OF THE HORIZONTAL STABILIZER (HFEC)	55-10-31
HORIZONTAL STABILIZER - UPPER CHORD OF THE FRONT SPAR FROM STAB STA 66.5 TO THE OUTBOARD CLOSURE RIB (LFEC)	55-10-32
SURFACE INSPECTION OF THE UPPER AND LOWER CHORDS OF THE ELEVATOR HINGE RIBS AT ELEV STA 66, 121 AND 176 OF THE HORIZONTAL STABILIZER	55-10-33
HORIZONTAL STABILIZER - REAR SPAR - TERMINAL FITTINGS OF THE UPPER CHORD	55-10-34
SURFACE INSPECTION OF THE HINGE PLATE AT HORIZONTAL STABILIZER ELEVATOR STATIONS 121, 176, 213, 250	55-10-35
SURFACE INSPECTION OF THE HINGE PLATE AT HORIZONTAL STABILIZER ELEVATOR STATIONS 66 AND 265	55-10-36
SURFACE INSPECTION OF THE HINGE RIB CHORDS AT THE REAR SPAR ATTACHMENT AT HORIZONTAL STABILIZER ELEVATOR STATIONS 66, 121, 176, 213, 250 AND 265	55-10-37
PRIMARY BEAM SPLICE MEMBERS AT THE FRONT AND REAR SPARS OF THE HORIZONTAL STABILIZER	55-10-38
SPLICE PLATES THAT CONNECT THE THRUST BEAM TO THE FRONT AND REAR SPARS OF THE HORIZONTAL STABILIZER	55-10-39
UPPER CLEVIS LUG INSPECTION AT THE REAR SPAR OF THE HORIZONTAL STABILIZER CENTER SECTION (HFEC)	55-10-40
HORIZONTAL STABILIZER CENTER SECTION - WEB INSPECTION OF THE THRUST BEAMS AT STIFFENER LOCATIONS (LFEC)	55-10-42
UPPER CHORD INSPECTION OF THE THRUST BEAM, AUXILIARY BEAM, AND REAR SPAR OF THE HORIZONTAL STABILIZER CENTER SECTION	55-10-43
UPPER CHORD AT THE FRONT SPAR OF THE HORIZONTAL STABILIZER - SIDE-OF-BODY TO STAB STA 66.5 (HFEC)	55-10-44
HORIZONTAL STABILIZER - UPPER CHORD OF THE FRONT SPAR - WEB FLANGE - STAB STA 66.5 TO THE STAB TIP (LFEC)	55-10-45
HORIZONTAL STABILIZER - UPPER CHORD OF THE FRONT SPAR - FORWARD FLANGE - STAB STA 66.5 TO THE STAB TIP (HFEC)	55-10-46
HORIZONTAL STABILIZER - UPPER CHORD OF THE FRONT SPAR - WEB FLANGE - STAB STA 66.5 TO THE STAB TIP (HFEC)	55-10-47
HORIZONTAL STABILIZER - LOWER CHORD OF THE REAR SPAR (HFEC)	55-10-48
HORIZONTAL STABILIZER - UPPER TERMINAL FITTING OF THE REAR SPAR (HFEC)	55-10-49

PART 6 FRONTMATTER
TABLE OF CONTENTS

Page 14
Jul 01/2016

D6-37239

BOEING PROPRIETARY - Copyright © Unpublished Work - See title page for details



737
NON-DESTRUCTIVE TEST MANUAL

<u>SUBJECT</u>	<u>CHAPTER SECTION SUBJECT</u>
HORIZONTAL STABILIZER - WEB FLANGE OF THE LOWER CHORD OF THE REAR SPAR (LFEC)	55-10-50
HORIZONTAL STABILIZER - FORWARD FLANGE OF THE LOWER CHORD AT THE REAR SPAR (OHEC)	55-10-51
HORIZONTAL STABILIZER - AFT FLANGE OF THE LOWER CHORD AT THE REAR SPAR (HFEC)	55-10-52
HORIZONTAL STABILIZER - LOWER CHORD OF THE FRONT SPAR FROM STAB STA 66.50 TO 175.50 (LFEC)	55-10-53
HORIZONTAL STABILIZER - UPPER CHORD AND FRONT SPAR WEB INSPECTIONS AT THE FRONT SPAR FROM STAB STA 258.28 TO THE OUTBOARD TIP (HFEC)	55-10-54
HORIZONTAL STABILIZER - AFT FLANGE OF THE LOWER CHORD AT THE REAR SPAR (STAB STA 310.54 TO THE OUTBOARD TIP)(LFEC)	55-10-55
HORIZONTAL STABILIZER - FORWARD FLANGE OF THE LOWER CHORD AT THE REAR SPAR (STAB STA 310.54 TO STAB BL 281.81)(LFEC)	55-10-56
HORIZONTAL STABILIZER - AFT FLANGE OF THE LOWER CHORD AT THE FRONT SPAR (STAB STA 66.5 TO STAB BL 281)(LFEC)	55-10-57
HORIZONTAL STABILIZER - FRONT SPAR WEB (HFEC)	55-10-58
HORIZONTAL STABILIZER - WEB FLANGE OF THE UPPER CHORD AT THE REAR SPAR (HFEC)	55-10-59
HORIZONTAL STABILIZER - UPPER CHORD OF THE REAR SPAR FROM STAB STA 310.54 TO THE STAB TIP (HFEC)	55-10-60
HORIZONTAL STABILIZER CENTER SECTION - CLEVIS LUGS OF THE THRUST LINK (HFEC)	55-10-61
HORIZONTAL STABILIZER - UPPER CHORD OF THE REAR SPAR FROM STAB STA 67.78 TO STAB BL 281.81 (LFEC)	55-10-62
HORIZONTAL STABILIZER - WEB FLANGES OF THE UPPER AND LOWER CHORDS OF THE REAR SPAR (HFEC)	55-10-63
HORIZONTAL STABILIZER - UPPER AND LOWER REAR SPAR CHORDS AND HINGE SUPPORT RIB CHORDS AT ELEV STA 121.59 AND 213.32 (LFEC)	55-10-64
HORIZONTAL STABILIZER - INSPAR SKINS AND GUSSET PLATES AT THE REAR SPAR CHORDS AND HINGE SUPPORT RIB CHORDS, HINGE ATTACH PLATES AND ELEVATOR FITTINGS AT ELEV STA 121.59 AND 213.32 (HFEC)	55-10-65
WEB FLANGE OF THE UPPER CHORD AND WEB AT THE FRONT SPAR OF THE HORIZONTAL STABILIZER	55-10-66
HORIZONTAL STABILIZER - CENTER SECTION - PRIMARY AND THRUST BEAMS	55-10-67
HORIZONTAL STABILIZER - UPPER CHORD OF THE FRONT SPAR AT STAB STA 111.0 (LFEC)	55-10-70

PART 6 FRONTMATTER
TABLE OF CONTENTS

Page 15
Jul 01/2016

D6-37239

BOEING PROPRIETARY - Copyright © Unpublished Work - See title page for details



737
NON-DESTRUCTIVE TEST MANUAL

<u>SUBJECT</u>	<u>CHAPTER SECTION SUBJECT</u>
VERTICAL	
VERTICAL FIN - PRIMARY CHORD OF THE REAR SPAR	55-30-01
VERTICAL FIN - CLOSURE RIB CHORD (HFEC)	55-30-02
VERTICAL STABILIZER REAR SPAR PRIMARY CHORD (HFEC)	55-30-03
RIVET EDGE DISTANCE FOR CHEM-MILL POCKETS	55-30-04
VERTICAL FIN - PRIMARY CHORD OF THE REAR SPAR - STA 73.4 OR STA 80.0 TO THE FIN TIP	55-30-05
ATTACH FITTINGS	
VERTICAL STABILIZER - PRIMARY AND FAIL-SAFE TERMINAL FITTINGS AT THE REAR SPAR (HFEC)	55-50-01
VERTICAL STABILIZER - PRIMARY AND FAIL-SAFE TERMINAL FITTINGS AT THE REAR SPAR (HFEC)	55-50-02
HORIZONTAL STABILIZER HINGE HOUSING SUPPORT BEARING ATTACH LUGS, ATTACH FITTINGS AND THRUST BRACES	55-50-03
HORIZONTAL STABILIZER FRONT SPAR UPPER CLEVIS AND LUG AT BS 1093.5 (HFEC)	55-50-04
HORIZONTAL STABILIZER COMPONENT INSPECTION - ATTACH LUGS OF THE HINGE HOUSINGS, ATTACH FITTINGS, ATTACH CLEVISES AND LUGS OF THE REAR SPAR AND THE THRUST BRACES	55-50-05
SURFACE INSPECTION OF THE TAB CONTROL MECHANISM BRACKETS ON THE ELEVATOR FRONT SPAR (HFEC)	55-50-06
ELEVATOR HINGE FITTINGS (HFEC)	55-50-07
RUDDER ATTACH FITTINGS (HFEC)	55-50-08
ELEVATOR MAST ARM ASSEMBLY (HFEC)	55-50-09
<u>WINGS</u>	
MAIN FRAME	
WING CENTER SECTION REAR SPAR LOWER CHORD (HFEC)	57-10-01
WING CENTER SECTION LOWER STRINGERS AND SKIN (HFEC)	57-10-04
WING LOWER SURFACE HORIZONTAL FLANGE SPANWISE SPLICE AT STRINGERS S-5 AND S-9 (LFEC)	57-10-07
WING LOWER SURFACE SKIN SPLICE STRINGER HORIZONTAL FLANGES AT STRINGERS S-5 AND S-9 (HFEC)	57-10-09
WING REAR SPAR LOWER CHORD VERTICAL AND HORIZONTAL FLANGES AT FLAP TRACK ATTACHMENTS AND DRY BAY (HFEC)	57-10-11
WING FRONT SPAR LOWER CHORD - WBL 177 THRU WBL 207	57-10-14
FRONT AND REAR SPAR UPPER AND LOWER CHORD, TERMINAL FITTINGS AND SPLICE PLATES (HFEC)	57-10-16

PART 6 FRONTMATTER
TABLE OF CONTENTS

Page 16
Jul 01/2016

D6-37239

BOEING PROPRIETARY - Copyright © Unpublished Work - See title page for details



737
NON-DESTRUCTIVE TEST MANUAL

<u>SUBJECT</u>	<u>CHAPTER SECTION SUBJECT</u>
WING LOWER SKIN AND STRINGERS FORWARD OF DRY BAY (HFEC)	57-10-17
WING FRONT SPAR LOWER CHORD AND SKIN - WBL 142 TO WBL 278 (LFEC)	57-10-18
LOWER CHORDS OF THE FRONT AND REAR WING SPARS - FSS 148 THRU FSS 402.5 AND RSS 157.5 THRU RSS 327	57-10-19
WING FRONT SPAR - LOWER CHORD AT SIDE OF BODY BBL 70.85	57-10-20
INSPECTION OF THE RADIUS OF THE PLUS CHORD FLANGE AT THE WING TO BODY JOINT	57-10-21
FRONT SPAR - LOWER CHORD - WBL 114 TO WBL 355	57-10-22
SURFACE INSPECTION OF THE LOWER CHORD OF THE REAR SPAR FROM LBL 70.5 TO RBL 70.5	57-10-23
FRONT SPAR - LOWER SKIN AT WBL 183.4, 191 AND 198.6	57-10-24
REAR SPAR - LOWER CHORD - RSS 145.6 TO 157.3, RSS 168.7 AND RSS 186.9 TO 353	57-10-25
REAR SPAR - LOWER CHORD AT WBL 114, 157 AND 254	57-10-26
WING LOWER SURFACE SPLICE AT BBL 70.85	57-10-27
REAR SPAR UPPER AND LOWER CHORD, TERMINAL FITTING SPLICE AT SIDE OF BODY AT BBL 70.85	57-10-28
SUBSURFACE INSPECTION OF WING STRINGERS 5 AND 9	57-10-30
FRONT SPAR - LOWER CHORD - WBL 114 TO WBL 355	57-10-31
SPLICE PLATES AT THE SIDE OF BODY BBL 70.85 - S-1 THRU S-11	57-10-32
LOWER WING PANEL - SPLICE STRINGERS 5 AND 9 (HFEC)	57-10-33
UPPER SKIN OF THE WING AT THE BBL 70.85 SIDE OF BODY PLUS CHORD (HFEC)	57-10-34
LOWER T-CHORD AT THE BL 70.85 SIDE OF BODY SPLICE (HFEC)	57-10-35
WING CENTER SECTION - REAR SPAR - LOWER CHORD (HFEC)	57-10-36
WING REAR SPAR - LOWER CHORD - RIBS 1 THRU 22 (HFEC)	57-10-37
WING CENTER SECTION - SPLICE STRINGERS 5 AND 9 AT THE LOWER SKIN PANEL (HFEC)	57-10-38
SIDE OF BODY SPLICE - LOWER SKIN AT BBL 70.85 (HFEC)	57-10-39
RIB 25 UPPER AND LOWER SKIN FLANGES (HFEC)	57-10-40
WING CENTER SECTION - LOWER SKIN (HFEC)	57-10-41
UPPER CHORD OF THE REAR SPAR (HFEC)	57-10-42
UPPER HORIZONTAL FLANGE OF THE DOUBLE PLUS CHORD (HFEC)	57-10-43
WING FRONT SPAR - LOWER CHORD WEB FLANGE (HFEC)	57-10-44
STRINGERS AT THE UPPER SKIN OF THE WING (HFEC)	57-10-45
STRINGER 14 ATTACHED TO THE UPPER SKIN OF THE WING (HFEC)	57-10-46

PART 6 FRONTMATTER
TABLE OF CONTENTS

Page 17
Jul 01/2016

D6-37239

BOEING PROPRIETARY - Copyright © Unpublished Work - See title page for details



737
NON-DESTRUCTIVE TEST MANUAL

<u>SUBJECT</u>	<u>CHAPTER SECTION SUBJECT</u>
WING CENTER SECTION - UPPER PANEL - SPLICE STRINGER 14 (HFEC)	57-10-47
RIB 27 TO SKIN ATTACHMENT AT WBL 658.17 (LFEC)	57-10-48
WING CENTER SECTION - FRONT SPAR - RADIUS OF THE LOWER CHORD (HFEC)	57-10-49
REAR SPAR WEB AT THE TRAILING EDGE FITTINGS (HFEC)	57-10-50
LOWER SKIN AND LOWER CHORD OF THE FRONT SPAR OF THE WING AT THE R7/R8 NACELLE FITTING (HFEC)	57-10-51
OUTER WING - REAR SPAR WEB (HFEC)	57-10-52
WING UPPER SKIN AT THE SIDE-OF-BODY PLUS CHORD (LFEC)	57-10-53
OUTER WING - LOWER CHORD OF THE FRONT SPAR (LFEC)	57-10-54
OUTER WING - SPLICE STRINGERS ALONG THE WING LOWER SKIN (LFEC)	57-10-55
OUTER WING - LOWER CHORD OF THE FRONT SPAR (HFEC)	57-10-56
OUTER WING - SPAR CHORDS AT THE CHORDWISE SKIN SPLICES (HFEC)	57-10-57
OUTER WING - LOWER CHORD OF THE REAR SPAR - SIDE-OF-BODY TO RIB 27 (LFEC)	57-10-58
UPPER CHORD OF THE REAR SPAR - SIDE-OF-BODY TO RIB 13 (LFEC)	57-10-59
OUTER WING - SPAR CHORDS AND WING SPLICE STRINGERS 5, 9 AND 14 AT THE CHORDWISE SKIN SPLICES (LFEC)	57-10-60
SIDE-OF-BODY SPLICE - LOWER SKIN (LFEC)	57-10-61
SIDE-OF-BODY SPLICE - LOWER T-CHORD (LFEC)	57-10-62
UPPER AND LOWER SKINS AT THE INTERSECTION OF THE FRONT AND REAR SPARS OF THE WINGS WITH THE SIDE-OF-BODY SPLICES AT BBL 70.85	57-10-63
LOWER WING PANEL - SKIN AT THE SHEAR TIED RIB ATTACHMENTS AT RIB 14 (HFEC)	57-10-64
LOWER PANEL STRINGERS 1 THRU 4, 6 THRU 8, AND 9 THRU 14 OF THE WING CENTER SECTION (HFEC)	57-10-65
UPPER CHORD AT THE FRONT SPAR OF THE WING CENTER SECTION (HFEC)	57-10-66
UPPER PANEL STRINGER 14 OF THE WING CENTER SECTION (HFEC)	57-10-67
UPPER PANEL STRINGERS 1 THRU 13 AND 15 THRU 21 OF THE WING CENTER SECTION (HFEC)	57-10-68
UPPER CHORD AT THE REAR SPAR OF THE WING CENTER SECTION (HFEC)	57-10-69
SIDE-OF-BODY SPLICE - LOWER SKIN (HFEC)	57-10-70
TENSION BOLT HOLES AT RIB 0 OF THE WINGLET (OHEC)	57-10-71
LOWER FLANGE OF RIB 0 OF THE WINGLET (OHEC)	57-10-72
RAIL STRINGERS 6 AND 8 ALONG THE LOWER PANEL OF THE WING (HFEC)	57-10-73

PART 6 FRONTMATTER
TABLE OF CONTENTS

Page 18
Jul 01/2016

D6-37239

BOEING PROPRIETARY - Copyright © Unpublished Work - See title page for details



737
NON-DESTRUCTIVE TEST MANUAL

<u>SUBJECT</u>	<u>CHAPTER SECTION SUBJECT</u>
WING CENTER SECTION - REAR SPAR - KEEL BEAM STIFFENERS AT LBL 6.2 AND RBL 6.2 (HFEC)	57-10-74
WING CENTER SECTION - LOWER PANEL SKIN AT THE SUMP DRAIN BUSHING (HFEC)	57-10-75
FRONT SPAR WEB OF THE WING (HFEC)	57-10-76
UPPER VERTICAL FLANGE OF THE DOUBLE PLUS CHORD AT THE SIDE-OF-BODY (SOB) - BS 540 TO BS 639 (HFEC)	57-10-77
SKIN FLANGE OF THE LOWER CHORD AT THE REAR SPAR OF THE WING (HFEC)	57-10-78
WING LOWER PANEL - INSPECTION OF TYPICAL STRINGERS 2, 3, 4, 10 AND 11 AT RIBS 5 AND 8 (LFEC)	57-10-79
OUTER WING - INSPECTION OF RAIL STRINGER 8 IN RIB BAY 6 (HFEC)	57-10-80
REAR SPAR WEB OF THE WING CENTER SECTION AT THE LOWER CHORD BETWEEN LBBL 70.85 AND RBBL 70.85 (LFEC)	57-10-81
WING LOWER SKIN - INSPECTION OF STRINGERS 1 THRU 4 AND 10 THRU 14 BETWEEN RIBS 1 AND 15 (HFEC)	57-10-82
WING CENTER SECTION - UPPER AND LOWER CHORDS OF THE FLOOR BEAMS AT BL 0, BL 25, AND BL 45, FROM BS 540 TO BS 727B (HFEC)	57-10-83
RADIUS OF THE UPPER VERTICAL FLANGE OF THE DOUBLE PLUS CHORD AT THE STRINGER 18A INTERFACE (HFEC)	57-10-84
WING CENTER SECTION - VERTICAL WEB OF THE UPPER VENT STRINGERS (S-10 AND S-12) AT SRM STRINGER REPAIR LOCATIONS (LFEC)	57-10-85
UPPER SPLICE STRINGER (S-14) FLANGES OF THE UPPER WING SKIN AT SRM STRINGER REPAIR LOCATIONS (LFEC)	57-10-86
VENT STRINGER (S-10 AND S-12) FLANGES OF THE UPPER WING SKIN AT SRM STRINGER REPAIR LOCATIONS (LFEC)	57-10-87
WING CENTER SECTION - LOWER SPLICE STRINGERS (S-5 AND S-9) AT SRM STRINGER REPAIR LOCATIONS (LFEC)	57-10-88
WING CENTER SECTION - LOWER ZEE STRINGER INSPECTION AT SRM 57-10-03 REPAIR 6 AND 7 AREAS (LFEC)	57-10-89
WING CENTER SECTION - UPPER ZEE STRINGER INSPECTION AT SRM 57-10-03 REPAIR 1 AREAS (LFEC)	57-10-90
OUTER WING - ZEE STRINGERS S-1 THRU S-6 AND S-15 THRU S-21 THAT ARE ATTACHED TO THE UPPER SKIN OF THE WING AND ARE SRM 57-20-03, REPAIR 2 AREAS (LFEC)	57-10-91
FRONT AND REAR SPAR TENSION FITTINGS AT RIB 27	57-10-92
SURFACE INSPECTION OF THE RADII IN SPLICE STRINGER 14 OF THE UPPER SKIN PANEL FROM RIB 12 TO RIB 21 (HFEC)	57-10-93
RAIL STRINGERS 6 AND 8 OF THE LOWER SKIN PANEL FROM RIB 19 TO RIB 25 (HFEC)	57-10-94

PART 6 FRONTMATTER
TABLE OF CONTENTS

Page 19
Jul 01/2016

D6-37239

BOEING PROPRIETARY - Copyright © Unpublished Work - See title page for details



737
NON-DESTRUCTIVE TEST MANUAL

CHAPTER
SECTION
SUBJECT

SUBJECT

OUTER WING - FORWARD BACKUP FITTING AT RIBS 10 AND 14 OF THE TRAILING EDGE FLAP TRACK (OHEC)	57-10-95
OUTER WING - FORWARD BACKUP FITTING AT RIBS 10 AND 14 OF THE TRAILING EDGE FLAP TRACK (LFEC)	57-10-96
OUTER WING - FORWARD BACKUP FITTING AT RIBS 10 AND 14 OF THE TRAILING EDGE FLAP TRACK (HFEC)	57-10-97

PLATES/SKINS

WING LOWER SURFACE BBL 70.85 SPLICE (HFEC)	57-30-01
WING UPPER SURFACE SKIN AT BBL 70.85 (LFEC)	57-30-02
WING REAR SPAR LOWER CHORD - RSS 157 TO RSS 353 (LFEC)	57-30-03
WING LOWER SURFACE BBL 70.85 SPLICE - INBOARD AND OUTBOARD	57-30-04
WING LOWER SKIN INSPECTION AT THE INTERSECTION OF STRINGER 10 AND THE NACELLE FITTINGS AT WBL 183.4 AND 198.6	57-30-05
LOWER WING SKIN PANEL AT THE AFT NACELLE SUPPORT AT WBL 191.00	57-30-06
SURFACE INSPECTION OF WING SPLICE STRINGERS 5 AND 9	57-30-07
NACELLE SUPPORT FITTING ATTACHMENTS (HFEC)	57-30-08
WING LOWER SKIN INSPECTION IN THE AREAS FORWARD OF THE ATTACH FITTINGS FOR THE FLAP TRACKS AND BETWEEN THE FAIRING RUB STRIPS AT FLAP TRACKS 1, 2, 7 AND 8 (HFEC)	57-30-09
UPPER SKIN AT THE R1 NACELLE SUPPORT FITTING (HFEC)	57-30-10
LOWER SKIN PANELS OF THE WING AT THE SUPPORT FITTINGS FOR THE MAIN LANDING GEAR (HFEC)	57-30-11

ATTACH FITTINGS

WING UPPER SKIN AND SHEAR TIE AT WBL 103.56 AND 157.00 (LFEC)	57-40-01
FLAP TRACKS 2 AND 7 FWD ATTACHMENT FITTING NUTS	57-40-02
INBOARD SUPPORT FITTING OF THE MAIN LANDING GEAR SUPPORT BEAM	57-40-03

TRAILING EDGE AND TRAILING EDGE DEVICES

NUMBER 1, 2, 7 AND 8 OUTBOARD FLAP TRACKS	57-50-01
INBOARD TRAILING EDGE FLAP - TORQUE TUBE OF THE CARRIAGE ASSEMBLIES AT WBL 66.5 AND 191	57-50-02
INBOARD FLAP - OUTBOARD FLAP TRACK AND FORWARD SUPPORT FITTING AT WBL 191	57-50-03
OUTBOARD FLAP - CARRIAGE ASSEMBLIES AT WBL 254 AND 355	57-50-04
INBOARD FLAP - CARRIAGE ASSEMBLIES AT WBL 66.5 AND 191	57-50-05
NUMBER 2 AND 7 FLAP TRACKS AT WBL 254.0	57-50-06
OUTBOARD MIDFLAP LOWER SKIN PANEL	57-50-07

PART 6 FRONTMATTER

TABLE OF CONTENTS

Page 20

Jul 01/2016

D6-37239

BOEING PROPRIETARY - Copyright © Unpublished Work - See title page for details



737
NON-DESTRUCTIVE TEST MANUAL

<u>SUBJECT</u>	<u>CHAPTER SECTION SUBJECT</u>
OUTBOARD FLAP - MIDFLAP CARRIAGE FITTING AT WBL 254 AND WBL 355	57-50-08
OUTBOARD FLAP - INBOARD AND OUTBOARD FLAP TRACK AND FORWARD SUPPORT FITTING AT WBL 254 AND WBL 355	57-50-09
INBOARD FLAP - INBOARD FLAP TRACK AND FORWARD SUPPORT FITTING AT WBL 66.5	57-50-10
AFT SUPPORT FITTING AND MAIN LINK FOR THE INBOARD FLAP - INBOARD FLAP TRACK	57-50-11
SURFACE INSPECTION OF THE OUTBOARD MIDFLAP - FRONT SPAR CHORDS BETWEEN WBL 237-273, WBL 301-307.5 AND WBL 338.5-373.5	57-50-12
SURFACE INSPECTION OF THE INBOARD MIDFLAP - FRONT SPAR CHORDS AT WBL 84.96, 117.10 AND 159.50	57-50-13
SURFACE INSPECTION OF THE INBOARD MIDFLAP - MID SPAR CHORDS AND WEB AT WBL 84.96, 117.10 AND 159.50	57-50-14
SUBSURFACE INSPECTION OF THE INBOARD MIDFLAP - MID SPAR CHORDS BETWEEN WBL 73.0 AND 176.0	57-50-15
OUTBOARD TRAILING EDGE FLAP - FORE-FLAP SEQUENCING CARRIAGE	57-50-16
FORE-FLAP HINGE FITTING OF THE OUTBOARD TRAILING EDGE FLAP AT WBL 254 AND WBL 355	57-50-17
SUBSURFACE INSPECTION OF THE OUTBOARD MIDFLAP - UPPER CHORD OF THE REAR SPAR BETWEEN WBL 301 AND 307.5	57-50-18
SUBSURFACE INSPECTION OF THE UPPER CHORD OF THE FORWARD SPAR BETWEEN WBL 301 AND WBL 307.5 OF THE OUTBOARD MID FLAP	57-50-19
PRIMARY LUG OF THE FITTING ASSEMBLY AT THE INBOARD TRACK OF THE INBOARD MAIN FLAP (HFEC)	57-50-20
OUTBOARD FLAP CUTOUTS AT THE REAR SPAR WEB FOR AFT FLAP TRACKS 2 AND 3 (HFEC)	57-50-21
OUTBOARD MAIN FLAP - FLAP TRACKS 1 AND 2 (HFEC)	57-50-22
FORWARD AND AFT ROLLER BOSSES AND AFT BRIDGE SUPPORT HOLES OF THE OUTBOARD CARRIAGE FITTING (HFEC)	57-50-23
FORWARD AND AFT ROLLER BOSSES AND AFT BRIDGE SUPPORT HOLES OF THE INBOARD CARRIAGE FITTING (HFEC)	57-50-24
INBOARD MAIN FLAP - FLAP TRACK 4 (HFEC)	57-50-25
INBOARD MAIN FLAP - FLAP TRACK 3 (HFEC)	57-50-26
INBOARD MAIN FLAP - LOWER CHORD OF THE INBOARD TORQUE TUBE RIB (HFEC)	57-50-27
REAR SPAR OF THE INBOARD MAIN FLAP - SUPPORT FITTINGS FOR THE AFT FLAP TRACKS (HFEC)	57-50-28
LOWER SKIN OF THE OUTBOARD MAIN FLAP (LFEC)	57-50-29

PART 6 FRONTMATTER
TABLE OF CONTENTS

Page 21
Jul 01/2016

D6-37239

BOEING PROPRIETARY - Copyright © Unpublished Work - See title page for details



737
NON-DESTRUCTIVE TEST MANUAL

CHAPTER
SECTION
SUBJECT

SUBJECT

UPPER AND LOWER CHORDS OF THE FRONT AND REAR SPARS OF THE
OUTBOARD FLAP

57-50-30

UPPER CHORD OF THE REAR SPAR OF THE INBOARD MAIN FLAP AT THE RIB
LOCATIONS FROM MF STA 73 TO 167 (LFEC)

57-50-31

LOWER CHORD OF THE FRONT SPAR OF THE INBOARD MAIN FLAP AT THE RIB
LOCATIONS FROM MF STA 73 TO 168 (LFEC AND HFEC)

57-50-33

POWER PLANT

MOUNTS

FORWARD AND AFT ENGINE MOUNTS (HFEC)

71-20-01

PART 6 FRONTMATTER
TABLE OF CONTENTS

Page 22
Jul 01/2016

D6-37239