CHAPTER 36

PNEUMATIC

CHAPTER 36
PNEUMATIC

CH-SC-SU	Schem	Page	Sheet	Date
36–EFFECTIVE PAGES				
		1		Jun 21/2016
		2		BLANK
36–CONTENTS				
R		1		Jun 21/2016
		2		BLANK
36–ALPHABETICAL INDEX				
		1		Aug 15/2013
		2		BLANK
36-10-00				
R		101		Jun 21/2016
36-11-11				
R		101	1	Jun 21/2016
R			2	Jun 21/2016
36-21-11				
R		101		Jun 21/2016

CH-SC-SU	Schem	Page	Sheet	Date

A = Added, R = Revised, D = Deleted, O = Overflow

CHAPTER 36
PNEUMATIC

CHAPTER 36
PNEUMATIC

36-ALPHABETICAL INDEX

-B
2



ALL	**PNEUMATIC DISTRIBUTION SYSTEM**
	D280A451



ALL	**BLEED AIR VALVE CONTROL**
	D280A451



ALL

BLEED AIR VALVE CONTROL

D280A451

36-11-11

Page 101
Sheet 2
Jun 21/2016





NOTES:

1. MINIMUM WIRE GAUGE IS 24 IN PRESSURIZED AREA AND 20 IN UNPRESSURIZED AREA.

BLEED AIR FAN AIR CONTROL AIR

ALL

BLEED AIR PRESSURE INDICATION

D280A451