



EJEMPLO MALO

<https://honrad.blogspot.com/>



Performance



METRICS		Expand view
● First Contentful Paint	0.9 s	■ Largest Contentful Paint
● Total Blocking Time	90 ms	● Cumulative Layout Shift
▲ Speed Index	6.2 s	

DIAGNOSTICS

▲ Reduce unused JavaScript — Est savings of 364 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript.](#) FCP LCP Unscored



Show 3rd-party resources (1)

URL	Transfer Size	Est Savings
Unattributable	459.8 KiB	292.5 KiB
chrome-extension://nngceckbapebfimnlniiiahkandclblb/content/bootstrap-autofill-overlay.js	459.8 KiB	292.5 KiB
Blogger Hosting 1st Party	51.1 KiB	38.3 KiB
...widgets/202...-widgets.js (www.blogger.com)	51.1 KiB	38.3 KiB
Other Google APIs/SDKs Utility	58.1 KiB	33.4 KiB
...rs=AHpOoo_B4.../cb=gapi.loaded_0?le=scs,fedcm_migration_mod (apis.google.com)	58.1 KiB	33.4 KiB

INSIGHTS

▲ LCP breakdown

Each [subpart has specific improvement strategies](#). Ideally, most of the LCP time should be spent on loading the resources, not within delays. LCP Unscored

Subpart	Duration
Time to first byte	120 ms
Resource load delay	50 ms
Resource load duration	380 ms
Element render delay	9,540 ms



```
div#post-body-5212781913938108440 > p.MsoNormal > span > img  

```

Accessibility



Accessibility


These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

CONTRAST

▲ Links rely on color to be distinguishable.

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable](#).

Failing Elements




luoman

```
<a href="http://www.istockphoto.com/googleimages.php?id=11394138&platform=blogger&l..." target="_blank">
```



Tema Sencillo. Imágenes del tema: luoman. Con la tecnología de Blogger.

```
<div class="widget-content" style="text-align: center;">
```



Blogger

```
<a href="https://www.blogger.com" target="_blank">
```



Tema Sencillo. Imágenes del tema: luoman. Con la tecnología de Blogger.

```
<div class="widget-content" style="text-align: center;">
```

BEST PRACTICES

▲ Touch targets do not have sufficient size or spacing.

Publicado por Manuel I. Cabezas González en 18:33 1 comentario:



NAMES AND LABELS

▲ Image elements do not have `[alt]` attributes

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute.](#)

Failing Elements

entre ellas. Cada
morfosintaxis de
las textualistas
estas reglas son
ntes.
esto debe, como
truida en la frase
segunda regla, la
nortas también

Red de Blogs



center > div.separator > a > img

```

```

▲ `<frame>` or `<iframe>` elements do not have a title

Screen reader users rely on frame titles to describe the contents of frames. [Learn more about frame titles.](#)

Failing Elements



div#navbar > div#Navbar1 > div#navbar-iframe-container > iframe#navbar-iframe

```
<iframe ng-non-bindable="" frameborder="0" hspace="0" marginheight="0" marginwidth="0"
```

```
scrolling="no" style="" tabindex="0" vspace="0" width="100%" id="navbar-iframe"
```

```
name="navbar-iframe" src="https://www.blogger.com/navbar/6695775194191419097?"
```

```
origin=https://honrad.b...">
```



```
height="207px">
```

div > div > div#followers-iframe-container > iframe#I0_1769030599842


```
<iframe ng-non-bindable="" frameborder="0" hspace="0" marginheight="0"
```

```
marginwidth="0" scrolling="no" style="" tabindex="0" vspace="0" width="100%"
```

```
id="I0_1769030599842" name="I0_1769030599842"
```

```
src="https://www.blogger.com/followers/frame/6695775194191419097?colors=Cgt0cmF..."
```

Best Practices



TRUST AND SAFETY

☐ Ensure CSP is effective against XSS attacks

^

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#) (Unscored)

Description	Directive	Severity
No CSP found in enforcement mode		High

☐ Use a strong HSTS policy

^

Deployment of the HSTS header significantly reduces the risk of downgrading HTTP connections and eavesdropping attacks. A rollout in stages, starting with a low max-age is recommended. [Learn more about using a strong HSTS policy.](#) (Unscored)

Description	Directive	Severity
No HSTS header found		High

☐ Ensure proper origin isolation with COOP

^

The Cross-Origin-Opener-Policy (COOP) can be used to isolate the top-level window from other documents such as pop-ups. [Learn more about deploying the COOP header.](#) (Unscored)

Description	Directive	Severity
No COOP header found		High

○ Mitigate clickjacking with XFO or CSP

The X-Frame-Options (XFO) header or the frame-ancestors directive in the Content-Security-Policy (CSP) header control where a page can be embedded. These can mitigate clickjacking attacks by blocking some or all sites from embedding the page. [Learn more about mitigating clickjacking.](#) Unscored

Description	Severity
No frame control policy found	High

○ Mitigate DOM-based XSS with Trusted Types

The require-trusted-types-for directive in the Content-Security-Policy (CSP) header instructs user agents to control the data passed to DOM XSS sink functions. [Learn more about mitigating DOM-based XSS with Trusted Types.](#) Unscored

Description	Severity
No 'Content-Security-Policy' header with Trusted Types directive found	High

GENERAL

▲ Browser errors were logged to the console

▲ Issues were logged in the [Issues](#) panel in Chrome Devtools

77

SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

CONTENT BEST PRACTICES

▲ Document does not have a meta description

Meta descriptions may be included in search results to concisely summarize page content. [Learn more about the meta description](#).

▲ Image elements do not have [alt] attributes

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute](#).

Failing Elements

entre ellas. Cada morfosintaxis de las textualistas las reglas son ntes. xto debe, como rida en la frase gunda regla, la ntes, también




center > div.separator > a > img

CRAWLING AND INDEXING

▲ Links are not crawlable

Search engines may use href attributes on links to crawl websites. Ensure that the href attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable](#)

Uncrawlable Link



Archivo del Blog

▼ 2025 (9)

▼ octubre (1)

Lo que no

▶ septiembre

▶ octubre (1)

Lo que no

▶ septiembre

▶ agosto (1)

▶ julio (1)

▶ septiembre

▶ agosto (1)

▶ julio (1)

▶ junio (1)

▶ mayo (1)

▶ septiembre

▶ agosto (1)

▶ julio (1)

▶ junio (1)

▶ mayo (1)

▶ agosto (1)

▶ julio (1)

▶ julio (1)

▶ mayo (1)

▶ abril (1)











