ACTOR

```
CREATE TABLE ACTOR(ACT_ID NUMBER(4) NOT NULL PRIMARY KEY,
ACT_FNAME VARCHAR2(20) NOT NULL,
ACT LNAME VARCHAR2(20) NOT NULL,
ACT_GENDER VARCHAR2(1) NOT NULL);
DESC ACTOR;
INSERT INTO ACTOR VALUES(101, 'James', 'Stewart', 'M');
INSERT INTO ACTOR VALUES(102, 'Deborah', 'Kerr', 'F');
INSERT INTO ACTOR VALUES(103, 'Peter', 'OToole', 'M');
INSERT INTO ACTOR VALUES(104, 'Robert', 'De Niro', 'M');
INSERT INTO ACTOR VALUES(105, 'F.Murray', 'Abraham', 'M');
INSERT INTO ACTOR VALUES(106, 'Harrison', 'Ford', 'M');
INSERT INTO ACTOR VALUES(107, 'Nicole', 'Kidman', 'F');
INSERT INTO ACTOR VALUES(108, 'Stephen', 'Baldwin', 'M');
INSERT INTO ACTOR VALUES(109, 'Jack', 'Nicholson', 'M');
INSERT INTO ACTOR VALUES(110, 'Mark', 'Wahlberg', 'M');
INSERT INTO ACTOR VALUES(111, 'Woody', 'Allen', 'M');
INSERT INTO ACTOR VALUES(112, 'Claire', 'Danes', 'F');
INSERT INTO ACTOR VALUES(113, 'Tim', 'Robbins', 'M');
INSERT INTO ACTOR VALUES(114, 'Kevin', 'Spacey', 'M');
INSERT INTO ACTOR VALUES(115, 'Kate', 'Winslet', 'F');
INSERT INTO ACTOR VALUES(116, 'Robin', 'Williams', 'M');
INSERT INTO ACTOR VALUES(117, 'Jon', 'Voight', 'M');
INSERT INTO ACTOR VALUES(118, 'Ewan', 'McGregor', 'M');
INSERT INTO ACTOR VALUES(119, 'Christian', 'Bale', 'M');
INSERT INTO ACTOR VALUES(120, 'Maggie', 'Gyllenhaal', 'F');
INSERT INTO ACTOR VALUES(121, 'Dev', 'Patel', 'M');
```

```
INSERT INTO ACTOR VALUES(122, 'Sigourney', 'Weaver', 'F');
INSERT INTO ACTOR VALUES(123, 'David', 'Aston', 'M');
INSERT INTO ACTOR VALUES(124, 'Ali', 'Astin', 'F');
```

SELECT * FROM ACTOR;

ACT_ID	ACT_FNAME	ACT_LNAME	ACT_GENDER
101	James	Stewart	M
102	Deborah	Kerr	F
103	Peter	OToole	M
104	Robert	De Niro	M
105	F.Murray	Abraham	M
106	Harrison	Ford	M
107	Nicole	Kidman	F
108	Stephen	Baldwin	M
109	Jack	Nicholson	M
110	Mark	Wahlberg	M
111	Woody	Allen	M
112	Claire	Danes	F
113	Tim	Robbins	M
114	Kevin	Spacey	M
115	Kate	Winslet	F
116	Robin	Williams	M
117	Jon	Voight	M
118	Ewan	McGregor	M
119	Christian	Bale	M
120	Maggie	Gyllenhaal	F
121	Dev	Patel	M
122	Sigourney	Weaver	F
123	David	Aston	M
124	Ali	Astin	F

DIRCETOR

CREATE TABLE DIRECTOR(DIR_ID NUMBER(4) NOT NULL PRIMARY KEY,
DIR_FNAME VARCHAR2(20) NOT NULL,
DIR_LNAME VARCHAR2(20) NOT NULL);

DESC DIRECTOR;

```
INSERT INTO DIRECTOR VALUES(201, 'Alfred', 'Hitchcock');
INSERT INTO DIRECTOR VALUES(202, 'Jack', 'Clayton');
INSERT INTO DIRECTOR VALUES(203, 'David', 'Lean');
INSERT INTO DIRECTOR VALUES(204, 'Michael', 'Cimino');
INSERT INTO DIRECTOR VALUES(205, 'Milos', 'Forman');
INSERT INTO DIRECTOR VALUES(206, 'Ridley', 'Scott');
INSERT INTO DIRECTOR VALUES(207, 'Stanley', 'Kubrick');
INSERT INTO DIRECTOR VALUES(208, 'Bryan', 'Singer');
INSERT INTO DIRECTOR VALUES(209, 'Roman', 'Polanski');
INSERT INTO DIRECTOR VALUES(210, 'Paul', 'Thomas Anderson');
INSERT INTO DIRECTOR VALUES(211, 'Woody', 'Allen');
INSERT INTO DIRECTOR VALUES(212, 'Hayao', 'Miyazaki');
INSERT INTO DIRECTOR VALUES(213, 'Frank', 'Darabont');
INSERT INTO DIRECTOR VALUES(214, 'Sam', 'Mendes');
INSERT INTO DIRECTOR VALUES(215, 'James', 'Cameron');
INSERT INTO DIRECTOR VALUES(216, 'Gus', 'Van Sant');
INSERT INTO DIRECTOR VALUES(217, 'John', 'Boorman');
INSERT INTO DIRECTOR VALUES(218, 'Danny', 'Boyle');
INSERT INTO DIRECTOR VALUES(219, 'Christopher', 'Nolan');
INSERT INTO DIRECTOR VALUES(220, 'Richard', 'Kelly');
INSERT INTO DIRECTOR VALUES(221, 'Kevin', 'Spacey');
INSERT INTO DIRECTOR VALUES(222, 'Andrei', 'Tarkovsky');
INSERT INTO DIRECTOR VALUES(223, 'Peter', 'Jackson');
```

SELECT * FROM DIRECTOR;

DIR_ID	DIR_FNAME	DIR_LNAME
201	Alfred	Hitchcock
202	Jack	Clayton
203	David	Lean
204	Michael	Cimino
205	Milos	Forman
206	Ridley	Scott
207	Stanley	Kubrick
208	Bryan	Singer
209	Roman	Polanski
		Thomas
210	Paul	Anderson
211	Woody	Allen
212	Hayao	Miyazaki
213	Frank	Darabont
214	Sam	Mendes
215	James	Cameron
216	Gus	Van Sant
217	John	Boorman
218	Danny	Boyle
219	Christopher	Nolan
220	Richard	Kelly
221	Kevin	Spacey
222	Andrei	Tarkovsky
223	Peter	Jackson

GENRES

```
CREATE TABLE GENRES(GEN_ID NUMBER PRIMARY KEY,
GEN_TITLE VARCHAR2(25) NOT NULL);
DESC GENRES;
```

```
INSERT INTO GENRES VALUES(1001, 'Action');
INSERT INTO GENRES VALUES(1002, 'Adventure');
INSERT INTO GENRES VALUES(1003, 'Animation');
INSERT INTO GENRES VALUES(1004, 'Biography');
INSERT INTO GENRES VALUES(1005, 'Comedy');
INSERT INTO GENRES VALUES(1006, 'Crime');
```

```
INSERT INTO GENRES VALUES(1008, 'Horror');
INSERT INTO GENRES VALUES(1009, 'Music');
INSERT INTO GENRES VALUES(1010, 'Mystery');
INSERT INTO GENRES VALUES(1011, 'Romance');
INSERT INTO GENRES VALUES(1012, 'Thriller');
INSERT INTO GENRES VALUES(1013, 'War');
SELECT * FROM GENRES;
 GEN_ID GEN_TITLE
    1001 Action
    1002 Adventure
    1003 Animation
    1004 Biography
    1005 Comedy
    1006 Crime
    1007 Drama
    1008 Horror
    1009 Music
    1010 Mystery
    1011 Romance
    1012 Thriller
    1013 War
          MOVIE_CAST
```

INSERT INTO GENRES VALUES(1007,'Drama');

```
CREATE TABLE MOVIE_CAST(ACT_ID NUMBER(4) NOT NULL REFERENCES ACTOR(ACT_ID),

MOV_ID NUMBER(4) NOT NULL REFERENCES MOVIE(MOV_ID),

ROLE VARCHAR2(30)

);

DESC MOVIE_CAST;
```

```
INSERT INTO MOVIE_CAST VALUES(101, 901, 'John Scottie Ferguson');
INSERT INTO MOVIE CAST VALUES(102, 902, 'Miss Giddens');
INSERT INTO MOVIE CAST VALUES(103, 903, T.E. Lawrence');
INSERT INTO MOVIE_CAST VALUES(104, 904, 'Michael');
INSERT INTO MOVIE_CAST VALUES(105, 905, 'Antonio Salieri');
INSERT INTO MOVIE_CAST VALUES(106, 906, 'Rick Deckard');
INSERT INTO MOVIE CAST VALUES(107, 907, 'Alice Harford');
INSERT INTO MOVIE CAST VALUES(108, 908, 'McManus');
INSERT INTO MOVIE CAST VALUES(110, 910, 'Eddie Adams');
INSERT INTO MOVIE_CAST VALUES(111, 911, 'Alvy Singer');
INSERT INTO MOVIE_CAST VALUES(112, 912, 'San');
INSERT INTO MOVIE CAST VALUES(113, 913, 'Andy Dufresne');
INSERT INTO MOVIE CAST VALUES(114, 914, Lester Burnham');
INSERT INTO MOVIE CAST VALUES(115, 915, 'Rose DeWitt Bukater');
INSERT INTO MOVIE CAST VALUES(116, 916, 'Sean Maguire');
INSERT INTO MOVIE CAST VALUES(117, 917, 'Ed');
INSERT INTO MOVIE_CAST VALUES(118, 918, 'Renton');
INSERT INTO MOVIE CAST VALUES(120, 920, 'Elizabeth Darko');
INSERT INTO MOVIE CAST VALUES(121, 921, 'Older Jamal');
INSERT INTO MOVIE CAST VALUES(122, 922, 'Ripley');
INSERT INTO MOVIE CAST VALUES(114, 923, 'Bobby Darin');
INSERT INTO MOVIE CAST VALUES(109, 909, 'J.J.Gittes');
INSERT INTO MOVIE_CAST VALUES(119, 919, 'Alfred Borden');
```

SELECT * FROM MOVIE_CAST;

MOV_ID	ROLE
	John Scottie
901	Ferguson
902	Miss Giddens
903	T.E. Lawrence
904	Michael
905	Antonio Salieri
906	Rick Deckard
907	Alice Harford
908	McManus
910	Eddie Adams
911	Alvy Singer
912	San
913	Andy Dufresne
914	Lester Burnham
	Rose DeWitt
915	Bukater
916	Sean Maguire
917	Ed
918	Renton
920	Elizabeth Darko
921	Older Jamal
922	Ripley
923	Bobby Darin
909	J.J.Gittes
919	Alfred Borden
	901 902 903 904 905 906 907 908 910 911 912 913 914 915 916 917 918 920 921 922 923 909

MOVIE

```
create table MOVIE (

MOV_ID number not null constraint movie_pk primary key,

MOV_TITLE varchar2(50) not null,

MOV_YEAR number not null,

MOV_TIME number not null,

MOV_LANG varchar2(20) not null,

MOV_DT_REL date,

MOV_REL_COUNTRY varchar2(20) not null
);
```

DESC MOVIE; INSERT INTO MOVIE VALUES(901, 'Vertigo', 1958, 128, 'English', TO DATE('1958-08-24', 'YYYY-MM-DD'),'UK'); INSERT INTO MOVIE VALUES(902, 'The Innocents', 1961, 100, 'English', TO_DATE('1962-02-19', 'YYYY-MM-DD'),'SW'); INSERT INTO MOVIE VALUES(903, Lawrence of Arabia', 1962, 216, 'English', TO DATE('1962-12-11','YYYY-MM-DD'),'UK'); INSERT INTO MOVIE VALUES(904, The Deer Hunter', 1978, 183, 'English', TO_DATE('1979-03-08', 'YYYY-MM-DD'), 'UK'); INSERT INTO MOVIE VALUES(905, 'Amadeus', 1984, 160, 'English', TO DATE('1985-01-07', 'YYYY-MM-DD'),'UK'); INSERT INTO MOVIE VALUES(906, 'Blade Runner', 1982, 117, 'English', TO DATE('1982-09-09', 'YYYY-MM-DD'), 'UK'); INSERT INTO MOVIE VALUES(907, 'Eyes Wide Shut', 1999, 159, 'English', NULL, 'UK'); INSERT INTO MOVIE VALUES(908, The Usual Suspects', 1995, 106, English', TO_DATE('1995-08-25','YYYY-MM-DD'),'UK');

INSERT INTO MOVIE VALUES(909, 'Chinatown', 1974, 130, 'English', TO_DATE('1974-08-09', 'YYYY-MM-DD'), 'UK');

INSERT INTO MOVIE VALUES(910, 'The Boogie Nights', 1997, 155, 'English', TO_DATE('1998-02-16', 'YYYY-MM-DD'), 'UK');

INSERT INTO MOVIE VALUES(911, 'Annie Hall',1977,93, 'English',TO_DATE('1977-04-20','YYYY-MM-DD'),'USA');

 $INSERT\ INTO\ MOVIE\ VALUES (912, 'Princess\ Mononoke', 1997, 134, 'Japanese', TO_DATE ('2001-10-19', 'YYYY-MM-DD'), 'UK');$

INSERT INTO MOVIE VALUES(913, 'The Shawshank Redemption', 1994, 142, 'English', TO_DATE('1995-02-17', 'YYYY-MM-DD'), 'UK');

INSERT INTO MOVIE VALUES(914, 'American Beauty', 1999, 122, 'English', NULL, 'UK');

INSERT INTO MOVIE VALUES(915, 'Titanic', 1997, 194, 'English', TO_DATE('1998-01-23', 'YYYY-MM-DD'), 'UK');

INSERT INTO MOVIE VALUES(916, 'Good Will Hunting', 1997, 126, 'English', TO_DATE('1998-06-03', 'YYYY-MM-DD'), 'UK');

INSERT INTO MOVIE VALUES(917, 'Deliverance', 1972, 109, 'English', TO_DATE('1982-10-05', 'YYYY-MM-DD'), 'UK');

INSERT INTO MOVIE VALUES(918, 'Trainspotting',1996,94, 'English',TO_DATE('1996-02-23', 'YYYY-MM-DD'), 'UK');

INSERT INTO MOVIE VALUES(919, 'The Prestige', 2006, 130, 'English', TO_DATE('2006-11-10', 'YYYY-MM-DD'), 'UK');

INSERT INTO MOVIE VALUES(920, Donnie Darko', 2001, 113, 'English', NULL, 'UK');

INSERT INTO MOVIE VALUES(921, 'Slumdog Millionaire', 2008, 120, 'English', TO_DATE('2009-01-09', 'YYYY-MM-DD'), 'UK');

INSERT INTO MOVIE VALUES(922, 'Aliens', 1986, 137, 'English', TO_DATE('1986-08-29', 'YYYY-MM-DD'), 'UK');

INSERT INTO MOVIE VALUES(923, 'Beyond the Sea', 2004, 118, 'English', TO_DATE('2004-11-26', 'YYYY-MM-DD'), 'UK');

INSERT INTO MOVIE VALUES(924, 'Avatar', 2009, 162, 'English', TO_DATE('2009-12-17', 'YYYY-MM-DD'), 'UK');

INSERT INTO MOVIE VALUES(925, 'Braveheart', 1995, 178, 'English', TO_DATE('1995-09-08', 'YYYY-MM-DD'), 'UK');

INSERT INTO MOVIE VALUES(926, 'Seven Samurai', 1954, 207, 'Japanese', TO_DATE('1954-04-26', 'YYYY-MM-DD'), 'JP');

INSERT INTO MOVIE VALUES(927, 'Spirited Away', 2001, 125, 'Japanese', TO_DATE('2003-09-12', 'YYYY-MM-DD'), 'UK');

INSERT INTO MOVIE VALUES(928, 'Back to the Future', 1985, 116, 'English', TO_DATE('1985-12-04', 'YYYY-MM-DD'), 'UK');

SELECT * FROM MOVIE;

MOV_ID	MOV_TITLE	MOV_YEAR	MOV_TIME	MOV_LANG	MOV_DT_REL	MOV_REL_COUNTRY
901	Vertigo	1958	128	English	#######	UK
902	The Innocents	1961	100	English	#######	SW
903	Lawrence of Arabia	1962	216	English	#######	UK
904	The Deer Hunter	1978	183	English	#######	UK
905	Amadeus	1984	160	English	07-Jan-85	UK
906	Blade Runner	1982	117	English	#######	UK
907	Eyes Wide Shut	1999	159	English	-	UK
908	The Usual Suspects	1995	106	English	#######	UK
909	Chinatown	1974	130	English	#######	UK
910	The Boogie Nights	1997	155	English	#######	UK
911	Annie Hall	1977	93	English	#######	USA
912	Princess Mononoke	1997	134	Japanese	19-Oct-01	UK
	The Shawshank					
913	Redemption	1994	142	English	#######	UK
914	American Beauty	1999	122	English	-	UK
915	Titanic	1997	194	English	23-Jan-98	UK
916	Good Will Hunting	1997	126	English	03-Jun-98	UK
917	Deliverance	1972	109	English	05-Oct-82	UK
918	Trainspotting	1996	94	English	#######	UK
919	The Prestige	2006	130	English	#######	UK
920	Donnie Darko	2001	113	English	-	UK
921	Slumdog Millionaire	2008	120	English	09-Jan-09	UK
922	Aliens	1986	137	English	#######	UK

923	Beyond the Sea	2004	118	English	#######	UK
924	Avatar	2009	162	English	#######	UK
925	Braveheart	1995	178	English	#######	UK
926	Seven Samurai	1954	207	Japanese	#######	JP
927	Spirited Away	2001	125	Japanese	#######	UK
928	Back to the Future	1985	116	English	#######	UK

MOVIE_DIRECTION

CREATE TABLE MOVIE_DIRECTION(DIR_ID NUMBER(4) NOT NULL REFERENCES DIRECTOR(DIR_ID),

MOV_ID NUMBER(4) NOT NULL REFERENCES MOVIE(MOV_ID));

DESC MOVIE_DIRECTION;

```
INSERT INTO MOVIE_DIRECTION VALUES(201,901);
INSERT INTO MOVIE DIRECTION VALUES(202,902);
INSERT INTO MOVIE_DIRECTION VALUES(203,903);
INSERT INTO MOVIE_DIRECTION VALUES(204,904);
INSERT INTO MOVIE_DIRECTION VALUES(205,905);
INSERT INTO MOVIE_DIRECTION VALUES(206,906);
INSERT INTO MOVIE_DIRECTION VALUES(207,907);
INSERT INTO MOVIE_DIRECTION VALUES(208,908);
INSERT INTO MOVIE_DIRECTION VALUES(209,909);
INSERT INTO MOVIE_DIRECTION VALUES(210,910);
INSERT INTO MOVIE_DIRECTION VALUES(211,911);
INSERT INTO MOVIE_DIRECTION VALUES(212,912);
INSERT INTO MOVIE_DIRECTION VALUES(213,913);
INSERT INTO MOVIE_DIRECTION VALUES(214,914);
INSERT INTO MOVIE_DIRECTION VALUES(215,915);
INSERT INTO MOVIE DIRECTION VALUES(216,916);
INSERT INTO MOVIE_DIRECTION VALUES(217,917);
INSERT INTO MOVIE_DIRECTION VALUES(218,918);
```

```
INSERT INTO MOVIE_DIRECTION VALUES(219,919);
INSERT INTO MOVIE_DIRECTION VALUES(220,920);
INSERT INTO MOVIE_DIRECTION VALUES(218,921);
INSERT INTO MOVIE_DIRECTION VALUES(215,922);
INSERT INTO MOVIE_DIRECTION VALUES(221,923);
SELECT * FROM MOVIE_DIRECTION;
 DIR_ID
          MOV_ID
     201
              901
     202
              902
     203
              903
     204
              904
     205
              905
     206
              906
     207
              907
     208
              908
     209
              909
     210
              910
     211
              911
     212
              912
     213
              913
     214
              914
     215
              915
     216
              916
     217
              917
     218
              918
     219
              919
     220
              920
     218
              921
     215
              922
```

MOVIE_GENRES

CREATE TABLE MOVIE_GENRES (MOV_ID NUMBER(5, 0) NOT NULL REFERENCES MOVIE(MOV_ID),
GEN_ID NUMBER(6, 0) NOT NULL REFERENCES GENRES(GEN_ID));

DESC MOVIE_GENRES;

```
INSERT INTO MOVIE GENRES VALUES (922, 1001);
INSERT INTO MOVIE_GENRES VALUES(917,1002);
INSERT INTO MOVIE_GENRES VALUES(903,1002);
INSERT INTO MOVIE_GENRES VALUES(912,1003);
INSERT INTO MOVIE GENRES VALUES(911,1005);
INSERT INTO MOVIE GENRES VALUES (908, 1006);
INSERT INTO MOVIE_GENRES VALUES(913,1006);
INSERT INTO MOVIE_GENRES VALUES(926,1007);
INSERT INTO MOVIE_GENRES VALUES(928,1007);
INSERT INTO MOVIE_GENRES VALUES(918,1007);
INSERT INTO MOVIE_GENRES VALUES(921,1007);
INSERT INTO MOVIE_GENRES VALUES(902,1008);
INSERT INTO MOVIE_GENRES VALUES(923,1009);
INSERT INTO MOVIE_GENRES VALUES(907,1010);
INSERT INTO MOVIE_GENRES VALUES(927,1010);
INSERT INTO MOVIE_GENRES VALUES(901,1010);
INSERT INTO MOVIE_GENRES VALUES(914,1011);
INSERT INTO MOVIE_GENRES VALUES(906,1012);
INSERT INTO MOVIE_GENRES VALUES(904,1013);
```

SELECT* FROM MOVIE_GENRES;

```
MOV_ID GEN_ID
   922
           1001
   917
           1002
   903
           1002
   912
           1003
   911
           1005
   908
           1006
   913
           1006
   926
           1007
   928
           1007
   918
           1007
   921
           1007
   902
           1008
   923
           1009
   907
           1010
   927
           1010
           1010
   901
   914
           1011
   906
           1012
   904
           1013
```

RATING

```
CREATE TABLE RATING(MOV_ID NUMBER(5, 0) NOT NULL REFERENCES MOVIE(MOV_ID),

REV_ID NUMBER(5, 0) NOT NULL REFERENCES REVIEWER(REV_ID),

REV_STARS NUMBER(4, 2),

NUM_O_RATINGS NUMBER(10, 0));

DESC RATING;

INSERT INTO RATING VALUES(901,9001,8.4,263575);

INSERT INTO RATING VALUES(902,9002,7.9,20207);

INSERT INTO RATING VALUES(903,9003,8.3,202778);

INSERT INTO RATING VALUES(906,9005,8.2,484746);

INSERT INTO RATING VALUES(924,9006,7.3,NULL);

INSERT INTO RATING VALUES(908,9007,8.6,779489);

INSERT INTO RATING VALUES(909,9008,NULL,227235);
```

INSERT INTO RATING VALUES(910,9009,3,195961);
INSERT INTO RATING VALUES(911,9010,8.1,203875);
INSERT INTO RATING VALUES(912,9011,8.4,NULL);
INSERT INTO RATING VALUES(914,9013,7,862618);
INSERT INTO RATING VALUES(915,9001,7.7,830095);
INSERT INTO RATING VALUES(916,9014,4,642132);
INSERT INTO RATING VALUES(925,9015,7.7,81328);
INSERT INTO RATING VALUES(918,9016,NULL,580301);
INSERT INTO RATING VALUES(920,9017,8.1,609451);
INSERT INTO RATING VALUES(921,9018,8.0,667758);
INSERT INTO RATING VALUES(922,9019,8.4,511613);
INSERT INTO RATING VALUES(923,9020,6.7,13091);

SELECT * FROM RATING;

REV_ID	REV_STARS	NUM_O_RATINGS
9001	8.4	263575
9002	7.9	20207
9003	8.3	202778
9005	8.2	484746
9006	7.3	-
9007	8.6	779489
9008	-	227235
9009	3	195961
9010	8.1	203875
9011	8.4	-
9013	7	862618
9001	7.7	830095
9014	4	642132
9015	7.7	81328
9016	-	580301
9017	8.1	609451
9018	8	667758
9019	8.4	511613
9020	6.7	13091
	9001 9002 9003 9005 9006 9007 9008 9010 9011 9013 9001 9014 9015 9016 9017 9018	9001 8.4 9002 7.9 9003 8.3 9005 8.2 9006 7.3 9007 8.6 9008 - 9009 3 9010 8.1 9011 8.4 9013 7 9001 7.7 9014 4 9015 7.7 9016 - 9017 8.1 9018 8 9019 8.4

REVIEWER

```
CREATE TABLE REVIEWER(
REV_ID NUMBER(5, 0) NOT NULL PRIMARY KEY,
REV NAME VARCHAR2(30));
DESC REVIEWER;
INSERT INTO REVIEWER VALUES(9001, 'Righty Sock');
INSERT INTO REVIEWER VALUES(9002, 'Jack Malvern');
INSERT INTO REVIEWER VALUES(9003, 'Flagrant Baronessa');
INSERT INTO REVIEWER VALUES(9004, 'Alec Shaw');
INSERT INTO REVIEWER VALUES(9005, NULL);
INSERT INTO REVIEWER VALUES(9006, 'Victor Woeltjen');
INSERT INTO REVIEWER VALUES(9007, 'Simon Wright');
INSERT INTO REVIEWER VALUES(9008, 'Neal Wruck');
INSERT INTO REVIEWER VALUES(9009, 'Paul Monks');
INSERT INTO REVIEWER VALUES(9010, 'Mike Salvati');
INSERT INTO REVIEWER VALUES (9011, NULL);
INSERT INTO REVIEWER VALUES(9012, 'Wesley S. Walker');
INSERT INTO REVIEWER VALUES(9013,'Sasha Goldshtein');
INSERT INTO REVIEWER VALUES(9014, 'Josh Cates');
INSERT INTO REVIEWER VALUES(9015, 'Krug Stillo');
INSERT INTO REVIEWER VALUES(9016, 'Scott LeBrun');
INSERT INTO REVIEWER VALUES(9017, 'Hannah Steele');
INSERT INTO REVIEWER VALUES(9018, Vincent Cadena');
INSERT INTO REVIEWER VALUES(9019, 'Brandt Sponseller');
INSERT INTO REVIEWER VALUES(9020, 'Richard Adams');
```

REV_ID	REV_NAME
9001	Righty Sock
9002	Jack Malvern
	Flagrant
9003	Baronessa
9004	Alec Shaw
9005	-
9006	Victor Woeltjen
9007	Simon Wright
9008	Neal Wruck
9009	Paul Monks
9010	Mike Salvati
9011	-
9012	Wesley S.Walker
	Sasha
9013	Goldshtein
9014	Josh Cates
9015	Krug Stillo
9016	Scott LeBrun
9017	Hannah Steele

 9018 Vincent Cadena Brandt
 9019 Sponseller
 9020 Richard Adams