VISVESVARAYA TECHNOLOGICAL UNIVERSITY

"JnanaSangama", Belgaum -590014, Karnataka.



LAB REPORT on

UNIX SHELL AND SYSTEM PROGRAMMING

Submitted by

Anika Singh (1BM20CS014)

in partial fulfillment for the award of the degree of BACHELOR OF ENGINEERING
in
COMPUTER SCIENCE AND ENGINEERING



B.M.S. COLLEGE OF ENGINEERING
(Autonomous Institution under VTU)
BENGALURU-560019
October-2022 to Feb-2023

B. M. S. College of Engineering,

Bull Temple Road, Bangalore 560019

(Affiliated To Visvesvaraya Technological University, Belgaum)

Department of Computer Science and Engineering



CERTIFICATE

This is to certify that the Lab work entitled "LAB COURSE UNIX SHELL AND SYSTEM PROGRAMMING" carried out by ANIKA SINGH (1BM20CS014), who is bonafide student of B. M. S. College of Engineering. It is in partial fulfillment for the award of Bachelor of Engineering in Computer Science and Engineering of the Visvesvaraya Technological University, Belgaum during the year 2022. The Lab report has been approved as it satisfies the academic requirements in respect of a Unix Shell and System Programming - (20CS5PCUSP) work prescribed for the said degree.

MADHAVI R.P.

Associate Professor Department of CSE BMSCE, Bengaluru Dr. Jyothi S Nayak

Professor and Head Department of CSE BMSCE, Bengaluru

Index

Sl. No	Date	Experiment Title	Page No.
1.	7.11.22	Shell script to find if the given year is leap or not	1
2	14.11.22	Shell script to find the area of a circle	2
3	21.11.22	Shell script to check whether the number is zero/ positive/ negative	3
4	28.11.22	Shell script to find the biggest of three numbers	4
5	5.12.22	Shell script to find the factorial of a number	5
6	12.12.22	Shell script to compute the gross salary of an employee	6
7	19.12.22	Shell script to convert the temperature Fahrenheit to Celsius	7
8	19.12.22	Shell script to perform arithmetic operations on given two numbers	8
9	19.12.22	Shell script to find the sum of even numbers up to n	9
10	26.12.22	Shell script to print the combinations of numbers 123	10
11	26.12.22	Shell script to find the power of a number	11
12	26.12.22	Shell script to find the sum of n natural numbers	12
13	2.1.23	Shell script to display the pass class of a student	13
14	2.1.23	Shell script to find the Fibonacci series up to n	14
15	2.1.23	Shell script to count the number of vowels of a string	15
16	2.1.23	Shell script to check number of lines, words, characters in a file	16
17	9.1.23	Write a C/C++ program to that outputs the contents of its environment list	17
18	9.1.23	Write a C/C++ program to emulate the Unix ln command	19

19	16.1.23	Write a C/C++ POSIX compliant program that prints the POSIX defined Configuration options supported on any given system using feature test macros.	20
20	16.1.23	Write a C/C++ program which demonstrates Interprocess Communication between a reader process and a writer process. Use mkfifo, open, read, write and close apis in your program.	22

Shell script to find if the given year is leap or not

```
#!/bin/bash
echo "Enter an Year: "
read year
if [ $((year % 4)) -eq 0 ]
then
 if [ $((year % 100)) -eq 0 ]
  then
  if [ $((year % 400)) -eq 0 ]
      then
     echo "$year is a leap year"
  else
      echo "$year is not a leap year"
  fi
 else
 echo "$year is a leap year"
 fi
else
echo "$year is not a leap year"
fi
```

```
enter the year: 2024
its a leap year
```

Shell script to find the area of a circle

```
#!/bin/bash
echo "\nEnter the radius of a circle : "
read r
d=$(echo "scale=2;2 * $r"| bc) #Diameter
area=$(echo "scale=2; 22/7 * ($r * $r)" | bc)
circumference=$(echo "scale=2; 22/7 * $d"| bc)
echo "\nArea of circle is : $area"
echo "\nCircumference of circle is : $circumference \n"
```

```
enter the radius of the circle: 2
The area of the circle is: 12.56
```

Shell script to check whether the number is zero/ positive/ negative

```
#!/bin/bash
echo "Enter the number:"
read num
if [ $num -gt 0 ]
then
echo "$num is positive"
elif [ $num -lt 0 ]
then
echo "$num is negative"
else
echo "$num is zero"
fi
```

```
enter the number: 4
The number is positive
```

Shell script to find the biggest of three numbers

```
#!/bin/bash
echo "Enter first number: "
read num1
echo "Enter second number: "
read num2
echo "Enter third number: "
read num3
if [ $num1 -gt $num2 ] && [ $num1 -gt $num3 ]
then
  echo "\n$num1 is the greatest"
elif [ $num2 -gt $num1 ] && [ $num2 -gt $num3 ]
then
  echo "\n$num2 is the greatest"
else
  echo "\n$num3 is the greatest"
fi
```

```
enter the 3 numbers: 10 20 30 30 is the biggest number
```

Shell script to find the factorial of a number

```
#!/bin/bash
echo "ENTER THE NUMBER: "
read n
fact=1
while [ $n -gt 1 ]
do
    fact=$(( fact * n))
    n=$((n-1 ))
done
echo "FACTORIAL IS: "
echo $fact
```

```
enter the numbers:3
The factorial of 3 is: 6
```

Shell script to compute the gross salary of an employee

```
#!/bin/bash
echo "\nEnter name of Employee :"
read name
echo "\nEnter DA :"
read da
echo "\nEnter HRA:"
read hra
echo "\nEnter basic"
read basic
sal=$(( $da + $hra + $basic ))
echo "\nGross Salary of $name is $sal"
```

```
Enter the basic salary:
1200
gross salary: 2400
```

Shell script to convert the temperature Fahrenheit to Celsius

```
#!/bin/bash
echo "Enter temperature in F:"
read f
c=$(echo "scale=2;(5/9)*($f-32)"|bc)
echo "$f °F = $c °C"
```

```
"Enter the Fahrenheit temp"
150
65
```

Shell script to perform arithmetic operations on given two numbers

```
#!/bin/bash
echo "Enter 2 Numbers: "
read a
read b
echo "Enter Operation: \n"
echo "1) Addition"
echo "2) Subtraction"
echo "3) Multiplication"
echo "4) Division(Quotient)"
echo "5) Modulus(Remainder)\n"
read op
case $op in
  1)echo "scale=3; $a + $b" | bc -1 ;;
 2)echo "scale=3; $a - $b" | bc -1;;
 3)echo "scale=3; $a \* $b" | bc -1;;
 4)echo "scale=3; $a / $b" | bc -1;;
 5)echo "scale=3; $a % $b" | bc -1;;
  *)echo "Choose a valid option"
esac
```

OUTPUT:

```
menu
1. addition
2.subtraction
3.multiplication
4. division
3
enter 2 numbers: 2 3
product is: 6
```

Shell script to find the sum of even numbers upto n

Program:

```
#!/bin/bash
sum=0
read -p "Enter maximum limit of Even Numbers : " m
for ((i = 0; i < m; i++)); do
    if [[ $i%2 -eq 0 ]]; then
        sum=$(expr $sum + $i)
    fi
done
echo $sum</pre>
```

```
Enter the number : 10
Sum of even numbers till 10 is : 30
```

Shell script to print the combinations of numbers 123

Program:

```
#!/bin/bash
echo "Combinations for 123:"

for ((i = 1; i <= 3; i++)); do

for ((j = 1; j <= 3; j++)); do

for ((k = 1; k <= 3; k++)); do

echo $i $j $k

done

done
```

Output

done

Shell script to find the power of a number

Program:

```
#!/bin/bash
echo "Enter base"
read a
echo "Enter power"
read b
res=1
for ((i = 1; i <= b; i++)); do
    res=`expr $res \* $a`
done
echo $res</pre>
```

```
Enter the base : 5
Enter power : 3
Result : 125
```

Shell script to find the sum of n natural numbers

Program:

```
#!/bin/bash
echo "Enter a number"
read n
i=1
sum=0
while [ $i -le $n ]
do
  echo "$i"
  sum=$(( $sum + $i ))
   i=$(( $i + 1 ))
done
echo "Sum=$sum"
```

```
Enter the number: 10
Sum of 10 natural numbers is 55
```

Shell script to display the pass class of a student

```
#!/bin/bash
echo "Enter m1:\c and Enter m2:\c "
read m1
echo "Enter m3:\c"
read m3
echo "Enter m4:\c"
read m4
echo "Enter m5:\c"
read m5
tot='expr $m1 + $m2 + $m3 + $m4 + $m5';
avg='expr $tot / 5';
echo "total: $tot \n avg: $avg"
if [ $avg -gt 85 ];then
echo " Grade: Distinction "
elif [ $avg -gt 65 ];then
echo " Grade: First Class "
elif [ $avg -gt 50 ];then
echo " Grade: Second Class "
elif [ $avg -gt 35 ];then
echo " Grade: Pass "
else echo " Grade: Fail"
fi
 Enter your marks: 45
```

Shell script to find the Fibonacci series up to n

Program:

```
#!/bin/bash
read N
a=0
b=1
echo "The Fibonacci series is : "
for (( i=0; i<N; i++ ))
do
    echo "$a"
    fib=$((a + b))
    a=$b
    b=$fib
done</pre>
```

```
Enter the end limit : 10
Fibonacci Series
0 1 1 2 3 5 8 13 21 34
```

Shell script to count the number of vowels of a string

Program:

```
#!/bin/bash
echo "enter filename"
```

read filename

vowels=`cat \$filename | tr -cd 'aeiouAEIOU' | wc -c`

echo "Number of vowels in \$filename: \$vowels"

```
Enter the string : BMS COLLEGE OF ENGINEERING
Vowel count : 9
```

Shell script to check number of lines, words, characters in a file

#!/bin/bash
echo "Enter the filename or path to proceed"
read filename
words=`wc -w \$filename`
lines=`wc -l \$filename`
chars=`wc -c \$filename`
echo "Words is \$words"
echo "Lines is \$lines"
echo "Characters is \$chars"

Output

Enter the file name : Lab6
Number of lines : 2 Lab6
Number of words : 2 Lab6
Number of characters : 9 Lab6

Write a C/C++ program to that outputs the contents of its environment list

#include<stdio.h>

=/script/tinit

```
#include<unistd.h&gt;
int main(int argc,char *argv[])
char **ptr;
extern char **environ;
for(ptr=environ; *ptr; ptr++)
printf("%s\n",*ptr);
return 0;
}
OUTPUT:
HOSTNAME=Check
LANGUAGE=en_US:en
PWD=/home
HOME=/
LANG=en_US.UTF-8
GOROOT=/usr/local/go
DISPLAY=:1
SHLVL=1
PS1=#ogdbshell#
LC_ALL=en_US.UTF-8
PATH=/opt/swift/swift-5.7.3-RELEASE-ubuntu22.04/usr/bin/:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin
DEBIAN_FRONTEND=noninteractive
```

Write a C/C++ program to emulate the Unix ln command

```
#include<unistd.h>
#include<stdio.h>
#include<string.h>
int main(int argc , char * argv[])
     if(argc<3 || argc>4)
          printf("Error in usage\n");
          return -1;
     if(argc==4 && strcmp(argv[1],"-s")!=0)
          printf("for symbolic link use -s option");
          return -1;
     if(argc==4 && access(argv[2], F OK)==-1)
         printf("Source file does not exist");
          return -1;
     if(argc==3 && access(argv[1], F OK)==-1)
          printf("Source file does not exist");
          return -1;
     if(argc==4)
          symlink(argv[2], argv[3]);
         printf("Symbolic link is created");
          return 0;
     if(argc==3)
          link(argv[1], argv[2]);
         printf("Hard link is created");
          return 0;
```

OUTPUT:

Hard link is created

Write a C/C++ POSIX compliant program that prints the POSIX defined Configuration options supported on any given system using feature test macros.

```
#define POSIX SOURCE
#define POSIX C SOURCE 199309L
#include<iostream&gt;
#include<unistd.h&gt;
int main()
using namespace std;
#ifdef POSIX JOB CONTROL
cout<&lt;&quot;System Supports Job Control feature&quot;&lt;&lt;endl;
#else
cout<&lt;&quot;System doesnot support job control\n&quot;;
#endif
#ifdef_POSIX_SAVED_IDS
cout<&lt;&quot;System Supports saved set-UID and saved set-GID&quot;&lt;&lt;endl;
#else
cout<&lt;&quot;System doesnot support saved set-UID\n&quot;;
#endif
#ifdef POSIX CHOWN RESTRICTED
cout<&lt;&quot;System Supports Change Ownership feature:&quot;&lt;&lt;endl;
#else
cout<&lt;&quot;System doesnot support change Ownership feature\n&quot;;
#endif
#ifdef POSIX NO TRUNC
cout<&lt;&quot;System Supports Path truncation option:&quot;&lt;&lt;endl;
```

```
#else
cout<&lt;&quot;System doesnot support Path truncation \n&quot;;
#endif
#ifdef _POSIX_VDISABLE
cout&lt;&lt;&quot;System Supports Disable Character for files:&quot;&lt;&lt;endl;
#else
cout&lt;&lt;&quot;System doesnot support Disable Characters \n&quot;;
#endif
return 0;
```

OUTPUT:

```
HOSTNAME=Check

LANGUAGE=en_US:en

PWD=/home

HOME=/

LANG=en_US.UTF-8

GOROOT=/usr/local/go

TERM=xterm

DISPLAY=:1

SHLVL=1

PS1=#ogdbshell#

LC_ALL=en_US.UTF-8

PATH=/opt/swift/swift-5.7.3-RELEASE-ubuntu22.04/usr/bin/:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin

DEBIAN_FRONTEND=noninteractive

=/script/tinit
```

Write a C/C++ program which demonstrates Interprocess Communication between a reader process and a writer process. Use mkfifo, open, read, write and close apis in your program.

```
#include <sys/stat.h>
       #include <string.h>
       #include <fcntl.h>
       #include <stdio.h>
       #include <unistd.h>
       int main(int argc, char *argv[])
       {
       char buf[100];
       int fd,n;
       mkfifo (argv[1], S_IFIFO |0777);
       if (argc == 3)
       fd = open (argv[1], O_WRONLY);
       write (fd, argv[2], strlen(argv[2]));
       close(fd);}
       if (argc == 2){
       fd = open (argv[1], O RDONLY);
       n= read (fd, buf, sizeof(buf));
```

```
buf[n]='\0';
printf ("%s", buf);
close(fd);
}
```

OUTPUT:

```
$ cc interprocess.c
$ ./a.out interprocess 5th semester
[1] 3801
$ ./a.out interprocess
5th semester[1]+ Done
```