Assignment - 6

- 1. Create a view vw_client_master using Client_no, Name, Address1 and Bal_due
 - a. Insert at least 3 records to vw_client_master.
 - b. Update a record to vw_client_master.
 - c. Delete a record from vw_client_master.

And check that the above operation if the base table is affected or not.

SQL Query: 1

CREATE VIEW vw_client_master as SELECT client_no, Name, Address1, Balance_due FROM client_master;

Output:

SQL> CREATE VIEW vw_client_master as	SELECT client_no,	Name, Address1, Balance_due F	ROM client_master;
View created.			
SQL> SELECT * FROM vw_client_master;			
CLIENT NAME	ADDRESS1	BALANCE_DUE	
C001 Ivan Bayross	P-76	15000	
C002 Vandana Satial	128	Θ	
C003 Pramada Jaguste	157	5000	
C004 Basu Navindgi	A/12	0	
C005 Ravi Sreedharan	B/34	2000	
C006 Rukmini	Q-12	0	
6 rows selected.			

SQL Query: 1a

INSERT INTO vw_client_master(client_no, name, address1, balance_due) VALUES('C007','ABHISEK SINGH','BALLY',15000);

INSERT INTO vw_client_master(client_no, name, address1, balance_due) VALUES('C008','DIPAK DAS','SALTLAKE',10000);

INSERT INTO vw_client_master(client_no, name, address1, balance_due) VALUES('C009','RAMAN GUPTA','HOWRAH',20000);

Output:

SQL> S	ELECT * FROM vw_client_master;		
CLIENT	NAME	ADDRESS1	BALANCE_DUE
C001	Ivan Bayross	P-76	15000
C002	Vandana Satial	128	0
C003	Pramada Jaguste	157	5000
C004	Basu Navindgi	A/12	0
C005	Ravi Sreedharan	B/34	2000
C006	Rukmini	Q-12	0
C007	ABHISEK SINGH	BALLY	15000
C008	DIPAK DAS	SALTLAKE	10000
C009	RAMAN GUPTA	HOWRAH	20000
9 rows	selected.		

CLIENT	NAME	ADDRESS1	CITY	STATE	PINCODE	BALANCE_DUE	TELEPHON
001	Ivan Bayross	P-76	Bombay	Maharashtra	400054	15000	
2002	Vandana Satial	128	Madras	Tamilnadu	780001	Θ	
2003	Pramada Jaguste	157	Kolkata	West Bengal	700058	5000	
2004	Basu Navindgi	A/12	Bombay	Maharashtra	400056	Θ	
2005	Ravi Sreedharan	B/34	Delhi	Delhi	100001	2000	
2006	Rukmini	Q-12	Bombay	Maharashtra	400050	Θ	
007	ABHISEK SINGH	BALLY				15000	
2008	DIPAK DAS	SALTLAKE				10000	
2009	RAMAN GUPTA	HOWRAH				20000	

SQL Query: 1b

UPDATE vw_client_master SET balance_due=8000 WHERE client_no='C008';

Output:

	PDATE vw_client_master SET bala HERE client_no='C008';	nce_due=8000	
1 row	updated.		
SQL> S	ELECT * FROM vw_client_master;		
CLIENT	NAME	ADDRESS1	BALANCE_DUE
C001	Ivan Bayross	P-76	15000
C002	Vandana Satial	128	Θ
C003	Pramada Jaguste	157	5000
C004	Basu Navindgi	A/12	Θ
C005	Ravi Sreedharan	B/34	2000
C006	Rukmini	Q-12	Θ
C007	ABHISEK SINGH	BALLY	15000
C008	DIPAK DAS	SALTLAKE	8000
C009	RAMAN GUPTA	HOWRAH	20000
9 rows	selected.		

C002 Vandana Satial 128 Madras Tamilnadu 780001 C003 Pramada Jaguste 157 Kolkata West Bengal 700058 C004 Basu Navindgi A/12 Bombay Maharashtra 400056 C005 Ravi Sreedharan B/34 Delhi Delhi 100001 C006 Rukmini Q-12 Bombay Maharashtra 400050 C007 ABHISEK SINGH BALLY	SQL> SE	ELECT * FROM client_master;						
C002 Vandana Satial 128 Madras Tamilnadu 780001 C003 Pramada Jaguste 157 Kolkata West Bengal 700058 C004 Basu Navindgi A/12 Bombay Maharashtra 400056 C005 Ravi Sreedharan B/34 Delhi Delhi 100001 C006 Rukmini Q-12 Bombay Maharashtra 400050 C007 ABHISEK SINGH BALLY	CLIENT	NAME	ADDRESS1	CITY	STATE	PINCODE	BALANCE_DUE	TELEPHONE
	C002 C003 C004 C005 C006 C007 C008 C009	Vandana Satial Pramada Jaguste Basu Navindgi Ravi Sreedharan Rukmini ABHISEK SINGH DIPAK DAS RAMAN GUPTA	128 157 A/12 B/34 Q-12 BALLY SALTLAKE	Madras Kolkata Bombay Delhi	Tamilnadu West Bengal Maharashtra Delhi	780001 700058 400056 100001	15000 0 5000 0 2000 0 15000 8000 20000	

Base table is affected

SQL Query: 1c

DELETE FROM vw_client_master WHERE client_no='C007';

Output:

SQL> [ELETE FROM vw_client_ma	ster WHERE client_no='C007';	
1 row	deleted.		
SQL> S	ELECT * FROM vw_client_	master;	
CLIENT	NAME	ADDRESS1	BALANCE_DUE
C001	Ivan Bayross	P-76	15000
C002	Vandana Satial	128	Θ
C003	Pramada Jaguste	157	5000
C004	Basu Navindgi	A/12	Θ
C005	Ravi Sreedharan	B/34	2000
C006	Rukmini	Q-12	Θ
C008	DIPAK DAS	SALTLAKE	8000
C009	RAMAN GUPTA	HOWRAH	20000
8 rows	selected.		

SQL> SE	ELECT * FROM client_master;						
CLIENT	NAME	ADDRESS1	CITY	STATE	PINCODE	BALANCE_DUE	TELEPHONE
C003 C004 C005 C006 C008	Ivan Bayross Vandana Satial Pramada Jaguste Basu Navindgi Ravi Sreedharan Rukmini DIPAK DAS RAMAN GUPTA	P-76 128 157 A/12 B/34 Q-12 SALTLAKE HOWRAH	Madras Kolkata Bombay Delhi Bombay	Maharashtra Tamilnadu West Bengal Maharashtra Delhi Maharashtra	400054 780001 700058 400056 100001 400050	15000 9 5000 0 2000 0 8000 20000	
8 rows	selected.						

- 2. Create a view Vw_sales_det using Client_no, Order_no, Order_date, Product_no, Qty_ordered, and order_status for all order which have already marked as 'Backorder'. (Using the tables sales_order, sales_order_details).
 - a. Insert a record to vw_sales_det.
 - b. Update the client_no for a particular order_no.
 - c. Delete a record.
 - d. Remove the views from database.

SQL Query: 2

CREATE VIEW vw sales det as SELECT

s1.client_no,s1.order_no,s1.order_date,s2.product_no,s2.qty_ordered,s1.order_status FROM sales_order s1, sales_order_details s2

WHERE s1.order_no=s2.order_no AND s1.order_status='Backorder';

Output:

SQL Query: 2a

INSERT INTO vw_sales_det(client_no, order_no, order_date, product_no, qty_ordered, order status) VALUES('C007','O19251','12-Jan-91','P00091',100,'InProcess');

Output:

```
SQL> INSERT INTO vw_sales_det(client_no, order_no, order_date, product_no, qty_ordered, order_status)

2 VALUES('C007','019251','12-Jan-91','P00091',100,'InProcess');
INSERT INTO vw_sales_det(client_no, order_no, order_date, product_no, qty_ordered, order_status)

*

ERROR at line 1:

ORA-01779: cannot modify a column which maps to a non key-preserved table
```

SQL Query: 2b

UPDATE vw_sales_det set client_no='C006' WHERE order_no='O19002';

Output:

```
SQL> UPDATE vw_sales_det set client_no='C006'

2 WHERE order_no='019002';
UPDATE vw_sales_det set client_no='C006'

*

ERROR at line 1:

ORA-01779: cannot modify a column which maps to a non key-preserved table
```

SQL Query: 2c

DELETE FROM vw sales det WHERE client no='C002';

Output:

```
SQL> DELETE FROM vw_sales_det WHERE client_no='C002';

1 row deleted.

SQL> SELECT * FROM vw_sales_det;

no rows selected
```

SQL Query: 2d

DROP VIEW vw_sales_det;

Output:

SQL> DROP VIEW vw_sales_det;

View dropped.

SQL> SELECT * FROM vw_sales_det;

SELECT * FROM vw_sales_det

*

ERROR at line 1:

ORA-00942: table or view does not exist