

COMMUNICATION WIZARD

Your Top Destination for interaction

SUBMITTED BY –

Aniket Kumar- 18BIT0214

Udit Agarwal- 18BIT0159

SLOT – A1

in fulfilment of the requirement for Digital Assignment for the subject –
Web Technologies (ITE1002)



VIT[®]
Vellore Institute of Technology
(Deemed to be University under section 3 of UGC Act, 1956)

DEPARTMENT OF INFORMATION TECHNOLOGY
SCHOOL OF INFORMATION TECHNOLOGY AND ENGINEERING
VELLORE INSTITUTE OF TECHNOLOGY

INTRODUCTION –

We, at Communication Wizard, provide a platform for all kinds of Students to solve all of their problem by means of interaction with their Seniors and fellow Classmates. We also help in getting them the books that they may require. More than this, the most highlighted thing is that there is also a section where a lot of previous year question papers can be found. So, all students should Sign in and take the advantage of Communication Wizard.

SCREENSHOTS

Homepage –



[Home](#) [About](#) [FAQs](#) [Books](#) [Question Papers](#) [Login](#) [Signup](#)

Communication Wizard

Your top destination for interaction
Ease of access to all course books and previous year question papers!!!

- Solution to all your problems at one place
- Interaction made easy
- Books at cheapest prices
- One to one communication with seniors
- Access all previous year question papers


BEYOND IMAGINATION, OUR INNOVATION

© 2019

About Page –



[Home](#) [About](#) [FAQs](#) [Books](#) [Question Papers](#) [Login](#) [Signup](#)



"The beautiful thing about learning is that no one can take it from you."

We, at Communication Wizard, provide a platform for all kinds of Students to solve all of their problem by means of interaction with their Seniors and fellow Classmates. We also help in getting them the books that they may require. More than this, the most highlighted thing is that there is also a section where a lot of previous year question papers can be found. So, all students should Signin and take the advantage of Communication Wizard.



BEYOND IMAGINATION, OUR INNOVATION

© 2019

FAQs –



[Home](#) [About](#) [FAQs](#) [Books](#) [Question Papers](#) [Login](#) [Signup](#)

FAQs

- **What are the benefits of being a 9 pointer?**
Exemption from 75% attendance Criteria and it will also benefit you during your Placements.
- **Does this Exemption also include SoftSkills as well as Lab?**
Yes, but instead of worrying for this thing, focus on getting a 9 CGPA.
- **Is it mandatory to be part of a Clubs and Chapters?**
No, it is totally upto you. But it is better to be atleast in one Club/Chapter. It increases your social interaction with fellow students.
- **When does hostel room allotment takes place?**
It generally takes place in March end (Winter Semester).
- **On what basis is room allotted and does gpa play any role in it?**
Yes, hostel rooms are allotted on the basis of your NCGPA rank which is calculated based on your CGPA only.
- **What is FFCS?**
It stands for Fully Flexible Credit System. It helps you to build your timetable as per your wish and let you choose subjects of your wish too.
- **How to register for extra co-curricular activities?**
It can be done by logging in to your vtop account and then go to extra co-curricular tab present in the left hand side and you will see the various activities provided by VIT.
- **What is QCM?**
It stands for Quality Circle Meeting where you can discuss your problems regarding any subject or the faculty with your HOD and School Co-ordinator.
- **Where to go if I have a start-up idea?**
VIT has its own start-up incubation center which is located in TT Ground Floor. If your idea is good enough they will provide you with funds and all basic requirements.

Got any Questions, ask below :

Got some more Queries?

Contact us on : +91 7728968988

Mail us on : communication_wizard@gmail.com

BEYOND IMAGINATION, OUR INNOVATION




© 2019

Books –






[Home](#) [About](#) [FAQs](#) [Books](#) [Question Papers](#) [Login](#) [Signup](#)




Basic Electrical and Electronics Engineering(EEE 1001)



Engineering Physics(PHY 1701)



Engineering Chemistry(CHY 1701)






Question Papers –






Home About FAQs Books Question Papers Login Signup




Basic Electrical and Electronics Engineering(EEE 1001)



Engineering Physics(PHY 1701)



Engineering Chemistry(CHY 1701)



BEYOND IMAGINATION, OUR INNOVATION

Login Page -



[Home](#) [About](#) [FAQs](#) [Books](#) [Question Papers](#) [Login](#) [Signup](#)

A login form titled "LOGIN TO EXPLORE" in blue capital letters. It features two input fields: "Username" and "Password", both with white text on a dark background. Below the password field is a blue "Login" button. The form is centered on a dark blue background with a repeating pattern of white and orange icons, including speech bubbles, arrows, and people icons.

BEYOND IMAGINATION, OUR INNOVATION

© 2019

Sign Up –



[Home](#) [About](#) [FAQs](#) [Books](#) [Question Papers](#) [Login](#) [Signup](#)

A dark blue rounded rectangular form overlay is centered on a background with a repeating pattern of communication icons (speech bubbles, arrows, people icons). The form contains the title "SIGN UP FOR BENEFITS" in large blue letters, followed by input fields for Name, Reg. No., Email, Username, Password, and Branch. A blue "Sign Up" button is at the bottom.

SIGN UP FOR BENEFITS

Name :

Reg. No.:

Email :

Username :

Password :

Branch :

[Sign Up](#)

BEYOND IMAGINATION, OUR INNOVATION

© 2019

Code:

package.json

```
{  
  "name": "mongodbttest",  
  "version": "1.0.0",  
  "description": "MongoDB Test",  
  "main": "index.js",  
  "scripts": {  
    "start": "node index",  
    "dev": "nodemon index"  
  },  
  "author": "Kartikey",  
  "license": "ISC",  
  "dependencies": {  
    "express": "^4.17.1",  
    "mongoose": "^5.7.7",  
    "nodemon": "^1.19.4"  
  }  
}
```

index.js

```
const express = require("express");

const path = require("path");

const app = express();

const mongoose = require("mongoose");


// MongoDB Connection

let mongoDB = "mongodb://localhost/userdb";

mongoose.connect(mongoDB, { useNewUrlParser: true, useUnifiedTopology: true });

const db = mongoose.connection;


// Check DB connection

db.once("open", () => console.log("Connected to MongoDB"));

db.on("error", err => console.log(err));


// Body Parser Middleware

app.use(express.urlencoded({ extended: false }));

app.use(express.json());


// Bring in Model

const User = require("./models/user");


// Read responses

app.get("/signup", (req, res) => {

  //console.log(req.body.name);

  res.sendFile(path.join(__dirname, "public", "signup.html"));

});

app.post("/signup", (req, res) => {

  //console.log("Name: " + req.body.name);

  //res.sendFile(path.join(__dirname, "public", "index.html"));

  let user = new User();

  user.name = req.body.name;

  user.reg = req.body.reg;
```

```
user.email = req.body.email;

user.username = req.body.username;

user.password = req.body.password;

user.branch = req.body.branch;

//console.log(user);

user.save(err => {

  if (err) throw err;

  res.redirect("/");

});

//var obj = user.find({ name: "Subhabrata Ghosh" });

});

// Static server

app.use(express.static(path.join(__dirname, "public")));

const PORT = process.env.PORT || 5100;

app.listen(PORT, () => console.log(`Server started on port ${PORT}`));
```

models/user.js

```
const mongoose = require("mongoose");

// User Schema

let userSchema = mongoose.Schema({

  name: {

    type: String,

    required: true

  },

  reg: {

    type: String,

    required: true

  },

  email: {
```

```
    type: String,  
    required: true  
  },  
  username: {  
    type: String,  
    required: true  
  },  
  password: {  
    type: String,  
    required: true  
  },  
  branch: {  
    type: String,  
    required: true  
  }  
});  
  
const User = (module.exports = mongoose.model("User", userSchema));
```

index.html

<html>

<head>

<title>College collaboration platform</title>

<style>

```
.topnav {  
  background-color: #333;  
  overflow: hidden;  
}
```

```
.topnav a {
float: left;
color: #f2f2f2;
text-align: center;
padding: 14px 16px;
text-decoration: none;
font-size: 98%;
}
```

```
.topnav a:hover {
background-color: rgb(109, 109, 109);
color: black;
}
```

```
.topnav a.active {
background-color: rgb(72, 73, 72);
color: white;
margin-left: 660px;
margin-top:10px;
}
```



```
#abc{
    margin-left: 40%;
}

.ab{
    margin-top:10px;
}

body, html {
height: 100%;
}

* {
box-sizing: border-box;
}

.bg-image {
/* The image used */
background-image: url("students.jpg");

/* Add the blur effect */
filter: blur(8px);
-webkit-filter: blur(8px);

/* Full height */
height: 100%;

/* Center and scale the image nicely */
background-position: center;
background-repeat: no-repeat;
background-size: cover;
}

/* Position text in the middle of the page/image */
.bg-text {
```

```
background-color: rgb(0,0,0); /* Fallback color */
background-color: rgba(0,0,0, 0.3); /* Black w/opacity/see-through */
color:white;
font-family:Bahnschrift Light;
border: 5px solid #f1f1f1;
position: absolute;
top: 50%;
left: 50%;
transform: translate(-50%, -50%);
z-index: 2;
width: 80%;
height:50%;
padding: 20px;
text-align: center;
font-size: 25;
}
```

```
.heading{
    margin-top: 10px;
    font-size: 70;
    font-family:Brush Script MT;
    color:black;
    font-weight:100;
}
```

```
.benefits{
    margin: 2px auto;
    border-radius: 5px;
    padding-top:10px;
    padding-bottom:10px;
    color:black;
    font-size:25;
    /*background-image: linear-gradient(90deg,#ABDCC4,#B5EAD0);*/
    background-image:url("img/6.jpg");
```

```
}

.benefits ul li{

    list-style-image: url(lsi2.svg);

}

.hr{

    margin-right: 1000px;

}


* {box-sizing: border-box;}

body {font-family: Verdana, sans-serif;}


.mySlides {

    display: none;

    width: 100%;

}

img {vertical-align: middle;}


.main-slideshow-container{

    position: relative;

    background-image: url("img/8.jpg");

    border-radius: 5px;

}

/* Slideshow container */
.slideshow-container {

border-radius: 5px;

max-width: 65%;

position: relative;

margin: auto;

padding: 20px;

}


/* Caption text */
.text {

background-color: black;
```

```
color: #f2f2f2;

font-size: 15px;

padding: 8px 12px;

position: absolute;

bottom: 20px;

width: 96.1%;

text-align: center;

opacity:0.8;

}
```

```
/* Number text (1/3 etc) */
```

```
.numbertext {

color: #f2f2f2;

font-size: 12px;

padding: 8px 12px;

position: absolute;

top: 0;

}
```

```
/* The dots/bullets/indicators */
```

```
.dot {

height: 15px;

width: 15px;

margin: 0 2px;

background-color: #bbb;

border-radius: 50%;

display: inline-block;

transition: background-color 0.6s ease;

}
```

```
.active {

background-color: #717171;

}
```

```
/* Fading animation */
```

```
.fade {  
  -webkit-animation-name: fade;  
  -webkit-animation-duration: 1.5s;  
  animation-name: fade;  
  animation-duration: 1.5s;  
}  
  
@-webkit-keyframes fade {  
  from {opacity: .4}  
  to {opacity: 1}  
}  
  
@keyframes fade {  
  from {opacity: .4}  
  to {opacity: 1}  
}  
  
/* On smaller screens, decrease text size */  
@media only screen and (max-width: 300px) {  
  .text {font-size: 11px}  
}  
  
.innovation{  
  background-color: black;  
  color: white;  
  
  font-size: 200%;  
  text-align: center;  
  margin-top: 0;  
}  
  
.innovation p{  
  margin-top: 0;  
}  
  
</style>
```

</head>

<link rel="shortcut icon" href="img/9c.ico" />

<body>

<div class="topnav">

<!-- Home

Chat

Question Papers

Books

Contact

About

Login -->

Home

About

FAQs

<!-- Chat -->

Books

Question Papers

Login

Signup

<!---->

</div>

<div class="bg-image"></div>

<div class="bg-text">

<p class="heading" align="center">Communication Wizard</p>

<p>Your top destination for interaction

Ease of access to all course books and previous year question papers!!!</p>

</div>

<div class="benefits">


```
<ul class="ul">
  <li>Solution to all your problems at one place</li>
  <hr class="hr" color="#726d6c">
  <li>Interaction made easy</li>
  <hr class="hr" color="#726d6c">
  <li>Books at cheapest prices</li>
  <hr class="hr" color="#726d6c">
  <li>One to one communication with seniors</li>
  <hr class="hr" color="#726d6c">
  <li>Access all previous year question papers</li>
  <hr class="hr" color="#726d6c">
</ul>
</div>
<div class="main-slideshow-container">
  <div class="slideshow-container">

    <div class="mySlides fade">
      
      <div class="text">"Everyone we interact with becomes a part of us."
    </div>
  </div>

  <div class="mySlides fade">
    
    <div class="text">"The beautiful thing about learning is that no one can take it from you."</div>
  </div>

  <div class="mySlides fade">
    
    <div class="text">"I swear to you, you would not be able to live your college right, if you don't use this site."</div>
  </div>

</div>
</div>
<div class="main-slideshow-container">
```

```
<div class="innovation">

  <p>BEYOND IMAGINATION, OUR INNOVATION</p>

</div>

<div class="footer">

  <p align="center">&copy; 2019</p>

</div>

</div>

<!-- <br> -->

<!-- <iframe src="foot.html" width="100%" height="50%" frameborder="0" style="margin: 0;"></iframe> -->

<!-- <script>

var slideIndex = 0;

showSlides();

function showSlides() {

  var i;

  var slides = document.getElementsByClassName("mySlides");

  var dots = document.getElementsByClassName("dot");

  for (i = 0; i < slides.length; i++) {

    slides[i].style.display = "none";

  }

  slideIndex++;

  if (slideIndex > slides.length) {slideIndex = 1}

  for (i = 0; i < dots.length; i++) {

    dots[i].className = dots[i].className.replace(" active", "");

  }

  slides[slideIndex-1].style.display = "block";

  //dots[slideIndex-1].className += " active";

  setTimeout(showSlides, 5000); // Change image every 2 seconds

}

</script> -->

</body>

</html>
```

aboutus.html

```
<!DOCTYPE html>

<html>
<head>

    <title>About Us - Communication Wizard</title>
    <style>

        html{

            margin: 0;

            padding: 0;

        }

        body{

            font-family:Bahnschrift Light;

            text-align: center;

            width: 100%;

            margin: 0;

            padding: 0;

        }

        .heading{

            display: flex;

            justify-content: space-between;

            background-color: #404040;

            color: white;

            padding: 1%;

        }

        .topnav {

            background-color: #333;

            overflow: hidden;

        }

        .topnav a {

            float: left;

            color: #f2f2f2;

            text-align: center;

            padding: 14px 16px;

            text-decoration: none;
```

```
font-size: 125%;
```

```
}
```

```
.topnav a:hover {
```

```
background-color: rgb(109, 109, 109);
```

```
color: black;
```

```
}
```

```
.topnav a.active {
```

```
background-color: rgb(72, 73, 72);
```

```
color: white;
```

```
margin-left: 660px;
```

```
margin-top:10px;
```

```
}
```

```
#abc{
```

```
margin-left: 40%;
```

```
}
```

```
.ab{
```

```
margin-top:10px;
```

```
}
```

```
/* .navbar{
```

```
padding: 1%;
```

```
margin-top: 0.7%;
```

```
width: 60%;
```

```
}
```

```
.navbar a{
```

```
text-decoration: none;
```

```
padding: 3%;
```

```
color: white;
```

```
font-size: 110%;
```

```
}
```

```
.navbar a:hover{
```

```
color: grey;
```

```

        background-color: #d9d9d9;
    } */
    .innovation{
        background-color: black;
        color: white;
        font-size: 200%;
        margin-top: 0;
    }

    .aboutusBox{
        display: flex;
        background-color: #6699ff
    }
    img.img1{
        width: 50%;
        padding: 2%;
    }

    .main-slideshow-container{
position: relative;
background-image: url("img/8.jpg");
border-radius: 5px;
    }

    .slideshow-container{
        width: 50%;
        margin: 0 auto;
        margin-top: 1%;
        background-color: #ffcc66;
    }
    .slideshow{
        background-color: #ffcc66;
        padding: 1%;
    }
    p.aboutusDetails{
        font-size: 1.8em;
    }

```

```

        .content{

            padding-left: 1.2%;

            width: 70%;

            text-align: justify;

        }
    </style>

</head>

<body>

    <div class="topnav">

        <a id="abc" class="ab" href="homepage.html">Home</a>

        <a class="ab" href="aboutus.html">About</a>

        <a class="ab" href="faqs.html">FAQs</a>

        <a class="ab" href="books.html">Books</a>

        <a class="ab" href="qp.html">Question Papers</a>

        <a class="ab" href="login.html">Login</a>

        <a class="ab" href="signup.html">Signup</a>

    </div>

    <!-- <div class="heading">

        <div class="logo">

        </div>

        <div class="topnav">

            <a id="abc" href="homepage.html">Home</a>

            <a href="aboutus.html">About</a>

            <a href="faqs.html">FAQs</a>

            <a href="books.html">Books</a>

            <a href="qp.html">Question Papers</a>

            <a href="login.html">Login</a>

            <a href="signup.html">Signup</a>

        </div>

    </div> -->

    <div class="slideshow">

```



```

        <div class="slideshow-container">

        <div class="mySlides fade">

            <div class="text">"Everyone we interact with becomes a part of us."

            </div>

        </div>

        <div class="mySlides fade">

            <div class="text">"The beautiful thing about learning is that no one can take it from you."</div>

        </div>

        <div class="mySlides fade">

            <div class="text">"I swear to you, you would not be able to live your college right, if you don't use this site."</div>

        </div>

        </div>

        <div class="aboutusBox">

            <div class="content">

                <p class="aboutusDetails">We, at Communication Wizard, provide a platform for all kinds of Students to solve
all of their problem by means of interaction with their Seniors and fellow Classmates. We also help in getting them the books that they may
require. More than this, the most highlighted thing is that there is also a section where a lot of previous year question papers can be found. So,
all students should Signin and take the advantage of Communication Wizard.</p>

                </div>

                <div class="aboutImg">

                </div>

            </div>

</div>

<script>

    var slideIndex = 0;

    showSlides();

    function showSlides() {

```

```

var i;

var slides = document.getElementsByClassName("mySlides");
var dots = document.getElementsByClassName("dot");

for (i = 0; i < slides.length; i++) {
    slides[i].style.display = "none";
}

slideIndex++;

if (slideIndex > slides.length) {slideIndex = 1}

for (i = 0; i < dots.length; i++) {
    dots[i].className = dots[i].className.replace(" active", "");
}

slides[slideIndex-1].style.display = "block";
//dots[slideIndex-1].className += " active";

setTimeout(showSlides, 2000); // Change image every 2 seconds
}

```

```

</script>

```

```

<div class="main-slideshow-container">

```

```

    <div class="innovation">

```

```

        <p>BEYOND IMAGINATION, OUR INNOVATION</p>

```

```

    </div>

```

```

    <div class="footer">

```

```

        <p>&copy; 2019</p>

```

```

    </div>

```

```

</div>

```

```

</body>

```

```

</html>

```

faqs.html

```

<!DOCTYPE html>

```

```

<html>

```

<head>

<title>Communication Wizard</title>

<style>

@font-face {

font-family: 'Anurati';

src: url("fonts/Anurati-Regular.otf");

}

html{

margin: 0;

padding: 0;

}

body{

font-family: Bahnschrift Light;

text-align: center;

width: 100%;

margin: 0;

padding: 0;

}

.heading{

display: flex;

justify-content: space-between;

background-color: #404040;

color: white;

padding: 1%;

}

.topnav {

background-color: #333;

overflow: hidden;

}

.topnav a {

float: left;

color: #f2f2f2;

text-align: center;

padding: 14px 16px;

```
text-decoration: none;
```

```
font-size: 125%;
```

```
}
```

```
.topnav a:hover {
```

```
background-color: rgb(109, 109, 109);
```

```
color: black;
```

```
}
```

```
.topnav a.active {
```

```
background-color: rgb(72, 73, 72);
```

```
color: white;
```

```
margin-left: 660px;
```

```
margin-top: 10px;
```

```
}
```

```
#abc{
```

```
margin-left: 40%;
```

```
}
```

```
.ab{
```

```
margin-top: 10px;
```

```
}
```

```
/* .navbar{
```

```
padding: 1%;
```

```
margin-top: 0.7%;
```

```
width: 60%;
```

```
}
```

```
.navbar a{
```

```
text-decoration: none;
```

```
padding: 3%;
```

```
color: white;
```

```
font-size: 110%;
```

```
}
```

```
.navbar a:hover{
```

```
        color: grey;

        background-color: #d9d9d9;

    } */

    .faqdetails{

        text-align: left;

        padding: 2%;

        font-size: 150%;

    }

    .faqbox{

        background-color: #4db8ff;

        padding-top: 2%;

    }

    h1.fs{

        font-family: Anurati;

        font-size: 300%;

        color: #003d66;

    }

    .further{

        text-align: left;

        padding-left: 4%;

        padding-bottom: 2%;

    }

    .further h3{

        font-size: 150%;

    }

    .further p{

        font-size: 130%;

    }

    .innovation{

        background-color: black;

        color: white;

        font-size: 200%;

    }

    .main-slideshow-container{

        position: relative;
```

```
        background-image: url("img/8.jpg");
        border-radius: 5px;
    }
</style>

</head>

<body>

    <div class="topnav">

        <a id="abc" class="ab" href="homepage.html">Home</a>

        <a class="ab" href="aboutus.html">About</a>

        <a class="ab" href="faqs.html">FAQs</a>

        <a class="ab" href="books.html">Books</a>

        <a class="ab" href="qp.html">Question Papers</a>

        <a class="ab" href="login.html">Login</a>

        <a class="ab" href="signup.html">Signup</a>

    </div>

    <!-- <div class="heading">

        <div class="logo">

        </div>

        <div class="navbar">

            <a href="homepage.html">Home</a>

            <a href="aboutus.html">About</a>

            <a href="faqs.html">FAQs</a>

            <a href="books.html">Books</a>

            <a href="qp.html">Question Papers</a>

            <a href="login.html">Login</a>

            <a href="signup.html">Signup</a>

        </div>

    </div> -->

    <div class="faqbox">

        <h1 class="fs">FAQs</h1>
```


<div class="faqdetails">

What are the benefits of being a 9 pointer?

your Placements.

Exemption from 75% attendance Criteria and it will also benefit you during

<hr>

Does this Exemption also include SoftSkills as well as Lab?

Yes, but instead of worrying for this thing, focus on getting a 9 CGPA.

<hr>

Is it mandatory to be part of a Clubs and Chapters?

increases your social interaction with fellow students.

No, it is totally upto you. But it is better to be atleast in one Club/Chapter. It

<hr>

When does hostel room allotment takes place?

It generally takes place in March end (Winter Semester).

<hr>

On what basis is room allotted and does gpa play any role in it?

calculated based on your CGPA only.

Yes, hostel rooms are allotted on the basis of your NCGPA rank which is

<hr>

What is FFCS?

as per your wish and let you choose subjects of your wish too.

It stands for Fully Flexible Credit System. It helps you to build your timetable

<hr>

**How to register for extra co-curricular activities?
**

It can be done by logging in to your vtop account and then go to extra co-curricular tab present in the left hand side and you will see the various activities provided by VIT.

<hr>

**What is QCM?
**

It stands for Quality Circle Meeting where you can discuss your problems regarding any subject or the faculty with your HOD and School Co-ordinator.

<hr>

**Where to go if I have a start-up idea?
**

VIT has its own start-up incubation center which is located in TT Ground Floor. If your idea is good enough they will provide you with funds and all basic requirements.

<hr>

<!-- <?php

if(isset(\$_POST['postbutton']))){

echo "".\$_POST['que']. "";

}

?> -->

</div>

<p style="font-size: 150%;">Post your Questions following:</p>

<div>

<form method="POST" action="<?php \$_PHP_SELF ?>">

<input type="text" name="que" placeholder="Question">

<input type="submit" name="postbutton" value="Post">

</form>

</div>

<div class="further">

<h3>Got some more Queries?</h3>

```

        <p>Contact us on : +91 7728968988</p>
        <p>Mail us on : communication_wizard@gmail.com</p>
    </div>
</div>

<div class="main-slideshow-container">
    <div class="innovation">
        <p>BEYOND IMAGINATION, OUR INNOVATION</p>
    </div>

    <div class="footer">
        <p>&copy; 2019</p>
    </div>
</div>

</body>
</html>

```

books.html

```

<!DOCTYPE html>
<html>
<head>

    <title>Communication Wizard</title>

    <style>
        html{
            margin: 0;
            padding: 0;
        }
        body{

```

```
        font-family: Bahnschrift Light;

        text-align: center;

        width: 100%;

        margin: 0;

        padding: 0;
    }

    .heading{

        display: flex;

        justify-content: space-between;

        background-color: #404040;

        color: white;

        padding: 1%;
    }

    .topnav {

        background-color: #333;

        overflow: hidden;

    }

    .topnav a {

        float: left;

        color: #f2f2f2;

        text-align: center;

        padding: 14px 16px;

        text-decoration: none;

        font-size: 125%;

    }

    .topnav a:hover {

        background-color: rgb(109, 109, 109);

        color: black;

    }

    .topnav a.active {

        background-color: rgb(72, 73, 72);

        color: white;
```

```
margin-left: 660px;
margin-top: 10px;
}

#abc{
    margin-left: 40%;
}

.ab{
    margin-top: 10px;
}

/* .navbar{
    padding: 1%;
    margin-top: 0.7%;
    width: 60%;
}

.navbar a{
    text-decoration: none;
    padding: 3%;
    color: white;
    font-size: 110%;
}

.navbar a:hover{
    color: grey;
    background-color: #d9d9d9;
} */

.innovation{
    background-color: black;
    color: white;
    font-size: 200%;
}

.main-slideshow-container{
position: relative;
background-image: url("img/8.jpg");
border-radius: 5px;
```

```
}

        img{

            width: 10%;

            height: 20%;

        }

    </style>

</head>

<body>

    <div class="topnav">

        <a id="abc" class="ab" href="homepage.html">Home</a>

        <a class="ab" href="aboutus.html">About</a>

        <a class="ab" href="faqs.html">FAQs</a>

        <a class="ab" href="books.html">Books</a>

        <a class="ab" href="qp.html">Question Papers</a>

        <a class="ab" href="login.html">Login</a>

        <a class="ab" href="signup.html">Signup</a>

    </div>

    <!-- <div class="heading">

        <div class="logo">

        </div>

        <div class="navbar">

            <a href="homepage.html">Home</a>

            <a href="aboutus.html">About</a>

            <a href="faqs.html">FAQs</a>

            <a href="books.html">Books</a>

            <a href="qp.html">Question Papers</a>

            <a href="login.html">Login</a>

            <a href="signup.html">Signup</a>

        </div>

    </div> -->
```

```
<div class="box is-bordered">

    <hr>

    <h2 class="subtitle">Basic Electrical and Electronics Engineering(EEE 1001) </h2>

    <div class="columns">

        <div class="column">

            <a href="Books/E1.pdf"></a>

        </div>

        <div class="column">

            <a href="Books/E2.pdf"></a>

        </div>

        <div class="column">

            <a href="Books/E3.pdf"></a>

        </div>

    </div>

    <hr>

    <h2 class="subtitle">Engineering Physics(PHY 1701) </h2>

    <div class="columns">

        <div class="column">

            <a href="Books/P1.pdf"></a>

        </div>

        <div class="column">

            <a href="Books/P2.pdf"></a>

        </div>

        <div class="column">

            <a href="Books/P3.pdf"></a>

        </div>

    </div>

    <hr>

    <h2 class="subtitle">Engineering Chemistry(CHY 1701) </h2>

    <div class="columns">

        <div class="column">

            <a href="Books/C1.pdf"></a>

        </div>

        <div class="column">
```

```

        <a href="Books/C2.pdf"></a>
    </div>
    <div class="column">
        <a href="Books/C3.pdf"></a>
    </div>
</div>
<hr>
</div>

```

```

<div class="main-slideshow-container">
    <div class="innovation">
        <p>BEYOND IMAGINATION, OUR INNOVATION</p>
    </div>

    <div class="footer">
        <p>&copy; 2019</p>
    </div>
</div>

</body>
</html>

```

qp.html

```

<!DOCTYPE html>

<html>
<head>

    <title>Communication Wizard</title>

    <style>

        html{

            margin: 0;

            padding: 0;

        }

        body{

            font-family: Bahnschrift Light;

            text-align: center;

```



```
        width: 100%;

        margin: 0;

        padding: 0;
    }

    .heading{

        display: flex;

        justify-content: space-between;

        background-color: #404040;

        color: white;

        padding: 1%;
    }

    .topnav {

        background-color: #333;

        overflow: hidden;

    }

    .topnav a {

        float: left;

        color: #f2f2f2;

        text-align: center;

        padding: 14px 16px;

        text-decoration: none;

        font-size: 125%;

    }

    .topnav a:hover {

        background-color: rgb(109, 109, 109);

        color: black;

    }

    .topnav a.active {

        background-color: rgb(72, 73, 72);

        color: white;

        margin-left: 660px;

        margin-top: 10px;
    }
```

```
    }

    #abc{

        margin-left: 40%;

    }

    .ab{

        margin-top:10px;

    }

    /* .navbar{

        padding: 1%;

        margin-top: 0.7%;

        width: 60%;

    }

    .navbar a{

        text-decoration: none;

        padding: 3%;

        color: white;

        font-size: 110%;

    }

    .navbar a:hover{

        color: grey;

        background-color: #d9d9d9;

    } */

    .innovation{

        background-color: black;

        color: white;

        font-size: 200%;

    }

    .main-slideshow-container{

position: relative;

background-image: url("img/8.jpg");

border-radius: 5px;

}

    img{
```

```
        width: 10%;
        height: 20%;
    }
</style>

</head>
<body>

    <div class="topnav">

        <a id="abc" class="ab" href="homepage.html">Home</a>

        <a class="ab" href="aboutus.html">About</a>

        <a class="ab" href="faqs.html">FAQs</a>

        <a class="ab" href="books.html">Books</a>

        <a class="ab" href="qp.html">Question Papers</a>

        <a class="ab" href="login.html">Login</a>

        <a class="ab" href="signup.html">Signup</a>

    </div>

    <!-- <div class="heading">

        <div class="logo">

        </div>

        <div class="navbar">

            <a href="homepage.html">Home</a>

            <a href="aboutus.html">About</a>

            <a href="faqs.html">FAQs</a>

            <a href="books.html">Books</a>

            <a href="qp.html">Question Papers</a>

            <a href="login.html">Login</a>

            <a href="signup.html">Signup</a>

        </div>

    </div> -->

    <div class="box is-bordered">

        <hr>
```

<h2 class="subtitle">Basic Electrical and Electronics Engineering(EEE 1001) </h2>

<div class="columns">

<div class="column">

</div>

<div class="column">

</div>

<div class="column">

</div>

</div>

<hr>

<h2 class="subtitle">Engineering Physics(PHY 1701) </h2>

<div class="columns">

<div class="column">

</div>

<div class="column">

</div>

<div class="column">

</div>

</div>

<hr>

<h2 class="subtitle">Engineering Chemistry(CHY 1701) </h2>

<div class="columns">

<div class="column">

</div>

<div class="column">

</div>

```

        <div class="column">
            <a href="Books/C3.pdf"></a>
        </div>
    </div>
    <hr>
</div>

<div class="main-slideshow-container">
    <div class="innovation">
        <p>BEYOND IMAGINATION, OUR INNOVATION</p>
    </div>

    <div class="footer">
        <p>&copy 2019</p>
    </div>
</div>

</body>
</html>

```

login.html

```

<!DOCTYPE html>

<html>

    <head>

        <title>Login - Communication Wizard</title>

        <style>

            @font-face {

                font-family: "Anurati";

                src: url("fonts/Anurati-Regular.otf");

            }

            html {

                margin: 0;

                padding: 0;

            }

            body {

```

```
font-family: Bahnschrift Light;

text-align: center;

width: 100%;

margin: 0;

padding: 0;
}

.heading {

margin-top: 1%;

display: flex;

justify-content: space-between;

background-color: #404040;

color: white;

padding: 1%;
}

.topnav {

background-color: #333;

overflow: hidden;
}

.topnav a {

float: left;

color: #f2f2f2;

text-align: center;

padding: 14px 16px;

text-decoration: none;

font-size: 125%;
}

.topnav a:hover {

background-color: rgb(109, 109, 109);

color: black;
}

.topnav a.active {

background-color: rgb(72, 73, 72);
```

```
color: white;

margin-left: 660px;

margin-top: 10px;
}

#abc {

margin-left: 40%;
}

.ab {

margin-top: 10px;
}

/* .navbar{

padding: 1%;

margin-top: 0.7%;

width: 60%;

}

.navbar a{

text-decoration: none;

padding: 3%;

color: white;

font-size: 110%;

}

.navbar a:hover{

color: grey;

background-color: #d9d9d9;

} */

.innovation {

background-color: black;

color: white;

font-size: 200%;
}

.loginBox {

margin-top: 2%;

padding: 4%;
```

```
        background-image: url("img/comm1.jpg");
    }
    form {
        background-color: black;
        width: 30%;
        margin: 0 auto;
        color: white;
        padding: 3%;
        border-radius: 8%;
    }
    h1.explore {
        font-family: Anurati;
        color: #3366cc;
        font-size: 300%;
    }
    input.submit {
        width: 20%;
        height: 100%;
        background-color: #3366cc;
        border: 0;
        cursor: pointer;
    }
</style>
</head>
<body>
    <div class="topnav">
        
        <a id="abc" class="ab" href="index.html">Home</a>
        <a class="ab" href="aboutus.html">About</a>
        <a class="ab" href="faqs.html">FAQs</a>
        <a class="ab" href="books.html">Books</a>
        <a class="ab" href="qp.html">Question Papers</a>
        <a class="ab" href="login.html">Login</a>
        <a class="ab" href="signup.html">Signup</a>
    </div>
```



```
<div class="loginBox">

  <form method="post" action="#">

    <h1 class="explore">LOG I N &nbsp; TO EXPLORE</h1>

    <input type="text" name="username" placeholder="Username" /><br /><br />

    <input type="password" name="password" placeholder="Password" /><br /><br />

    <input type="submit" name="submit" value="Login" class="submit" />

  </form>

</div>


<div class="innovation">

  <p>BEYOND IMAGINATION, OUR INNOVATION</p>

</div>


<div class="footer">

  <p>&copy; 2019</p>

</div>

</body>

</html>
```

signup.html

```
<!DOCTYPE html>

<html>

<head>

  <script src="jquery.js"></script>

  <title>Sign Up - Communication Wizard</title>

  <style>

    @font-face {

      font-family: 'Anurati';

      src: url("fonts/Anurati-Regular.otf");

    }

    html{

      margin: 0;

      padding: 0;

    }

    body{
```

```
        font-family: Bahnschrift Light;

        text-align: center;

        width: 100%;

        margin: 0;

        padding: 0;
    }

    .heading{

        margin-top: 1%;

        display: flex;

        justify-content: space-between;

        background-color: #404040;

        color: white;

        padding: 1%;

    }

    .topnav {

        background-color: #333;

        overflow: hidden;

    }

    .topnav a {

        float: left;

        color: #f2f2f2;

        text-align: center;

        padding: 14px 16px;

        text-decoration: none;

        font-size: 125%;

    }

    .topnav a:hover {

        background-color: rgb(109, 109, 109);

        color: black;

    }

    .topnav a.active {

        background-color: rgb(72, 73, 72);
```

```
color: white;

margin-left: 660px;
margin-top: 10px;
}

#abc{

    margin-left: 40%;

}

.ab{

    margin-top: 10px;

}

.innovation{

    background-color: black;

    color: white;

    font-size: 200%;

}

.benefits{

    font-family: Anurati;

    color: #3366cc;

    font-size: 300%;

}

form{

    background-color: black;

    width: 30%;

    margin: 0 auto;

    color: white;

    padding: 2%;

    border-radius: 8%;

}

.signupBox{

    margin-top: 2%;

    padding: 2%;

    background-image: url('img/comm1.jpg');

}
```

```

        .signup{
            border:0;
            background-color: #3366cc;
            cursor: pointer;
        }
    </style>

</head>

<body>

<script>
$(document).ready(function() {

    $("#msg").css("display", "none");
    $("#submit").click(function() {

        $("#msg").css("display", "block");
        var flag = true;

        $("input").each(function(index) {
            if ($(this).val() == "") {
                $("#msg").val($("#this").attr("name") + " field is empty");

                flag = false;
                return false;
            }
        });
        if (true) {
            var name_regex = /^[a-zA-Z ]{2,30}$/;
            if (!name_regex.test($("#name").val())) {
                flag = false;
                $("#msg").text("Invalid Name");
                alert("Invalid Name");
            }

            var regno_regex = /^[d]{2}[A-Z]{3}[\d]{4}$/;

```

```

        if (!regno_regex.test($("#reg").val())) {

            flag = false;

            $("#msg").text("Invalid Registration number");

            alert("invalid registration number");

        }

        var email_regex = /^\\w+([\\.-]?\\w+)*@\\w+([\\.-]?\\w+)*\\.\\w{2,3}+$/;

        if (!email_regex.test($("#email").val())) {

            flag = false; $("#msg").text("Invalid Mail Address");

            alert("invalid email");

        }

        var username_regex = /^[A-Za-z0-9]{5,20}$/;

        if (!username_regex.test($("#username").val())) {

            flag = false;

            $("#msg").text("Invalid username");

            alert("Invalid Username");

        }

        var password_regex = /^[A-Za-z0-9]{8,40}$/;

        if (!password_regex.test($("#password").val())) {

            flag = false;

            $("#msg").val("Password should be atleast 8 characters");

            alert("Invalid Password, atleast 8 characters");

        }

        var branch = /^[A-Za-z]{2,20}$/;

        if (!branch.test($("#branch").val())) {

            flag = false;

            $("#msg").text("Branch should have atleast 2 characters");

            alert("Branch should have atleast 2 characters");

        }

    }

    if (flag) {

        $("#msg").css("display", "none");

        alert("Form Submitted Successfully!!");

    }

```

id="name">

id="email">

SIGN UP FOR IBENEFITS

Reg. No.:

Username :

Password : <input type="password" name="password" id="password">

Branch :

</div>

</div>

BEYOND IMAGINATION, OUR INNOVATION

© 2019


```
</div>  
</body>  
</html>
```

Screenshot of MongoDB Entry

```
> db.users.find().pretty()
{
  "_id" : ObjectId("5db333d2f9b18142b3857682"),
  "name" : "Subhabrata Ghosh",
  "reg" : "18BIT0035",
  "email" : "ghosh.subho.1999@gmail.com",
  "username" : "subho99",
  "password" : "1234567890",
  "branch" : "Information Technology",
  "__v" : 0
}
{
  "_id" : ObjectId("5db338a281db397a8b6a15d8"),
  "name" : "Kartikey Khandelwal",
  "reg" : "18BIT0025",
  "email" : "kartikey2000@gmail.com",
  "username" : "kartikey420",
  "password" : "bhauhsdufisdf",
  "branch" : "Information Technology"
}
{
  "_id" : ObjectId("5db338a281db397a8b6a15d9"),
  "name" : "Sakina Bandoowala",
  "reg" : "18BIT0027",
  "email" : "sakinaibg@gmail.com",
  "username" : "kartikey420",
  "password" : "ibgibgibg",
  "branch" : "Information Technology"
}
> █
```


Screenshot of Form Validation

success



Error

