

# **Project Report**

## **IoT Application Developer**

### **Title : Smart Ariculture Based On IoT**

**Application ID :** SPS\_APL\_20200001270

**Project ID :** SPS\_PRO\_101

**Internship at SmartInternz**

**By,**

**Aniket Bordekar**

(aniket.bordekar123@gmail.com)

## Table of Contents

<b>1 INTRODUCTION:</b>	<b>3</b>
1.1 OVERVIEW	3
1.2 PURPOSE	3
<b>2 LITERATURE SURVEY:</b>	<b>4</b>
2.1 EXISTING PROBLEM	4
2.1 PROPOSED SOLUTION	4
<b>3 THEORITICAL ANALYSIS:</b>	<b>5</b>
3.1 BLOCK DIAGRAM	5
3.2 HARDWARE / SOFTWARE DESIGNING	5
<b>4 EXPERIMENTAL INVESTIGATION:</b>	<b>6</b>
<b>5 FLOWCHART:</b>	<b>9</b>
<b>6 RESULT:</b>	<b>10</b>
<b>7 ADVANTAGES &amp; DISADVANTAGES:</b>	<b>10</b>
7.1 ADVANTAGES	10
7.1 DISADVANTAGES	10
<b>8 APPLICATIONS:</b>	<b>10</b>
<b>9 CONCLUSION:</b>	<b>11</b>
<b>10 FUTURE SCOPE:</b>	<b>11</b>
<b>11 BIBLIOGRAPHY:</b>	<b>11</b>
<b>12 APPENDIX:</b>	<b>12</b>
A. SOURCE CODE	12
B. NODE-RED FLOW:	13

# 1 Introduction:

## 1.1 Overview

This is a Smart Agriculture System project based on Internet Of Things (IoT), that can measure soil moisture and temperature conditions for agriculture using Watson IoT services. IoT is network that connects physical objects or things embedded with electronics, software and sensors through network connectivity that collects and transfers data using cloud for communication. Data is transferred through internet without human to human or human to computer interaction.

In this project we have not used any hardware. Instead of real soil and temperature conditions, sensors IBM IoT Simulator is used which can transmit soil moisture temperature as required.

- **Project requirements** : Node-RED, IBM Cloud, IBM Watson IoT, Node.js, IBM Device, IBM IoT Simulator, Python 3.8, Open Weather API platform.
- **Project Deliverables** : Application for IoT based Smart Agriculture System

## 1.2 Purpose

IoT based farming improves the entire agriculture system by monitoring the field in real-time. With the help of IoT in agriculture not only saves the time but also reduces the extravagant use of resources such as water and electricity.

Sometimes due to over or less supply of water in the agricultural field crops may not grow proper. Using IoT supply of water and growth of plants can be satisfied to a greater extent. The flow of water can be controlled from the application.

### 1.2.1 Scope Of Work

- Create a device in IBM Cloud Account.
- Install Node-RED and configure the nodes that we want to use in the project..
- Create the openweathermap account and get the api key and the weather conditions using api key in the Node-RED.
- Create a web application for user interaction for observation and control actions.

## **2 Literature Survey:**

### **2.1 Existing Problem**


- In agriculture water is needed for the crops for their growth. If the Soil gets dry it is necessary to supply water. But sometime if the farmer doesn't visit the field it is not possible to know the condition of soil.
- Sometimes over supply of water or less supply of water affects the growth of crops.
- Sometimes if the weather/temperature changes suddenly it is necessary to take certain actions.
- Specific crops grow better in specific conditions, they may get damaged due to bad weather.

### **2.1 Proposed Solution**

- Soil Moisture can be checked by using the sensors that can sense the soil condition and send the moisture content in the soil over the cloud services to the web application.
- The supply of water can be controlled from any where by controlling the motor state (ON/OFF), using web application.
- Surrounding temperature can also be sensed by the sensors and displayed on the application.
- Real time weather conditions can also be known by using different weather API's from different websites and displayed on our Application.

## 3 Theoretical analysis:


### 3.1 Block Diagram




### 3.2 Hardware / Software Designing

1. Create a device in IBM Colud.
2. Connect the device to IBM Simulator to get the weather conditions.
3. Build Node-RED flow to build a web application to display the weather conditions and control the devices.
4. Get the real time weather condition data from openweathermap and integrate it in the Node-RED.
5. Control the working of the web application to the devices by python coding.


## 4 Experimental Investigation:




fig(a) Watson Iot Simulator



fig(b1) Web Application



**fig(b2) Web Application - Tab 2**



**fig(c) Device Control Action**


In this project we send the weather data through IoT Simulator shown in fig(a) instead of real soil and temperature conditions. Simulator passes the data through IBM Cloud to the web application. The data is displayed on the dashboard shown in fig(b1 & b2). Web Application is built using Node-RED. We have created 2 tabs:

1. IoT Smart Agriculture.
2. Graphical Representation.

Web Application is also used to control the devices further like motor, pumps, lights, or any other devices in the agricultural field. In this project the output is passed using python code and the control action is displayed in python code console window in fig(c).



## 5 Flowchart:



**Following are the nodes used in the project in the Web Application:**

1. IBM IoT : IN and OUT Nodes.
2. function Nodes.
3. Gauge Nodes.
4. Chart Nodes.
5. Debug Node.
6. Button Nodes.

**Following are the nodes used for the weather condition from openweathermap:**

1. Timestamp Node.
2. http request Node
3. Function Nodes.
4. Text Nodes.
5. Debug Node.

## 6 Result:

We have successfully build a web based UI and integrated all the services using Node-RED.

Web Application : <https://node-red-aab.eu-gb.mybluemix.net/ui/>

## 7 Advantages & Disadvantages:

### 7.1 Advantages

- All the data like climatic conditions and changes in them, soil or crop conditions everything can be easily monitored.
- Risk of crop damage can be lowered to a greater extent.
- Many difficult challenges can be avoided making the process automated and the quality of crops can be maintained.
- The process included in farming can be controlled using the web applications from anywhere, anytime.

### 7.1 Disadvantages

- Smart Agriculture requires internet connectivity continuously, but rural parts can not fulfill this requirement.
- Any faults in the sensors can cause great loss in the agriculture, due to wrong records and the actions of automated processes.
- IoT devices need much money to implement.

## 8 Applications:

- Precision Farming that is farming processes can be made more controlled and accurate.
- Live monitoring can be done of all the processes and the conditions on the agricultural field.
- All the controls can be made just on the click.
- Quality can be maintained.

## 9 Conclusion:

A IoT Web Application is built for smart agricultural system using Watson IoT platform, Watson simulator, IBM cloud and Node-RED.

## 10 Future Scope:

In future due to more demand of good and more farming in less time, for betterment of the crops and reducing the usage of extravagant resources like electricity and water IoT can be implemented in most of the places.

## 11 Bibliography:

- IBM Cloud :  
<https://cloud.ibm.com/docs/overview?topic=overview-what-is-platform>
- Watson IoT :  
<https://www.iotone.com/software/ibm-watson-iot-platform/s62>
- Node-RED :  
<https://nodered.org/docs/getting-started/windows#3-run-node-red>  
<https://www.youtube.com/watch?v=cicTw4SEdxk>
- Openweathermap :  
<https://openweathermap.org/>
- Git Hub :  
<https://github.com/rachuriharish23/ibmsubscribe>

# 12 Appendix:

## A. Source Code

```
import time
import sys
import ibmiotf.application # to install pip install ibmiotf
import ibmiotf.device

# Provide your IBM Watson Device Credentials
organization = "ORG ID" # replace the ORG ID
deviceType = "Device type" # replace the Device type
deviceId = "Device ID" # replace Device ID
authMethod = "token"
authToken = "authtoken" # Replace the authtoken

def myCommandCallback(cmd): # function for Callback

    if cmd.data['command'] == 'motoron':
        print("MOTOR ON IS RECEIVED")

    elif cmd.data['command'] == 'motoroff':
        print("MOTOR OFF IS RECEIVED")

    if cmd.command == "setInterval":

        if 'interval' not in cmd.data:
            print("Error - command is missing required information: 'interval'")
        else:
            interval = cmd.data['interval']
    elif cmd.command == "print":
        if 'message' not in cmd.data:
            print("Error - command is missing required information: 'message'")
        else:
            output = cmd.data['message']
            print(output)
```

```

try:
    deviceOptions = {"org": organization, "type": deviceType, "id": deviceId,
"auth-method": authMethod,
                    "auth-token": authToken}
    deviceCli = ibmiotf.device.Client(deviceOptions)
    # .....

except Exception as e:
    print("Caught exception connecting device: %s" % str(e))
    sys.exit()

# Connect and send a datapoint "hello" with value "world" into the cloud as an event of
type "greeting" 10 times
deviceCli.connect()

while True:
    deviceCli.commandCallback = myCommandCallback

# Disconnect the device and application from the cloud
deviceCli.disconnect()

```

## B. Node-RED Flow:

```

[
  {
    "id": "d33ce402.ebe118",
    "type": "tab",
    "label": "Flow 1",
    "disabled": false,
    "info": ""
  },
  {
    "id": "50ed1dfb.069904",
    "type": "tab",
    "label": "Flow 2",
    "disabled": true,
    "info": ""
  }
]

```

```

    },
    {
      "id": "12fc2d7d.d657f3",
      "type": "ibmiot",
      "z": "",
      "name": "",
      "keepalive": "60",
      "serverName": "",
      "cleansession": true,
      "appId": "",
      "shared": false
    },
    {
      "id": "1f4cb829.2fdee8",
      "type": "ui_tab",
      "z": "",
      "name": "IoT Smart Agriculture",
      "icon": "dashboard",
      "order": 3,
      "disabled": false,
      "hidden": false
    },
    {
      "id": "1b526abe.dadee5",
      "type": "ui_base",
      "theme": {
        "name": "theme-light",
        "lightTheme": {
          "default": "#0094CE",
          "baseColor": "#0094CE",
          "baseFont": "-apple-system,BlinkMacSystemFont,Segoe
UI,Roboto,Oxygen-Sans,Ubuntu,Cantarell,Helvetica Neue,sans-serif",
          "edited": true,
          "reset": false
        },
        "darkTheme": {
          "default": "#097479",
          "baseColor": "#050505",
          "baseFont": "-apple-system,BlinkMacSystemFont,Segoe

```

```

UI,Roboto,Oxygen-Sans,Ubuntu,Cantarell,Helvetica Neue,sans-serif",
    "edited": true,
    "reset": false
  },
  "customTheme": {
    "name": "Untitled Theme 1",
    "default": "#4B7930",
    "baseColor": "#4B7930",
    "baseFont": "-apple-system,BlinkMacSystemFont,Segoe
UI,Roboto,Oxygen-Sans,Ubuntu,Cantarell,Helvetica Neue,sans-serif"
  },
  "themeState": {
    "base-color": {
      "default": "#0094CE",
      "value": "#0094CE",
      "edited": true
    },
    "page-titlebar-backgroundColor": {
      "value": "#0094CE",
      "edited": false
    },
    "page-backgroundColor": {
      "value": "#fafafa",
      "edited": false
    },
    "page-sidebar-backgroundColor": {
      "value": "#ffffff",
      "edited": false
    },
    "group-textColor": {
      "value": "#1bbfff",
      "edited": false
    },
    "group-borderColor": {
      "value": "#ffffff",
      "edited": false
    },
    "group-backgroundColor": {
      "value": "#ffffff",

```

```

        "edited": false
    },
    "widget-textColor": {
        "value": "#111111",
        "edited": false
    },
    "widget-backgroundColor": {
        "value": "#0094ce",
        "edited": false
    },
    "widget-borderColor": {
        "value": "#ffffff",
        "edited": false
    },
    "base-font": {
        "value": "-apple-system,BlinkMacSystemFont,Segoe
UI,Roboto,Oxygen-Sans,Ubuntu,Cantarell,Helvetica Neue,sans-serif"
    }
},
"angularTheme": {
    "primary": "indigo",
    "accents": "blue",
    "warn": "red",
    "background": "grey"
}
},
"site": {
    "name": "Node-RED Dashboard",
    "hideToolbar": "false",
    "allowSwipe": "false",
    "lockMenu": "false",
    "allowTempTheme": "true",
    "dateFormat": "DD/MM/YYYY",
    "sizes": {
        "sx": 48,
        "sy": 48,
        "gx": 30,
        "gy": 6,
        "cx": 6,

```



```

        "cy": 6,
        "px": 0,
        "py": 0
    }
}
},
{
    "id": "18e5f933.990b67",
    "type": "ui_spacer",
    "name": "spacer",
    "group": "b06bd539.23d348",
    "order": 2,
    "width": 1,
    "height": 1
},
{
    "id": "500944ab.a221ec",
    "type": "ui_group",
    "z": "",
    "name": "Motor Control",
    "tab": "1f4cb829.2fdee8",
    "order": 3,
    "disp": true,
    "width": 7,
    "collapse": true
},
{
    "id": "77ff9957.f2f0d8",
    "type": "ui_group",
    "z": "",
    "name": "Agricultural Field Conditions",
    "tab": "1f4cb829.2fdee8",
    "order": 1,
    "disp": true,
    "width": "7",
    "collapse": true
},
{
    "id": "97487521.ab0808",

```

```

    "type": "ui_group",
    "z": "",
    "name": "API Data",
    "tab": "1f4cb829.2fdee8",
    "order": 2,
    "disp": true,
    "width": "7",
    "collapse": true
  },
  {
    "id": "be8ac5a9.cf2158",
    "type": "ui_tab",
    "z": "",
    "name": "Graphical Representation",
    "icon": "dashboard",
    "order": 4,
    "disabled": false,
    "hidden": false
  },
  {
    "id": "f6a3d8fe.e00aa8",
    "type": "ui_group",
    "z": "",
    "name": "Agricultural Field Conditions",
    "tab": "be8ac5a9.cf2158",
    "order": 1,
    "disp": true,
    "width": "7",
    "collapse": true
  },
  {
    "id": "7e62365e.b7e6b8",
    "type": "ui_tab",
    "z": "",
    "name": "Student Registration",
    "icon": "dashboard",
    "order": 1,
    "disabled": false,
    "hidden": false
  }

```

```

},
{
  "id": "716e956.00eed6c",
  "type": "ui_group",
  "z": "",
  "name": "Form",
  "tab": "7e62365e.b7e6b8",
  "order": 1,
  "disp": true,
  "width": "6",
  "collapse": false
},
{
  "id": "f3beb59f.fec598",
  "type": "ui_tab",
  "z": "",
  "name": "Account",
  "icon": "dashboard",
  "order": 2,
  "disabled": false,
  "hidden": false
},
{
  "id": "ec195eb8.ff9f9",
  "type": "ui_group",
  "z": "",
  "name": "Log in",
  "tab": "f3beb59f.fec598",
  "order": 1,
  "disp": true,
  "width": "6",
  "collapse": false
},
{
  "id": "fbbe2c63.54c2d",
  "type": "ibmiot in",
  "z": "d33ce402.ebe118",
  "authentication": "apiKey",
  "apiKey": "12fc2d7d.d657f3",

```

```

    "inputType": "evt",
    "logicalInterface": "",
    "ruleId": "",
    "deviceId": "aab1234",
    "applicationId": "",
    "deviceType": "iot_device",
    "eventType": "+",
    "commandType": "",
    "format": "json",
    "name": "IBM IoT",
    "service": "registered",
    "allDevices": "",
    "allApplications": "",
    "allDeviceTypes": "",
    "allLogicalInterfaces": "",
    "allEvents": true,
    "allCommands": "",
    "allFormats": "",
    "qos": 0,
    "x": 270,
    "y": 180,
    "wires": [
      [
        "3fe83eaa.a673c2",
        "e8ea348f.65bf98",
        "930bba88.80aa68",
        "410d905.ed7c47"
      ]
    ]
  },
  {
    "id": "3fe83eaa.a673c2",
    "type": "function",
    "z": "d33ce402.ebe118",
    "name": "Soil Moisture",
    "func": "msg.payload = msg.payload.d.objectTemp;\nreturn msg;",
    "outputs": 1,
    "noerr": 0,
    "x": 490,

```

```

    "y": 120,
    "wires": [
      [
        "930bba88.80aa68",
        "9bf37fd1.cb6f8",
        "ad8d43f1.5526"
      ]
    ]
  },
  {
    "id": "e8ea348f.65bf98",
    "type": "function",
    "z": "d33ce402.ebe118",
    "name": "Humidity",
    "func": "msg.payload = msg.payload.d.humidity\nreturn msg;",
    "outputs": 1,
    "noerr": 0,
    "x": 480,
    "y": 260,
    "wires": [
      [
        "930bba88.80aa68",
        "406543ae.446e9c",
        "834aa0c6.a71a5"
      ]
    ]
  },
  {
    "id": "930bba88.80aa68",
    "type": "debug",
    "z": "d33ce402.ebe118",
    "name": "IBM o/p",
    "active": true,
    "tosidebar": true,
    "console": false,
    "tostatus": false,
    "complete": "payload",
    "targetType": "msg",
    "x": 740,

```

```

    "y": 180,
    "wires": []
  },
  {
    "id": "406543ae.446e9c",
    "type": "ui_gauge",
    "z": "d33ce402.ebe118",
    "name": "",
    "group": "77ff9957.f2f0d8",
    "order": 6,
    "width": "7",
    "height": 4,
    "gtype": "gage",
    "title": "Humidity",
    "label": "Percentage (%)",
    "format": "{{value}}",
    "min": 0,
    "max": "100",
    "colors": [
      "#00b500",
      "#e6e600",
      "#ca3838"
    ],
    "seg1": "",
    "seg2": "",
    "x": 880,
    "y": 240,
    "wires": []
  },
  {
    "id": "9bf37fd1.cb6f8",
    "type": "ui_gauge",
    "z": "d33ce402.ebe118",
    "name": "",
    "group": "77ff9957.f2f0d8",
    "order": 1,
    "width": "7",
    "height": 4,
    "gtype": "gage",

```

```

    "title": "Soil Moisture",
    "label": "Percentage (%)",
    "format": "{{value}}",
    "min": 0,
    "max": "100",
    "colors": [
        "#00b500",
        "#e6e600",
        "#ca3838"
    ],
    "seg1": "",
    "seg2": "",
    "x": 850,
    "y": 100,
    "wires": []
},
{
    "id": "51728b2c.d6e214",
    "type": "http request",
    "z": "d33ce402.ebe118",
    "name": "",
    "method": "GET",
    "ret": "obj",
    "paytoqs": false,
    "url":
"http://api.openweathermap.org/data/2.5/weather?q=Chinchwad,%20IN&appid=6aa2b89
eb478ce7baebf384e671bfd15",
    "tls": "",
    "persist": false,
    "proxy": "",
    "authType": "",
    "x": 450,
    "y": 540,
    "wires": [
        [
            "afde54dd.35e348",
            "88cbada4.1d201",
            "f6c7203b.d0d84"
        ]
    ]
}

```

```

    ]
  },
  {
    "id": "a1faf18a.e900d",
    "type": "inject",
    "z": "d33ce402.ebe118",
    "name": "",
    "topic": "",
    "payload": "",
    "payloadType": "date",
    "repeat": "",
    "crontab": "",
    "once": false,
    "onceDelay": 0.1,
    "x": 280,
    "y": 540,
    "wires": [
      [
        "51728b2c.d6e214"
      ]
    ]
  },
  {
    "id": "7f538013.90cb6",
    "type": "ibmiot out",
    "z": "d33ce402.ebe118",
    "authentication": "apiKey",
    "apiKey": "12fc2d7d.d657f3",
    "outputType": "cmd",
    "deviceId": "aab12345",
    "deviceType": "iot_device",
    "eventCommandType": "data",
    "format": "json",
    "data": "data",
    "qos": 0,
    "name": "IBM IoT",
    "service": "registered",
    "x": 380,
    "y": 420,

```



```

    "wires": []
  },
  {
    "id": "899e777.ef80688",
    "type": "ui_button",
    "z": "d33ce402.ebe118",
    "name": "",
    "group": "500944ab.a221ec",
    "order": 2,
    "width": "7",
    "height": "1",
    "passthru": false,
    "label": "Motor ON",
    "tooltip": "",
    "color": "",
    "bgcolor": "",
    "icon": "",
    "payload": "{\"command\":\"motoron\"}",
    "payloadType": "str",
    "topic": "motoron",
    "x": 100,
    "y": 380,
    "wires": [
      [
        "7f538013.90cb6"
      ]
    ]
  },
  {
    "id": "7e106f75.01a2c",
    "type": "ui_button",
    "z": "d33ce402.ebe118",
    "name": "",
    "group": "500944ab.a221ec",
    "order": 3,
    "width": "7",
    "height": "1",
    "passthru": true,
    "label": "Motor OFF",

```

```

    "tooltip": "",
    "color": "",
    "bgcolor": "",
    "icon": "",
    "payload": "{\"command\":\"motoroff\"}",
    "payloadType": "str",
    "topic": "motoroff",
    "x": 90,
    "y": 440,
    "wires": [
      [
        "7f538013.90cb6"
      ]
    ]
  },
  {
    "id": "f6c7203b.d0d84",
    "type": "debug",
    "z": "d33ce402.ebe118",
    "name": "API o/p",
    "active": true,
    "tosidebar": true,
    "console": false,
    "tostatus": false,
    "complete": "payload",
    "targetType": "msg",
    "x": 860,
    "y": 540,
    "wires": []
  },
  {
    "id": "afde54dd.35e348",
    "type": "function",
    "z": "d33ce402.ebe118",
    "name": "API-Humidity",
    "func": "msg.payload=msg.payload.main.humidity;\nreturn msg;",
    "outputs": 1,
    "noerr": 0,
    "x": 630,

```

```

    "y": 500,
    "wires": [
      [
        "f6c7203b.d0d84",
        "5bc2b52b.8c063c"
      ]
    ]
  },
  {
    "id": "88cbada4.1d201",
    "type": "function",
    "z": "d33ce402.ebe118",
    "name": "API-Temperature",
    "func": "msg.payload=msg.payload.main.temp;\nreturn msg;",
    "outputs": 1,
    "noerr": 0,
    "x": 650,
    "y": 580,
    "wires": [
      [
        "f6c7203b.d0d84",
        "73b11771.699d48"
      ]
    ]
  },
  {
    "id": "410d905.ed7c47",
    "type": "function",
    "z": "d33ce402.ebe118",
    "name": "Temperature",
    "func": "msg.payload=msg.payload.d.temperature;\nreturn msg;",
    "outputs": 1,
    "noerr": 0,
    "x": 490,
    "y": 360,
    "wires": [
      [
        "85584b4.89d59b8",
        "930bba88.80aa68",

```

```

        "75b916b7.880c68"
    ]
]
},
{
    "id": "85584b4.89d59b8",
    "type": "ui_gauge",
    "z": "d33ce402.ebe118",
    "name": "",
    "group": "77ff9957.f2f0d8",
    "order": 11,
    "width": "7",
    "height": 4,
    "gtype": "gage",
    "title": "Temperature",
    "label": "Degree Celcius",
    "format": "{{value}}",
    "min": 0,
    "max": "100",
    "colors": [
        "#00b500",
        "#e6e600",
        "#ca3838"
    ],
    "seg1": "",
    "seg2": "",
    "x": 710,
    "y": 340,
    "wires": []
},
{
    "id": "73b11771.699d48",
    "type": "ui_text",
    "z": "d33ce402.ebe118",
    "group": "97487521.ab0808",
    "order": 2,
    "width": "7",
    "height": "1",
    "name": "",

```

```

    "label": "Temperature",
    "format": "{{msg.payload}}",
    "layout": "row-spread",
    "x": 870,
    "y": 580,
    "wires": []
  },
  {
    "id": "5bc2b52b.8c063c",
    "type": "ui_text",
    "z": "d33ce402.ebe118",
    "group": "97487521.ab0808",
    "order": 1,
    "width": "7",
    "height": "1",
    "name": "",
    "label": "Humidity",
    "format": "{{msg.payload}}",
    "layout": "row-spread",
    "x": 870,
    "y": 500,
    "wires": []
  },
  {
    "id": "ad8d43f1.5526",
    "type": "ui_chart",
    "z": "d33ce402.ebe118",
    "name": "",
    "group": "f6a3d8fe.e00aa8",
    "order": 0,
    "width": "7",
    "height": "5",
    "label": "Soil Moisture",
    "chartType": "line",
    "legend": "false",
    "xformat": "HH:mm:ss",
    "interpolate": "linear",
    "nodata": "",
    "dot": false,

```

```

    "ymin": "1",
    "ymax": "100",
    "removeOlder": 1,
    "removeOlderPoints": "",
    "removeOlderUnit": "60",
    "cutout": 0,
    "useOneColor": false,
    "useUTC": false,
    "colors": [
      "#1f77b4",
      "#aec7e8",
      "#ff7f0e",
      "#2ca02c",
      "#98df8a",
      "#d62728",
      "#ff9896",
      "#9467bd",
      "#c5b0d5"
    ],
    "useOldStyle": false,
    "outputs": 1,
    "x": 850,
    "y": 140,
    "wires": [
      []
    ]
  },
  {
    "id": "834aa0c6.a71a5",
    "type": "ui_chart",
    "z": "d33ce402.ebe118",
    "name": "",
    "group": "f6a3d8fe.e00aa8",
    "order": 1,
    "width": "7",
    "height": "5",
    "label": "Humidity",
    "chartType": "line",
    "legend": "false",

```

```

"xformat": "HH:mm:ss",
"interpolate": "linear",
"nodata": "",
"dot": false,
"ymin": "1",
"ymax": "100",
"removeOlder": 1,
"removeOlderPoints": "",
"removeOlderUnit": "3600",
"cutout": 0,
"useOneColor": false,
"useUTC": false,
"colors": [
    "#1f77b4",
    "#aec7e8",
    "#ff7f0e",
    "#2ca02c",
    "#98df8a",
    "#d62728",
    "#ff9896",
    "#9467bd",
    "#c5b0d5"
],
"useOldStyle": false,
"outputs": 1,
"x": 880,
"y": 280,
"wires": [
    []
]
},
{
    "id": "75b916b7.880c68",
    "type": "ui_chart",
    "z": "d33ce402.ebe118",
    "name": "",
    "group": "f6a3d8fe.e00aa8",
    "order": 2,
    "width": "7",

```

```

    "height": "5",
    "label": "Temperature",
    "chartType": "line",
    "legend": "false",
    "xformat": "HH:mm:ss",
    "interpolate": "linear",
    "nodata": "",
    "dot": false,
    "ymin": "1",
    "ymax": "100",
    "removeOlder": 1,
    "removeOlderPoints": "",
    "removeOlderUnit": "3600",
    "cutout": 0,
    "useOneColor": false,
    "useUTC": false,
    "colors": [
        "#1f77b4",
        "#aec7e8",
        "#ff7f0e",
        "#2ca02c",
        "#98df8a",
        "#d62728",
        "#ff9896",
        "#9467bd",
        "#c5b0d5"
    ],
    "useOldStyle": false,
    "outputs": 1,
    "x": 710,
    "y": 380,
    "wires": [
        []
    ]
},
{
    "id": "7644a671.9df228",
    "type": "ui_form",
    "z": "50ed1dfb.069904",

```



```
"name": "",
"label": "Student Data",
"group": "716e956.00eed6c",
"order": 3,
"width": 0,
"height": 0,
"options": [
  {
    "label": "Enter Name",
    "value": "name",
    "type": "text",
    "required": true,
    "rows": null
  },
  {
    "label": "Enter email",
    "value": "mail",
    "type": "email",
    "required": true,
    "rows": null
  },
  {
    "label": "Enter College",
    "value": "cllg",
    "type": "text",
    "required": true,
    "rows": null
  },
  {
    "label": "Enter Branch",
    "value": "branch",
    "type": "text",
    "required": true,
    "rows": null
  },
  {
    "label": "Enter Roll No.",
    "value": "rollno",
    "type": "number",
```

```

        "required": true,
        "rows": null
    },
    {
        "label": "Enter Phone No.",
        "value": "phn",
        "type": "text",
        "required": true,
        "rows": null
    },
    {
        "label": "Enter Password",
        "value": "pwd",
        "type": "password",
        "required": true,
        "rows": null
    },
    {
        "label": "Year of Passing",
        "value": "passyear",
        "type": "number",
        "required": true,
        "rows": null
    }
],
"formValue": {
    "name": "",
    "mail": "",
    "cllg": "",
    "branch": "",
    "rollno": "",
    "phn": "",
    "pwd": "",
    "passyear": ""
},
"payload": "",
"submit": "submit",
"cancel": "cancel",
"topic": "",

```

```

"x": 167,
"y": 260,
"wires": [
  [
    "e9890281.32972",
    "2d3c5cb1.52a214"
  ]
]
},
{
  "id": "98c8fbf.bfe9608",
  "type": "cloudant out",
  "z": "50ed1dfb.069904",
  "name": "",
  "cloudant": "",
  "database": "student_details",
  "service": "node-red-aab-cloudant-1589137749815-86115",
  "payonly": true,
  "operation": "insert",
  "x": 520,
  "y": 260,
  "wires": []
},
{
  "id": "e9890281.32972",
  "type": "function",
  "z": "50ed1dfb.069904",
  "name": "Student Data",
  "func": "msg.payload = {\n  _id : msg.payload.mail,\n  Name :
msg.payload.name,\n  College : msg.payload.cllg,\n  Branch : msg.payload.branch,\n
RollNumber : msg.payload.rollno,\n  PassingYear : msg.payload.passyear,\n
PhoneNumber : msg.payload.phn,\n  Email : msg.payload.mail,\n  Password :
msg.payload.pwd\n}\nreturn msg;",
  "outputs": 1,
  "noerr": 0,
  "x": 370,
  "y": 300,
  "wires": [

```

```

        "98c8fbf.bfe9608"
    ]
]
},
{
    "id": "2d3c5cb1.52a214",
    "type": "function",
    "z": "50ed1dfb.069904",
    "name": "Acknowledgement",
    "func": "msg.payload = \"Hey! \" + msg.payload.name + \", You have successfully
registered.\"\\nreturn msg;",
    "outputs": 1,
    "noerr": 0,
    "x": 370,
    "y": 360,
    "wires": [
        [
            "a4d79799.fdfc18"
        ]
    ]
},
{
    "id": "a4d79799.fdfc18",
    "type": "ui_text",
    "z": "50ed1dfb.069904",
    "group": "716e956.00eed6c",
    "order": 4,
    "width": 0,
    "height": 0,
    "name": "",
    "label": "",
    "format": "{{msg.payload}}",
    "layout": "row-left",
    "x": 570,
    "y": 360,
    "wires": []
},
{
    "id": "78071564.7b903c",

```

```

"type": "ui_form",
"z": "50ed1dfb.069904",
"name": "",
"label": "Log In",
"group": "ec195eb8.ff9f9",
"order": 1,
"width": 0,
"height": 0,
"options": [
  {
    "label": "Enter e-mail id",
    "value": "mail",
    "type": "email",
    "required": true,
    "rows": null
  },
  {
    "label": "Enter Password",
    "value": "pwd",
    "type": "password",
    "required": true,
    "rows": null
  }
],
"formValue": {
  "mail": "",
  "pwd": ""
},
"payload": "",
"submit": "submit",
"cancel": "cancel",
"topic": "",
"x": 240,
"y": 460,
"wires": [
  [
    "3ef01c41.4059d4"
  ]
]

```

```

    },
    {
      "id": "3ef01c41.4059d4",
      "type": "function",
      "z": "50ed1dfb.069904",
      "name": "Global Setting",
      "func": "global.set(\"mail\", msg.payload.mail)\nglobal.set(\"pwd\",
msg.payload.pwd)\nreturn msg;",
      "outputs": 1,
      "noerr": 0,
      "x": 340,
      "y": 520,
      "wires": [
        [
          "407b2dd0.63d0c4"
        ]
      ]
    },
    {
      "id": "ba0f4e4.bf55bb",
      "type": "cloudant in",
      "z": "50ed1dfb.069904",
      "name": "",
      "cloudant": "",
      "database": "student_details",
      "service": "node-red-aab-cloudant-1589137749815-86115",
      "search": "_id_",
      "design": "",
      "index": "",
      "x": 600,
      "y": 460,
      "wires": [
        [
          "243dfb93.60aae4",
          "14e53391.e83c8c"
        ]
      ]
    }
  ],
  {

```

```

    "id": "407b2dd0.63d0c4",
    "type": "function",
    "z": "50ed1dfb.069904",
    "name": "Validation",
    "func": "var mail = global.get(\"mail\")\nmsg.payload = {\n  \"_id\" :
mail,\n}\n\nreturn msg;",
    "outputs": 1,
    "noerr": 0,
    "x": 460,
    "y": 580,
    "wires": [
      [
        "ba0f4e4.bf55bb"
      ]
    ]
  },
  {
    "id": "243dfb93.60aae4",
    "type": "debug",
    "z": "50ed1dfb.069904",
    "name": "",
    "active": true,
    "tosidebar": true,
    "console": false,
    "tostatus": false,
    "complete": "payload",
    "targetType": "msg",
    "x": 660,
    "y": 520,
    "wires": []
  },
  {
    "id": "14e53391.e83c8c",
    "type": "function",
    "z": "50ed1dfb.069904",
    "name": "Password",
    "func": "var pwd = global.get(\"pwd\")\n\nif(msg.payload.Password == pwd)(\n
msg.payload = \"Login Successful\"\n)\nelse(\n  msg.payload = \"Login Failed,
Password Incorrect\"\n)\n\nreturn msg;",

```

```

    "outputs": 1,
    "noerr": 0,
    "x": 600,
    "y": 640,
    "wires": [
      [
        "9ff11421.d688d8"
      ]
    ],
  },
  {
    "id": "9ff11421.d688d8",
    "type": "ui_text",
    "z": "50ed1dfb.069904",
    "group": "ec195eb8.ff9f9",
    "order": 2,
    "width": 0,
    "height": 0,
    "name": "",
    "label": "",
    "format": "{{msg.payload}}",
    "layout": "row-spread",
    "x": 740,
    "y": 640,
    "wires": []
  }
]

```