PRODUCT REQUIREMENTS DOCUMENT (PRD)

TickIoT Website Redesign

Document Type: Product Requirements Document

Product: TickIoT Marketing Website

Version: 1.0

Status: Proposed

Scope: Homepage, Product Pages, Navigation, Solutions, Industries, Resources and Contact/Quote Conversion

1. Executive Summary

1.1 Project Overview

The objective of this project is to redesign the TickIoT website into a modern, professional, product-focused digital platform that clearly communicates the company's capabilities, product ecosystem, integrated connectivity solutions, and industry applications.

The website should position TickIoT as a provider of integrated wireless connectivity solutions rather than simply a hardware product catalog.

Visitors should be able to understand what TickIoT offers, identify relevant products and solutions, explore technical information, and take the next step toward purchasing or discussing a deployment.

1.2 Problem Statement

The website needs a clearer information architecture and stronger communication of its overall value proposition.

A conventional product-catalog presentation does not adequately explain how hardware, connectivity, software, and integration work together.

The redesigned website must:

- Communicate the company's capabilities immediately.
- Organize products into understandable categories.
- Explain solutions through real-world applications.
- Present product benefits before technical specifications.
- Demonstrate how individual products form complete deployment systems.
- Provide clear pathways for product discovery and business inquiries.

1.3 Project Objectives

1. Establish a clear understanding of TickIoT's business and offerings.
2. Simplify website navigation and product discovery.
3. Present hardware, software, and integrated solutions as one ecosystem.
4. Explain product capabilities through customer benefits and use cases.
5. Improve the presentation of technical specifications and product documentation.
6. Encourage visitors to request quotes, contact experts, and explore products.

2. Target Audience

The website should serve organizations and decision-makers evaluating cellular connectivity hardware and integrated wireless solutions.

Audience	Primary Requirement
Government Organizations	Reliable connectivity and communication infrastructure
Public Safety Organizations	Emergency communication and public-safety systems

Transportation & Fleet Operators	Vehicle connectivity and fleet communication
Educational Institutions	Campus connectivity and public Wi-Fi
Enterprise Organizations	Business connectivity and device management
Industrial Organizations	Remote monitoring and industrial IoT connectivity

2.1 Key Website Visitors

Business Decision-Makers: Need to understand the business value, deployment capabilities, and overall solution.

Technical Evaluators: Need detailed specifications, compatibility information, product documentation, and technical capabilities.

Procurement Teams: Need product information, datasheets, pricing or quotation details, and purchasing contact information.

3. Product Vision and Value Proposition

3.1 Product Vision

Build a unified digital platform that helps organizations discover, evaluate, and deploy integrated wireless connectivity solutions.

3.2 Core Value Proposition

Connectivity built for the real world.

TickIoT provides cellular hardware, software, connectivity technologies, and integration capabilities for vehicles, public safety, remote locations, and connected operations.

3.3 Core Business Offerings

The website must communicate three primary offering categories.

Hardware

- 5G routers and gateways

- Cellular terminals
- Antennas and accessories
- Cameras and communication devices
- Public-safety hardware
- Power and solar systems

Software

- Remote device management
- Device monitoring
- Analytics
- Alerts
- Device configuration

Integrated Solutions

- Cellular connectivity deployments
- Vehicle connectivity
- Public-safety communication
- Remote and outdoor connectivity
- Public Wi-Fi
- Industrial and IoT connectivity

4. Website Information Architecture

4.1 Main Navigation

The navigation should be simple, organized, and easy to understand.

Products

- 5G Routers & Gateways
- Cellular Voice
- Public Safety
- Antennas & Accessories
- Power & Solar
- Software / Device Management

Solutions

- Public Safety
- Vehicle & Fleet Connectivity
- Public Wi-Fi
- Remote & Outdoor Connectivity
- Industrial / IoT
- Cellular Voice & POTS Replacement

Industries

- Government
- Public Safety
- Transportation
- Education
- Enterprise
- Industrial

Resources

- Datasheets
- Knowledge Base
- Support
- Case Studies

Company

- About
- Contact

Primary Navigation CTA: Request a Quote

4.2 Product Hierarchy

The product catalog must follow a clear category-based structure.

5G Connectivity

- RC500
- RC500-T

Cellular Voice

- TK920
- TK920+
- TK100
- VH300
- RCVx3

Public Safety

- ECB1
- Blue-Light Retrofit Kit

Antennas

- 5G Antennas
- Wi-Fi Antennas
- GNSS Antennas

Power & Outdoor

- Solar Systems
- Battery Systems
- UPS
- Outdoor Enclosures

Software

- PhoneMDM

5. Functional Requirements — Homepage

The homepage must communicate the company's identity, offerings, product ecosystem, solutions, and credibility.

5.1 Section 1: Hero Section

Objective: Immediately communicate what TickIoT does and establish its positioning.

Headline:

Connectivity built for the real world.

Supporting Description:

Enterprise-grade cellular hardware, software and integrated solutions for vehicles, public safety, remote sites and connected operations.

Primary CTA: Explore Products

Secondary CTA: Talk to an Expert

Visual Requirements:

Display a strong deployment-focused visual demonstrating how TickIoT products work in real environments.

Suggested visual concept:

Emergency Vehicle → RC500 Router → Antennas → Cellular Network → Command Center.

The visual should communicate a complete connectivity deployment rather than displaying an isolated product.

5.2 Section 2: What TickIoT Does

Objective: Explain the company's capabilities immediately after the hero section.

Section Heading:

Connected hardware. Integrated solutions. Built for deployment.

Description:

TickIoT designs, manufactures and integrates wireless technologies that keep critical operations connected. From 5G routers and antennas to cellular voice, public-safety systems, power solutions and device management, we provide the technology needed to deploy connected systems in the field.

Required Content:

Three capability cards:

Card 1 — Hardware

5G routers, terminals, antennas, cameras and communication devices.

Card 2 — Software

Remote device management, monitoring, analytics and alerts.

Card 3 — Solutions

Integrated connectivity systems designed around specific operational needs.

5.3 Section 3: Product Ecosystem

Objective: Introduce the primary product categories and help visitors discover relevant products.

Section Heading:

Products built for connected operations.

Supporting Text:

From connectivity hardware to complete deployment systems.

Required Product Categories:

- 5G Connectivity
- Cellular Voice
- Public Safety
- Antennas
- Power & Outdoor
- Software

Featured Products:

The homepage should display approximately 6–8 representative products instead of the entire product catalog.

Each product card should provide:

- Product image
- Product name
- Product category

- Short description
- Product details CTA

Navigation CTA: View All Products

5.4 Section 4: Solutions and Use Cases

Objective: Help visitors identify solutions based on their operational requirements.

Section Heading:

Built around the way you operate.

Required Solution Cards:

Public Safety

Keep emergency communications connected when they matter most.

Vehicle Connectivity

Reliable cellular connectivity for fleets and mobile operations.

Remote Connectivity

Deploy internet and IoT connectivity where traditional infrastructure isn't practical.

Public Wi-Fi

Bring managed high-speed Wi-Fi to parks, campuses and public spaces.

Cellular Voice

Modernize legacy phone infrastructure without relying on traditional cabling.

Remote Monitoring

Connect cameras, sensors and IoT equipment from virtually anywhere.

CTA: Explore All Solutions

5.5 Section 5: Why TickIoT

Objective: Explain the company's differentiation and integrated capabilities.

Section Heading:

One partner. The complete connectivity stack.

Required Capability Blocks:

Design

Hardware designed around real deployment requirements.

Manufacturing

Integrated product development and manufacturing capabilities.

Connectivity

5G, LTE, Wi-Fi, GPS and wireless technologies.

Software

Remote management, monitoring and analytics.

Integration

Hardware, connectivity and software working together.

5.6 Section 6: Deployment Proof

Objective: Establish credibility by demonstrating real-world deployment capabilities.

Section Heading:

Connectivity already deployed in the field.

Required Elements:

- Deployment map or visualization.
- Customer or partner logos.
- Representation of supported environments.

Supporting Text:

Supporting organizations across government, public safety, education, transportation and enterprise environments.

Customer logos and deployment information should use approved company materials.

5.7 Section 7: Final Conversion Section

Objective: Convert interested visitors into business inquiries.

Headline:

Planning your next deployment?

Description:

Tell us what you're trying to connect. We'll help you build the right solution.

Primary CTA: Request a Quote

Secondary CTA: Talk to an Expert

6. Functional Requirements — Product Detail Page

6.1 Overview

Every major product should have a dedicated detail page that explains its value, capabilities, deployment applications, ecosystem compatibility, and technical specifications.

The product page must follow this information hierarchy:

1. What is the product?
2. Why is it needed?
3. What can it do?
4. Where can it be deployed?
5. What can be built around it?
6. How is it managed?
7. What are its technical specifications?
8. How can the customer purchase or inquire about it?

The following structure uses the RC500 as the reference product.

6.2 Section 1: Product Hero

Objective: Introduce the product and communicate its primary value.

Product Name: RC500

Headline:

Industrial-grade 5G connectivity, wherever you need it.

Description:

Enterprise-grade 5G router for fixed, mobile and remote deployments. Built for high-speed connectivity, failover, remote management and demanding field environments.

Primary CTA: Request a Quote

Secondary CTA: Buy Now

Additional CTA: Download Datasheet

Visual Requirements:

- Large product image or render.
- Clear product presentation.
- Key specification highlights below the hero.

Specification Highlights:

- 5G
- Wi-Fi 6
- Dual-WAN
- Failover
- GPS
- MDM

6.3 Section 2: Customer Problem

Objective: Explain the operational problem the product addresses.

Headline:

Connectivity shouldn't be the weak link.

Description:

Organizations operating vehicles, remote sites, facilities and field equipment can't always rely on fixed broadband.

The RC500 provides a flexible cellular connectivity platform designed to keep critical operations online.

Visual Requirement:

Show the connectivity flow:

Vehicle → RC500 → 5G Network → Cloud / Command Center.

The visual should make the product's functionality understandable without requiring technical knowledge.

6.4 Section 3: Core Benefits

Objective: Communicate customer benefits rather than presenting a technical specification list.

Benefit 1 — Always Connected

5G connectivity with WAN failover helps maintain network availability.

Benefit 2 — Built for the Field

Designed for demanding fixed, mobile and outdoor deployment environments.

Benefit 3 — Centrally Managed

Monitor and configure deployed devices remotely through PhoneMDM.

Benefit 4 — Built to Scale

Deploy from a single location to a managed fleet.

6.5 Section 4: Core Features

Objective: Explain the major technical capabilities supporting the product's benefits.

Section Heading:

Everything you need for a connected deployment.

Display six feature cards.

5G Connectivity

High-speed 5G connectivity with NSA and SA support.

Wi-Fi 6

Dual-band Wi-Fi 6 with up to 3000 Mbps peak speed.

Dual-WAN

Multiple WAN options with failover and fallback.

Remote Management

Configure, monitor and manage devices remotely through PhoneMDM.

Enterprise Security

VPN, firewall, VLAN, WPA3 and traffic monitoring capabilities.

GPS

Optional built-in GPS location services.

6.6 Section 5: Deployment Environments

Objective: Demonstrate where the product can be used.

Section Heading:

One router. Multiple environments.

Deployment Categories:

Emergency & Public Safety

Reliable connectivity for emergency vehicles and field operations.

Vehicles & Fleets

Keep mobile teams and fleet systems connected.

Business & Enterprise

Connect offices, facilities and temporary sites.

Remote Sites

Bring connectivity to locations where traditional infrastructure isn't practical.

6.7 Section 6: Product Deployment Ecosystem

Objective: Demonstrate how customers can combine the RC500 with supporting products to build a complete deployment.

Section Heading:

Build your RC500 deployment.

The RC500 must be presented as the central component of a broader deployment ecosystem.

Required Components:

Component	Purpose
RC500	Primary connectivity device
Outdoor Antenna	Improved wireless performance
Outdoor Enclosure	Weather-ready deployment
Backup UPS	Continuous power
Vehicle Harness	Vehicle installation
Solar System	Off-grid power
PhoneMDM	Remote management

Visual Requirement:

Use an ecosystem diagram showing the RC500 connected to its compatible accessories and management software.

Each component should link to its respective product or information page where available.

6.8 Section 7: How It Works

Objective: Explain the deployment process in four simple steps.

Step 01 — Connect

RC500 connects to the cellular network.

Step 02 — Deploy

Connect vehicles, cameras, sensors, Wi-Fi or other equipment.

Step 03 — Manage

Monitor and configure devices remotely through PhoneMDM.

Step 04 — Scale

Expand your deployment as your organization grows.

Visual Requirement:

Present the steps as a sequential workflow with clear visual indicators.

6.9 Section 8: Technical Specifications

Objective: Provide engineers, technical evaluators and procurement teams with detailed product information.

Technical information should appear after the product benefits, use cases, and deployment explanation.

Required Specification Categories:

- Cellular
- Global Support
- Wi-Fi
- Network
- Firewall
- Environmental
- Interfaces
- Power
- Package Contents
- Applications

The detailed specifications should retain the technical information available in the existing product documentation.

Technical terminology and values must be verified against approved product datasheets before publication.

6.10 Section 9: PhoneMDM Integration

Objective: Explain the software capabilities that extend the value of the RC500.

Headline:

Manage your deployment from anywhere.

Description:

Monitor device health, configure devices, view analytics, manage users and receive alerts from a single cloud platform.

Required Visual:

Display an actual PhoneMDM dashboard screenshot.

Required Capabilities:

- Device configuration
- Zero-touch provisioning
- Analytics
- Mapping
- Device health
- Permissions
- Reports
- Alerts
- Software updates
- Third-party integration

PhoneMDM should be presented as an important part of the overall deployment ecosystem rather than simply an additional software product.

6.11 Section 10: Related Products

Objective: Help customers discover additional components required to complete their deployments.

Section Heading:

Complete your deployment.

Related Products:

- Outdoor Enclosure
- Backup UPS
- Outdoor Antenna
- Solar System
- Vehicle Kit
- PhoneMDM

CTA: Explore the RC500 Ecosystem

6.12 Section 11: Final Conversion

Objective: Encourage customers to discuss their deployment requirements.

Headline:

Ready to build your deployment?

Description:

Tell us where you're deploying, what you need to connect and how many devices you plan to manage.

Primary CTA: Request a Quote

Secondary CTA: Talk to an Expert

7. Content and Communication Requirements

7.1 Content Hierarchy

All product and solution pages should follow a customer-oriented communication hierarchy.

The content must be organized in the following order:

1. Customer Problem

Explain the operational challenge.

Example: Keep vehicles, field equipment and remote sites connected.

2. Customer Benefit

Explain how the product addresses the challenge.

Example: Reliable 5G connectivity with automatic failover.

3. Technology

Introduce the technology that enables the benefit.

Example: Dual-WAN + 5G + Wi-Fi 6.

4. Technical Details

Present detailed specifications.

Example: 5G NR NSA/SA, Wi-Fi 6 2×2 MU-MIMO, processor specifications, and network capabilities.

7.2 Content Presentation Principles

The website must avoid presenting itself as a technical specification catalog.

Technical information remains important, but it should support the product story rather than dominate the initial experience.

Content should be:

- Clear and concise.
- Benefit-oriented.
- Easy to understand for non-technical visitors.
- Technically informative for engineers.
- Organized into meaningful sections.
- Supported by relevant product and deployment visuals.

7.3 Product Page Content Sequence

Every product page should maintain the following sequence:

1. Product introduction.
2. Customer problem.
3. Key benefits.

4. Core features.
5. Deployment environments.
6. Product ecosystem.
7. How it works.
8. Technical specifications.
9. Software and management capabilities.
10. Related products.
11. Request a Quote / Contact.

8. User Experience and Design Requirements

8.1 Overall Experience

The website should provide a modern, professional, enterprise-oriented experience.

The design should emphasize:

- Clear information hierarchy.
- Simple navigation.
- Strong product imagery.
- Deployment-focused visuals.
- Easy product discovery.
- Clearly visible conversion actions.
- Consistent presentation across product and solution pages.

8.2 Visual Communication

Use visuals to explain how products work in actual deployments.

Priority visual elements include:

- Product photography and renders.
- Real-world deployment imagery.
- Hardware connectivity diagrams.
- Product ecosystem illustrations.
- Device management dashboard screenshots.

- Deployment maps.
- Workflow diagrams.

8.3 Navigation Experience

Visitors should be able to move between:

- Product categories and individual products.
- Products and related accessories.
- Solutions and relevant products.
- Industries and applicable solutions.
- Resources and technical documentation.
- Product information and quotation requests.

9. Conversion Requirements

The primary business objective of the website is to encourage qualified visitors to engage with TickIoT.

9.1 Primary Conversion Actions

- Request a Quote.
- Talk to an Expert.
- Contact the Company.

9.2 Secondary Conversion Actions

- Explore Products.
- Explore Solutions.
- View Product Details.
- Download Datasheets.
- Explore Related Products.
- Buy Now, where available.

9.3 CTA Placement

Conversion actions should be available at relevant decision points:

- Main navigation.
- Homepage hero.
- Product hero.
- Product ecosystem section.
- Related product section.
- Final page section.

10. Scope of Work

10.1 In Scope

The website redesign includes:

1. Main website navigation and information architecture.
2. Homepage redesign.
3. Product category organization.
4. Product listing and discovery experience.
5. Individual product detail page structure.
6. Solutions presentation.
7. Industry-based content navigation.
8. Resources navigation.
9. Product ecosystem visualization.
10. PhoneMDM presentation.
11. Deployment-focused visual sections.
12. Quote and contact conversion pathways.

10.2 Reference Product Page

The RC500 will serve as the reference structure for developing the individual product detail page template.

The same content hierarchy can be adapted to other products based on their respective capabilities and documentation.

10.3 Not Defined in the Current Scope

The supplied requirements do not establish detailed specifications for:

- Backend architecture.
- CMS selection.
- CRM integration.
- Payment gateway integration.
- User authentication.
- E-commerce checkout.
- Quote management workflows.
- Analytics implementation.
- Hosting and deployment infrastructure.
- SEO implementation details.

These should be defined separately if required.

10.4 Future Scope

The following capabilities are planned for future development and are not part of the initial website release.

1. E-Commerce / Product Purchasing

Objective: Enable customers to purchase eligible TickIoT products directly through the website.

Planned Features:

- Product pricing and availability.
- Add to Cart functionality.
- Shopping cart and order summary.
- Secure checkout and online payment.
- Shipping and delivery information.
- Order confirmation and tracking.
- Customer accounts and order history.
- Product-specific purchasing options.
- Request a Quote for products requiring custom configurations or bulk orders.

Expected Outcome:

Customers can discover, evaluate, and purchase eligible products without requiring manual sales assistance.

2. Custom Knowledge Base and AI-Powered Assistant

Objective: Develop a centralized knowledge base that helps customers find answers to product-related and technical queries.

Planned Features:

- Centralized knowledge base containing product documentation, datasheets, manuals, FAQs, troubleshooting guides, and support information.
- AI-powered conversational assistant.
- Natural-language question answering.
- Product-specific technical assistance.
- Troubleshooting guidance.
- Contextual answers based on available documentation.
- Source references linking answers to relevant documentation.
- Suggested follow-up questions.
- Knowledge base content management and updates.

Expected User Experience:

Customers should be able to ask questions such as:

- Which router is suitable for vehicle connectivity?
- What accessories are compatible with the RC500?
- How do I configure my device?
- How does PhoneMDM work?
- What should I check if my device loses connectivity?

The assistant should retrieve relevant information from the knowledge base and provide clear, contextual answers.

Expected Outcome:

Reduce dependency on manual information searches and make product discovery, technical assistance, and troubleshooting easier for customers.

Future Scope Considerations

Both capabilities should be designed to integrate with the existing website architecture without requiring major changes to the initial website structure.

11. Acceptance Criteria

The redesigned website will be considered functionally aligned with this PRD when the following conditions are met.

ID	Requirement	Expected Outcome
AC-01	Homepage hero	Clearly communicates TickIoT's core offering
AC-02	Business introduction	Explains hardware, software and integrated solutions
AC-03	Product navigation	Products are organized into the defined categories
AC-04	Featured products	Homepage showcases 6–8 representative products
AC-05	Solutions section	All defined use cases are presented
AC-06	Differentiation	Design, manufacturing, connectivity, software and integration capabilities are explained
AC-07	Deployment proof	Deployment visualization and approved customer logos are displayed
AC-08	Product introduction	Product page explains its primary value and purpose
AC-09	Product benefits	Benefits are communicated before detailed specifications
AC-10	Product features	Major technical capabilities are presented clearly
AC-11	Deployment ecosystem	Related hardware, accessories and software are connected visually
AC-12	How it works	Product deployment process is explained

AC-13	Specifications	Technical information is organized into defined categories
AC-14	PhoneMDM	Management capabilities and dashboard visuals are presented
AC-15	Conversion	Quote and contact actions are clearly available
AC-16	Related products	Relevant deployment components are discoverable

12. Dependencies and Required Assets

The following materials are required to implement the proposed website structure accurately.

Asset	Purpose
Approved Product Images	Product cards and detail pages
Product Datasheets	Technical specifications
Product Descriptions	Product positioning and benefits
Deployment Photography	Homepage and solution visuals
PhoneMDM Screenshots	Software presentation
Product Compatibility Information	Product ecosystem diagrams
Customer Logos	Deployment proof section
Company Information	About and company sections
Contact Information	Contact and quotation pathways
Purchase Links	Buy Now actions, where available

All technical specifications, compatibility claims, deployment claims, and customer references must be validated against approved company information.

13. Expected Outcome

The redesigned TickIoT website should function as a unified business and product discovery platform.

A visitor should be able to:

1. Understand what TickIoT does.
2. Identify the hardware, software and connectivity products available.
3. Discover solutions relevant to their operational requirements.
4. Understand how individual products work in real deployments.
5. Explore compatible accessories and software.
6. Access detailed technical specifications.
7. Request a quote or speak with an expert.

Core Product Principle:

Present TickIoT as a complete connectivity solutions provider, demonstrating how hardware, connectivity, software and integration work together to support real-world deployments.

End of Document