

Navigator

SCHEMAS

Filter objects

- bank_db
- emp
- olist_db**
 - Tables
 - customers
 - geolocation
 - order_items
 - order_payments
 - order_reviews
 - orders
 - product_category_tr
 - products
 - sellers
 - Views
 - Stored Procedures
 - Functions

Administration Schemas

Information

No object selected

schema Queries

Limit to 1000 rows

```

1  -- 1.Find the total number of customers in each state
2
3  • SELECT
4      customer_state, COUNT(customer_id) AS total_customers
5  FROM
6      customers
7  GROUP BY customer_state;
8
9

```

Result Grid

Filter Rows:

Export: Wrap Cell Content:

	customer_state	total_customers
▶	SP	41746
	MG	11635
	ES	2033
	RJ	12852
	RS	5466
	BA	3380
	CE	1336
	PR	5045
	MS	715
	PA	520

Result 1 x

Navigator

SCHEMAS

Filter objects

- bank_db
- emp
- olist_db
 - Tables
 - customers
 - geolocation
 - order_items
 - order_payments
 - order_reviews
 - orders
 - product_category_tr
 - products
 - sellers
 - Views
 - Stored Procedures
 - Functions

Administration Schemas

Information

schema Queries

Limit to 1000 rows

```
10 -- 2.Display the top 10 cities with the highest number of customers
11
12 • SELECT
13     customer_city, COUNT(customer_id) AS total_customers
14 FROM
15     customers
16 GROUP BY customer_city
17 ORDER BY total_customers DESC
18 LIMIT 10;
19
20
```

Result Grid

Filter Rows:

Export: Wrap Cell Content: Fetch rows:

	customer_city	total_customers
▶	sao paulo	15540
	rio de janeiro	6882
	belo horizonte	2773
	brasilia	2131
	curitiba	1521
	campinas	1444
	porto alegre	1379
	salvador	1245
	guarulhos	1189
	sao bernardo do campo	828

Navigator

SCHEMAS

Filter objects

- bank_db
- emp
- olist_db
 - Tables
 - customers
 - geolocation
 - order_items
 - order_payments
 - order_reviews
 - orders
 - product_category_tr
 - products
 - sellers
 - Views
 - Stored Procedures
 - Functions

Administration Schemas

Information

No object selected

schema Queries x

Limit to 1000 rows

```
19
20
21 -- 3.Count the total number of orders placed each month
22 • SELECT
23     YEAR(order_purchase_timestamp) AS order_year,
24     MONTH(order_purchase_timestamp) AS order_month,
25     COUNT(order_id) AS total_orders
26 FROM orders
27 GROUP BY YEAR(order_purchase_timestamp),
28           MONTH(order_purchase_timestamp)
29 ORDER BY order_year, order_month;
30
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: | Fetch rows: |

	customer_city	total_customers
▶	sao paulo	15540
	rio de janeiro	6882
	belo horizonte	2773
	brasil	2131
	curitiba	1521
	campinas	1444
	porto alegre	1379
	salvador	1245
	guarulhos	1189
	sao bento do campo	828

Result 3 x

Navigator

SCHEMAS

Filter objects

- bank_db
- emp
- olist_db
 - Tables
 - customers
 - geolocation
 - order_items
 - order_payments
 - order_reviews
 - orders
 - product_category_tr
 - products
 - sellers
 - Views
 - Stored Procedures
 - Functions

Administration Schemas

Information

schema Queries

Limit to 1000 rows

```
31
32 -- 4.Find the number of delivered, canceled, and shipped orders
33
34 • SELECT
35     order_status, COUNT(customer_id) AS total_customers
36 FROM
37     orders
38 GROUP BY order_status;
39
```

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	order_status	total_customers
▶	delivered	96455
	canceled	6

No object selected

Navigator

SCHEMAS

Filter objects

- bank_db
- emp
- olist_db
 - Tables
 - customers
 - geolocation
 - order_items
 - order_payments
 - order_reviews
 - orders
 - product_category_tr
 - products
 - sellers
 - Views
 - Stored Procedures
 - Functions

Administration Schemas

Information

schema Queries x

Limit to 1000 rows

```
41 -- 5.List the top 10 sellers based on the number of orders
42
43 • SELECT
44     oi.seller_id,
45     COUNT(DISTINCT oi.order_id) AS total_orders
46 FROM order_items oi
47 GROUP BY oi.seller_id
48 ORDER BY total_orders DESC
49 LIMIT 10;
```

Result Grid

Filter Rows:

Export: | Wrap Cell Content: | Fetch rows:

seller_id	total_orders
6560211a19b47992c3666cc44a7e94c0	1819
4a3ca9315b744ce9f8e9374361493884	1772
cc419e0650a3c5ba77189a1882b7556a	1651
1f50f920176fa81dab994f9023523100	1399
da8622b14eb17ae2831f4ac5b9dab84a	1311
955fee9216a65b617aa5c0531780ce60	1261
7a67c85e85bb2ce8582c35f2203ad736	1142
ea8482cd71df3c1969d7b9473ff13abc	1132
4869f7a5dfa277a7dca6462dcf3b52b2	1124
2d871d1117c100b7001c7b0d1772d1	1054

Result 5 x

Navigator

SCHEMAS

Filter objects

- bank_db
- emp
- olist_db
 - Tables
 - customers
 - geolocation
 - order_items
 - order_payments
 - order_reviews
 - orders
 - product_category_tr
 - products
 - sellers
 - Views
 - Stored Procedures
 - Functions

Administration Schemas

Information

schema Queries*

Limit to 1000 rows

```

51
52 -- 6.Calculate the total revenue generated by each seller
53 • SELECT
54     s.seller_id,
55     s.seller_city,
56     s.seller_state,
57     ROUND(SUM(oi.price), 2) AS total_revenue
58 FROM sellers s
59 JOIN order_items oi
60     ON s.seller_id = oi.seller_id
61 GROUP BY s.seller_id, s.seller_city, s.seller_state
62 ORDER BY total_revenue DESC;
63
  
```

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

Fetch rows:

	seller_id	seller_city	seller_state	total_revenue
▶	4869f7a5dfa277a7dca6462dcf3b52b2	guariba	SP	226987.93
	53243585a1d6dc2643021fd1853d8905	lauro de freitas	BA	217940.44
	4a3ca9315b744ce9f8e9374361493884	ibitinga	SP	196882.12
	fa1c13f2614d7b5c4749cbc52fecda94	sumare	SP	190917.14
	7c67e1448b00f6e969d365cea6b010ab	itaquaquecetuba	SP	186570.05
	7e93a43ef30c4f03f38b393420bc753a	barueri	SP	165981.49
	da8622b14eb17ae2831f4ac5b9dab84a	piracicaba	SP	159816.87
	7a67c85e85bb2ce8582c35f2203ad736	sao paulo	SP	139418.72
	1025f0e2d44d7041d6cf58b6550e0bfa	sao paulo	SP	138208.56
	05f5e021e0f5c17e5e0f31780e0c0	sao paulo	SP	131836.74

Result 7

Navigator

SCHEMAS

Filter objects

- bank_db
- emp
- olist_db
 - Tables
 - customers
 - geolocation
 - order_items
 - order_payments
 - order_reviews
 - orders
 - product_category_tr
 - products
 - sellers
 - Views
 - Stored Procedures
 - Functions

Administration Schemas

Information

schema Queries*

Limit to 1000 rows

```

65 -- 7.Find the top 10 best-selling products based on quantity sold
66 • SELECT
67     p.product_id,
68     p.product_category_name,
69     SUM(oi.order_item_id) AS total_quantity_sold
70 FROM
71     products p
72     JOIN
73     order_items oi ON p.product_id = oi.product_id
74 GROUP BY p.product_id , p.product_category_name
75 ORDER BY total_quantity_sold DESC
76 LIMIT 10;
77
  
```

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

Fetch rows:

product_id	product_category_name	total_quantity_sold
422879e10f46682990de24d770e7f83d	ferramentas_jardim	793
aca2eb7d00ea1a7b8ebd4e68314663af	moveis_decoracao	632
368c6c730842d78016ad823897a372db	ferramentas_jardim	551
53759a2ecddad2bb87a079a1f1519f73	ferramentas_jardim	545
389d119b48cf3043d311335e499d9c6b	ferramentas_jardim	532
99a4788cb24856965c36a24e339b6058	cama_mesa_banho	531
a62e25e09e05e6faf31d90c6ec1aa3d1	relogios_presentes	365
d1c427060a0f73f6b889a5c7c61f2ac4	informatica_acessorios	357
53b36df67ebb7c41585e8d54d6772e08	relogios_presentes	357
222b47860e280f281e0101e1e05d73	informatica_acessorios	354

Result 8

Navigator

SCHEMAS

Filter objects

- bank_db
- emp
- olist_db
 - Tables
 - customers
 - geolocation
 - order_items
 - order_payments
 - order_reviews
 - orders
 - product_category_tr
 - products
 - sellers
 - Views
 - Stored Procedures
 - Functions

Administration Schemas

Information

No object selected

schema Queries*

Limit to 1000 rows

```

78
79 -- 8.Display the average order value for each customer.
80
81 • SELECT
82     o.customer_id,
83     ROUND(AVG(op.payment_value), 2) AS average_order_value
84 FROM orders o
85 JOIN order_payments op
86     ON o.order_id = op.order_id
87 GROUP BY o.customer_id
88 ORDER BY average_order_value DESC;
89

```

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

Fetch rows:

customer_id	average_order_value
1617b1357756262bfa56ab541c47bc16	13664.08
ec5b2ba62e574342386871631fafd3fc	7274.88
c6e2731c5b391845f6800c97401a43a9	6929.31
f48d464a0baaea338cb25f816991ab1f	6922.21
3fd6777bbce08a352fddd04e4a7cc8f6	6726.66
05455dfa7cd02f13d132aa7a6a9729c6	6081.54
df55c14d1476a9a3467f131269c2477f	4950.34
24bbf5fd2f2e1b359ee7de94defc4a15	4764.34
3d979689f636322c62418b6346b1c6d2	4681.78
15f07e7f0e207e60b4e600770f0f5	4512.22

Navigator

SCHEMAS

Filter objects

- bank_db
- emp
- olist_db
 - Tables
 - customers
 - geolocation
 - order_items
 - order_payments
 - order_reviews
 - orders
 - product_category_tr
 - products
 - sellers
 - Views
 - Stored Procedures
 - Functions

Administration Schemas

schema Queries*

Limit to 1000 rows

```

90
91 -- 9.Calculate the total freight cost collected by each seller.
92
93 SELECT
94     s.seller_id,
95     s.seller_city,
96     s.seller_state,
97     ROUND(SUM(oi.freight_value), 2) AS total_freight_cost
98 FROM
99     sellers s
100 JOIN
101     order_items oi ON s.seller_id = oi.seller_id
102 GROUP BY s.seller_id , s.seller_city , s.seller_state
103 ORDER BY total_freight_cost DESC;
  
```

Information

No object selected

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

Fetch rows:

	seller_id	seller_city	seller_state	total_freight_cost
▶	7c67e1448b00f6e969d365cea6b010ab	itaquaquecetuba	SP	51236.64
	1f50f920176fa81dab994f9023523100	sao jose do rio preto	SP	35057.23
	4a3ca9315b744ce9f8e9374361493884	ibitinga	SP	34338.31
	1025f0e2d44d7041d6cf58b6550e0bfa	sao paulo	SP	33716.40
	a1043bafd471dff536d0c462352beb48	ilicinea	MG	31103.51
	6560211a19b47992c3666cc44a7e94c0	sao paulo	SP	27348.11
	da8622b14eb17ae2831f4ac5b9dab84a	piracicaba	SP	24889.91
	cc419e0650a3c5ba77189a1882b7556a	santo andre	SP	24846.03
	955fee9216a65b617aa5c0531780ce60	sao paulo	SP	24769.77
	2d071d0142c0b3001c26d1777b1	sao paulo	SP	23100.35

Result 10

Navigator

SCHEMAS

Filter objects

- bank_db
- emp
- olist_db
 - Tables
 - customers
 - geolocation
 - order_items
 - order_payments
 - order_reviews
 - orders
 - product_category_tr
 - products
 - sellers
 - Views
 - Stored Procedures
 - Functions

Administration Schemas

Information

No object selected

schema

Queries

Limit to 1000 rows

105

106 -- 10.Find the top 5 product categories generating the highest revenue.

107

108 • SELECT

109 p.product_category_name,

110 ROUND(SUM(oi.price), 2) AS total_revenue

111 FROM products p

112 JOIN order_items oi

113 ON p.product_id = oi.product_id

114 GROUP BY p.product_category_name

115 ORDER BY total_revenue DESC

116 LIMIT 5;

Result Grid Filter Rows: Export: Wrap Cell Content: Fetch rows:

	product_category_name	total_revenue
▶	beleza_saude	1233211.61
	relogios_presentes	1165898.98
	cama_mesa_banho	1023300.77
	esporte_lazer	954626.07
	informatica_acessorios	888613.62

Navigator

SCHEMAS

Filter objects

- bank_db
- emp
- olist_db
 - Tables
 - customers
 - geolocation
 - order_items
 - order_payments
 - order_reviews
 - orders
 - product_category_tr
 - products
 - sellers
 - Views
 - Stored Procedures
 - Functions

Administration Schemas

schema Queries*

Limit to 1000 rows

```

119 -- 11.Display the average delivery time (in days) for each state.
120
121 • SELECT
122     c.customer_state,
123     ROUND(
124         AVG(DATEDIFF(o.order_delivered_customer_date,
125                     o.order_purchase_timestamp)), 2
126     ) AS avg_delivery_days
127 FROM orders o
128 JOIN customers c
129     ON o.customer_id = c.customer_id
130 WHERE o.order_delivered_customer_date IS NOT NULL
131 GROUP BY c.customer_state
132 ORDER BY avg_delivery_days DESC;
133
  
```

Information

No object selected

Result Grid

Filter Rows:

Exports: Wrap Cell Contents

	customer_state	avg_delivery_days
▶	RR	29.34
	AP	27.18
	AM	26.36
	AL	24.50
	PA	23.73
	MA	21.52
	SE	21.46
	CE	21.20
	AC	21.00
	RR	20.30

Navigator

SCHEMAS

Filter objects

- bank_db
- emp
- olist_db
 - Tables
 - customers
 - geolocation
 - order_items
 - order_payments
 - order_reviews
 - orders
 - product_category_tr
 - products
 - sellers
 - Views
 - Stored Procedures
 - Functions

Administration Schemas

Information

schema Queries*

Limit to 1000 rows

```
135 -- 12.Find orders that were delivered later than the estimated delivery date.
136 • SELECT
137     order_id,
138     customer_id,
139     order_purchase_timestamp,
140     order_estimated_delivery_date,
141     order_delivered_customer_date,
142     DATEDIFF(order_delivered_customer_date, order_estimated_delivery_date) AS delayed_days
143 FROM orders
144 WHERE order_delivered_customer_date > order_estimated_delivery_date
145 ORDER BY delayed_days DESC;
146
```

Result Grid

Filter Rows: Export: Wrap Cell Content: Fetch rows:

	order_id	customer_id	order_purchase_timestamp	order_estimated_delivery_date	order_delivered_customer_date	delayed_days
▶	1b3190b2dfa9d789e1f14c05b647a14a	d306426abe5fca15e54b645e4462dc7b	2018-02-23 14:57:35	2018-03-15 00:00:00	2018-09-19 23:24:07	188
	ca07593549f1816d26a572e06dc1eab6	75683a92331068e2d281b11a7866ba44	2017-02-21 23:31:27	2017-03-22 00:00:00	2017-09-19 14:36:39	181
	47b40429ed8cce3aee9199792275433f	cb2caaaead400c97350c37a3fc536867	2018-01-03 09:44:01	2018-01-19 00:00:00	2018-07-13 20:51:31	175
	2fe324feb907e3ea3f2aa9650869fa5	65b14237885b3972ebec28c0f7dd2220	2017-03-13 20:17:10	2017-04-05 00:00:00	2017-09-19 17:00:07	167
	285ab9426d6982034523a855f55a885e	9cf2c3fa2632cee748e1a59ca9d09b21	2017-03-08 22:47:40	2017-04-06 00:00:00	2017-09-19 14:00:04	166
	440d0d17af552815d15a9e41abe49359	7815125148cfa1e8c7fee1ff7974f16c	2017-03-07 23:59:51	2017-04-07 00:00:00	2017-09-19 15:12:50	165
	c27815f7e3dd0b926b58552628481575	f85e9ec0719b16dc4dd0edd438793553	2017-03-15 23:23:17	2017-04-10 00:00:00	2017-09-19 17:14:25	162
	d24e8541128cea179a11a65176e0a96f	beeda72b31be3b8a38b5c2b77d7705c4	2017-06-12 13:14:11	2017-06-26 00:00:00	2017-12-04 18:36:29	161
	0f4519c5f1c541dddec9f21b3bddd533a	1a8a4a30dc296976717f44e7801fdeef	2017-03-09 13:26:57	2017-04-11 00:00:00	2017-09-19 14:38:21	161
	2d78f102e1f47c0d4d09d444d67b42	810034f5f7cfd1d4c07b1f03401b4ed	2017-02-15 11:24:27	2017-04-12 00:00:00	2017-09-19 14:38:18	159

Result 13

Navigator

SCHEMAS

Filter objects

- bank_db
- emp
- olist_db
 - Tables
 - customers
 - geolocation
 - order_items
 - order_payments
 - order_reviews
 - orders
 - product_category_tr
 - products
 - sellers
 - Views
 - Stored Procedures
 - Functions

Administration Schemas

Information

No object selected

schema Queries

Limit to 1000 rows

```
148 -- 13.Calculate monthly sales revenue.
149
150 • SELECT
151     YEAR(o.order_purchase_timestamp) AS order_year,
152     MONTH(o.order_purchase_timestamp) AS order_month,
153     ROUND(SUM(op.payment_value), 2) AS total_revenue
154 FROM orders o
155 JOIN order_payments op
156     ON o.order_id = op.order_id
157 GROUP BY
158     YEAR(o.order_purchase_timestamp),
159     MONTH(o.order_purchase_timestamp)
160 ORDER BY
161     order_year,
162     order_month;
```

Result Grid Filter Rows: Export: Wrap Cell Content:

	order_year	order_month	total_revenue
▶	2016	10	47271.20
	2016	12	19.62
	2017	1	127430.74
	2017	2	269458.98
	2017	3	414369.39
	2017	4	390952.18
	2017	5	566872.73
	2017	6	490225.60
	2017	7	566403.93
	2017	8	646000.64

Navigator

SCHEMAS

Filter objects

- bank_db
- emp
- olist_db
 - Tables
 - customers
 - geolocation
 - order_items
 - order_payments
 - order_reviews
 - orders
 - product_category
 - products
 - sellers
 - Views
 - Stored Procedures
 - Functions

Administration Schemas

Information

No object selected

schema Queries

Limit to 1000 rows

```
164
165 -- 14.Find Customers Who Spent More Than 5000
166 • SELECT
167     o.customer_id,
168     ROUND(SUM(op.payment_value), 2) AS total_spent
169 FROM orders o
170 JOIN order_payments op
171     ON o.order_id = op.order_id
172 GROUP BY o.customer_id
173 HAVING SUM(op.payment_value) > 5000
174 ORDER BY total_spent DESC;
175
```

Result Grid Filter Rows: Export: Wrap Cell Content:

	customer_id	total_spent
▶	1617b1357756262bfa56ab541c47bc16	13664.08
	ec5b2ba62e574342386871631fafd3fc	7274.88
	c6e2731c5b391845f6800c97401a43a9	6929.31
	f48d464a0baaea338cb25f816991ab1f	6922.21
	3fd6777bbce08a352fddd04e4a7cc8f6	6726.66
	05455dfa7cd02f13d132aa7a6a9729c6	6081.54

Navigator

SCHEMAS

Filter objects

- bank_db
- emp
- olist_db**
 - Tables
 - customers
 - geolocation
 - order_items
 - order_payments
 - order_reviews
 - orders
 - product_category_tr
 - products
 - sellers
 - Views
 - Stored Procedures
 - Functions

Administration Schemas

Information

schema Queries

Limit to 1000 rows

```

176
177 -- 15.Rank Sellers Based on Total Revenue Using a Window Function
178
179 • SELECT
180     s.seller_id,
181     s.seller_city,
182     s.seller_state,
183     ROUND(SUM(oi.price), 2) AS total_revenue,
184     RANK() OVER (ORDER BY SUM(oi.price) DESC) AS seller_rank
185 FROM sellers s
186 JOIN order_items oi
187     ON s.seller_id = oi.seller_id
188 GROUP BY
189     s.seller_id,
190     s.seller_city,
191     s.seller_state
192 ORDER BY seller_rank;
193
  
```

Result Grid

Filter Rows:

Export: Wrap Cell Content: IA

	seller_id	seller_city	seller_state	total_revenue	seller_rank
▶	4869f7a5dfa277a7dca6462dcf3b52b2	guariba	SP	226987.93	1
	53243585a1d6dc2643021fd1853d8905	lauro de freitas	BA	217940.44	2
	4a3ca9315b744ce9f8e9374361493884	ibitinga	SP	196882.12	3
	fa1c13f2614d7b5c4749cbc52fecda94	sumare	SP	190917.14	4
	7c67e1448b00f6e969d365cea6b010ab	itaquaquecetuba	SP	186570.05	5
	7e93a43ef30c4f03f38b393420bc753a	barueri	SP	165981.49	6

No object selected

Navigator

SCHEMAS

Filter objects

bank_db

emp

olist_db

Tables

customers

geolocation

order_items

order_payments

order_reviews

orders

product_category_tr

products

sellers

Views

Stored Procedures

Functions

Administration Schemas

Information

No object selected

schema Queries

Limit to 1000 rows

195

-- 16.Calculate the percentage contribution of each payment type to total sales.

196

197 • SELECT

198 payment_type,

199 ROUND(SUM(payment_value), 2) AS total_sales,

200 ROUND(

201 (SUM(payment_value) * 100.0) /

202 (SELECT SUM(payment_value) FROM order_payments),

203 2

204) AS sales_percentage

205 FROM order_payments

206 GROUP BY payment_type

207 ORDER BY total_sales DESC;

208

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	payment_type	total_sales	sales_percentage
▶	credit_card	12100624.80	78.48
	boleto	2767977.98	17.95
	voucher	343013.19	2.22
	debit_card	208066.88	1.35

Navigator

SCHEMAS

🔍 Filter objects

- ▶ bank_db
- ▶ emp
- ▼ **olist_db**
 - ▼ Tables
 - ▶ customers
 - ▶ geolocation
 - ▶ order_items
 - ▶ order_payments
 - ▶ order_reviews
 - ▶ orders
 - ▶ product_category_tr
 - ▶ products
 - ▶ sellers
 - Views
 - Stored Procedures
 - Functions

Administration Schemas

Information

No object selected

schema

Queries* x

208

```
209 -- 17. Create a sales dashboard report showing:
```

```
210  -- Total Customers
```

```
211 -- Total Orders
```

212 -- Total Revenue

```
213 -- Average Order Value
```

214 -- Total Sellers

215 -- Delivered Orders %

```
216 -- Cancelled Orders %
```

217 -- Top Product Category

218 -- Top Seller

219 -- Monthly Revenue Trend

220

Result Grid  Filter Rows: Export:  Wrap Cell Content: 

	total_customers	total_orders	total_revenue	average_order_value	total_sellers	total_products	delivered_orders	cancelled_orders	delivered_percentage	cancelled_percentage
▶	99441	96461	15419682.85	153.07	3095	32340	96455	6	99.99	0.01