# SE LAB-2

# Agile Backlog Creation & Sprint Simulation in Jira

**NAME: ANIKET JADHAV**


**SRN: PES2UG24CS063**

**SECTION: B**


**DATE: 25-08-2026**

## SCREENSHOTS SUBMISSIONS OF:


- **Jira backlog with Epics and User Stories.**
  //includes all story points assigned





Story point view of sprint-2 stories




- **Active Sprint-1 Board view.**




- **Active Sprint-2 board view**




- **Burndown Chart for Sprint-1 completion report**




- **Burndown Chart for Sprint-2 report**




# Reflection Questions

**● Did your estimations reflect the actual effort?**

Yes. Assigning 8 Fibonacci points to SLESR-6 accurately reflected the high technical complexity involved in implementing database isolation locks under the 200 ms performance requirement (NFR-001). In contrast, simpler conditional checks like calibration validation (SLESR-5, 3 pts) and token generation (SLESR-7, 2 pts) were estimated lower, matching their lower operational scope.

● **Was your backlog well-prioritized?**

Yes. High-priority foundational stories covering real-time slot checking, calibration checks, concurrency controls, and role-based access security (SLESR-4, SLESR-5, SLESR-6, SLESR-13) were prioritized into Sprint 1. Secondary dependent workflows—such as automated late-return penalties and technician admin tools (SLESR-8, SLESR-9, SLESR-10, SLESR-11, SLESR-12)—were scheduled for Sprint 2.

● **How did your simulate sprint align with your plan?**

The simulated sprint execution closely aligned with the initial roadmap. By focusing Sprint 1 purely on critical path infrastructure potential concurrency bottlenecks were resolved early. Transitioning items through TO DO -> IN PROGRESS -> DONE allowed Sprint 2 to proceed smoothly without blocker dependencies.

● **What insights did the burndown chart give about your team's capacity?**

The Burndown Charts demonstrated that the team's comfortable velocity sits between 19 to 21 Story Points per 1-week iteration. The sharp drops in remaining work upon completing high-complexity items (SLESR-6, 8 pts; SLESR-10, 5 pts) highlighted that breaking large backend tasks into discrete sub-tasks provides a smoother, more continuous burndown trajectory.