```
host)
Initiating OS detection (try #1) against scanme.nmap.org
(64.13.134.52)
Initiating Traceroute at 12:05
Completed Traceroute at 12:05, 0.29s elapsed
Initiating Parallel DNS resolution of 12 hosts. at 12:05
Completed Parallel DNS resolution of 12 hosts. at 12:05, 6.64s
elapsed
NSE: Script scanning 64.13.134.52.
NSE: Starting runlevel 1 (of 1) scan.
Initiating NSE at 12:05
Completed NSE at 12:05, 4.17s elapsed
Nmap scan report for scanme.nmap.org (64.13.134.52)
Host is up (0.074s latency).
Not shown: 993 filtered ports
PORT      STATE  SERVICE VERSION
22/tcp    open   ssh     OpenSSH 4.3 (protocol 2.0)
```

```
➜  ~ sudo nmap -sS scanme.nmap.org
Starting Nmap 7.93 ( https://nmap.org ) at 2022-11-16 12:59 EST
Nmap scan report for scanme.nmap.org (45.33.32.156)
Host is up (0.081s latency).
Not shown: 991 closed tcp ports (reset)
PORT      STATE    SERVICE
22/tcp    open     ssh
53/tcp    open     domain
80/tcp    open     http
135/tcp   filtered msrpc
139/tcp   filtered netbios-ssn
445/tcp   filtered microsoft-ds
593/tcp   filtered http-rpc-epmap
9929/tcp  open     nping-echo
31337/tcp open     Elite
```

```
Starting Nmap 7.01 ( https://nmap.org ) at 2017-05-20 20:26 EDT
Warning: File ./nmap-services exists, but Nmap is using /usr/bin/../share/nmap/nmap-services for security and consistency reasons.
  set NMAPDIR=. to give priority to files in your local directory (may affect the other data files too).
Nmap scan report for 192.168.0.63
Host is up (0.00035s latency).
Not shown: 994 closed ports
PORT     STATE SERVICE     VERSION
21/tcp   open  ftp         vsftpd 2.0.8 or later
22/tcp   open  ssh         OpenSSH 7.3p1 Ubuntu 1ubuntu0.1 (Ubuntu Linux; protocol 2.0)
111/tcp  open  rpcbind     2-4 (RPC #100000)
139/tcp  open  netbios-ssn Samba smbd 3.X - 4.X (workgroup: WORKGROUP)
445/tcp  open  netbios-ssn Samba smbd 3.X - 4.X (workgroup: WORKGROUP)
2049/tcp open  nfs         2-4 (RPC #100003)
MAC Address: 00:1E:4F:9F:DF:7F (Dell)
Service Info: Host: SERVER; OS: Linux; CPE: cpe:/o:linux:linux_kernel
```

```
Starting Nmap 7.12 ( https://nmap.org ) at 2016-07-23 21:49 PDT
Nmap scan report for 192.168.0.9
Host is up (0.000058s latency).
Not shown: 999 closed ports
PORT    STATE SERVICE VERSION
111/tcp open  rpcbind 2-4 (RPC #100000)
| rpcinfo:
|   program version   port/proto  service
|   100000  2,3,4        111/tcp  rpcbind
|   100000  2,3,4        111/udp  rpcbind
|   100024  1          46044/udp  status
|_  100024  1          54793/tcp  status
Device type: general purpose
Running: Linux 3.X|4.X
OS CPE: cpe:/o:linux:linux_kernel:3 cpe:/o:linux:linux_kernel:4
OS details: Linux 3.8 - 4.4
Network Distance: 0 hops
```

Sites | Request | Response

Header: Text | Body: Text

- Contexts
  - Default Context
- Sites
  - https://cdnjs.cloudflare.com
  - https://juiceshopcad.herokuapp.com

```
HTTP/1.1 200 OK
Server: Cowboy
```


```
"authorizedRedirects":[{"uri":"https://demo.owasp-juice.shop"},{"uri":"http://demo.owasp-juice.shop"},{"uri":
"https://juice-shop.herokuapp.com"},{"uri":"http://juice-shop.herokuapp.com"},{"uri":"https://preview.owasp-juice.shop"},{"uri":
"http://preview.owasp-juice.shop"},{"uri":"https://juice-shop-staging.herokuapp.com"},{"uri":"http://juice-shop-staging.herokuapp.com"},{
"uri":"http://juice-shop.wtf"},{"uri":"http://localhost:3000","proxy":"http://local3000.owasp-juice.shop"},{"uri":"http://127.0.0.1:3000",
"proxy":"http://local3000.owasp-juice.shop"},{"uri":"http://localhost:4200","proxy":"http://local4200.owasp-juice.shop"},{"uri":
"http://127.0.0.1:4200","proxy":"http://local4200.owasp-juice.shop"},{"uri":"http://192.168.99.100:3000","proxy":
```


History | Search | Alerts | Output | WebSockets

- Alerts (9)
  - Cross-Domain Misconfiguration (20)
  - Session ID in URL Rewrite (2)
  - Cookie Without Secure Flag (2)
  - Cross-Domain JavaScript Source File Inclusion (2)
  - Incomplete or No Cache-control and Pragma HTTP Header Set (12)
  - Private IP Disclosure
    - GET: https://juiceshopcad.herokuapp.com/rest/admin/application-configuration
  - X-Content-Type-Options Header Missing (5)
  - Information Disclosure - Suspicious Comments (4)
  - Timestamp Disclosure - Unix (18)

Confidence: Medium
Parameter:
Attack:
Evidence: 192.168.99.100:3000
CWE ID: 200
WASC ID: 13
Source: Passive (2 - Private IP Disclosure)

Description:

A private IP (such as 10.x.x.x, 172.x.x.x, 192.168.x.x) or an Amazon EC2 private hostname (for example, ip-10-0-56-78) has been found in the HTTP response body. This information might be helpful for further attacks targeting internal systems.

Other Info:

192.168.99.100:3000

Solution:

Remove the private IP address from the HTTP response body. For comments, use JSP/ASP/PHP comment instead of HTML/JavaScript comment which can be seen by client browsers.

Reference:

https://tools.ietf.org/html/rfc1918
http://intranet.owasp-juice.shop/devdocs/internal-ip/

Accept-Ranges:	bytes
Cache-Control:	public, max-age=0
Content-Length:	556
Content-Type:	application/json; charset=UTF-8
Date:	Mon, 21 Aug 2023 11:53:35 GMT
Etag:	W/"22c-18457c15d68"
Last-Modified:	Tue, 08 Nov 2022 15:00:01 GMT
X-Powered-By:	Express

+ Add header

Name	Last modified	Size	Description
Parent Directory		-	
FTP_ls.log	2020-04-27 09:20	63K	
database_connect.php	2020-04-27 09:20	300	
db_dump.sql	2020-04-27 09:21	96K	
old_pass.txt	2020-04-27 09:22	6.3K	

```
3   X-Powered-By: PHP/5.2.6
4   Connection: Keep-Alive
5   Keep-Alive: timeout=5, max=100
6   Content-Length: 144
7   Content-Type: text/html
8   Date: Fri, 31 Mar 2017 15:16:14 GMT
9
10  <html>
11  <HEAD>
12  <SCRIPT language="JavaScript">
13  <!--
14  window.location="process.php?file=Generics/index.nsp";
15  //-->
16  </SCRIPT>
17  </HEAD>
18  </html>
```

Port Scanning (nmap)