

STANDARD OPERATING PROCEDURE

Credit Bureau Information System

Modeled on TransUnion CIBIL India Practices

Document ID	SOP-CBIS-001
Version	2.4
Classification	CONFIDENTIAL – INTERNAL USE
Prepared By	Operations & Compliance Division
Reviewed By	Chief Data Officer / CISO
Approved By	Managing Director
Effective Date	01 April 2025
Review Cycle	Annual (or as mandated by RBI)

For Demo / POC Purposes Only — Based on Publicly Known Industry Practices

1. Scope, Purpose & Definitions

This Standard Operating Procedure (SOP) defines the end-to-end operational framework governing data ingestion, processing, credit scoring, report generation, dispute resolution, compliance management, API access, auditing, and exception handling for a Credit Bureau Information System (CBIS) operating in the Indian financial ecosystem.

The procedures herein are modeled on the operational practices of licensed Credit Information Companies (CICs) as defined under the Credit Information Companies (Regulation) Act, 2005 (CICRA 2005) and align with Reserve Bank of India (RBI) Master Directions on Credit Information Companies.

1.1 Applicability

- All Member Financial Institutions (MFIs) — banks, NBFCs, HFCs, MFIs, Fintechs registered with CBIS
- Internal departments: Data Ops, Engineering, Compliance, Risk, Customer Service
- Third-party vendors with data processing agreements (DPAs) in place

1.2 Regulatory Framework

Regulation / Authority	Relevance
CICRA 2005	Foundational enabling Act for Credit Bureaus in India
RBI Master Directions – CIC (2024)	Operational guidelines for CICs
Information Technology Act 2000 (amended)	Data security obligations
DPDP Act 2023	Digital Personal Data Protection — consent & purpose limitation
RBI Fair Practices Code	Consumer grievance redressal norms
IRDAI / SEBI circulars	Sector-specific data sharing norms

1.3 Key Definitions

Term	Definition
CIC	Credit Information Company — licensed by RBI to collect and maintain credit data
Member Institution (MI)	Bank / NBFC / Fintech registered as a data submitter with CBIS
Consumer	Individual or entity whose credit data is held by CBIS
Credit Information Report (CIR)	Comprehensive report of a consumer's credit history
Credit Score	Numerical representation of creditworthiness (300–900 range)
DPD	Days Past Due — indicator of payment delinquency
NACH	National Automated Clearing House — payment mandate platform
PAN	Permanent Account Number — primary identity anchor for credit data

Term	Definition
TAT	Turnaround Time — regulatory or service SLA for processing

2. Data Acquisition

2.1 Overview

Data Acquisition is the process by which CBIS collects credit-related information from Member Institutions (MIs). All MIs are contractually and legally obligated under their Member Agreement and CICRA 2005 to submit complete, accurate, and timely credit data.

2.2 Data Sources

Source Category	Examples	Data Types Submitted	Submission Frequency
Scheduled Commercial Banks	SBI, HDFC Bank, ICICI Bank, Axis Bank	Loan accounts, credit cards, EMI repayment	Monthly (T+5 days)
Non-Banking Finance Companies	Bajaj Finance, Muthoot, HDFC Ltd	Personal loans, gold loans, vehicle loans	Monthly (T+5 days)
Housing Finance Companies	LIC HFL, PNB Housing	Home loans, LAP	Monthly (T+5 days)
Micro-Finance Institutions	Bandhan MFI, SKS	Micro-credit, JLG loans	Monthly (T+7 days)
Fintechs / Neobanks	Slice, KreditBee, MoneyTap	Buy-Now-Pay-Later, instant credit	Weekly / Daily API
Urban Cooperative Banks	Saraswat, Cosmos	Deposits-linked credit products	Monthly (T+7 days)

2.3 Data Submission Formats

2.3.1 Batch File Submission (Primary Mode)

Batch files are the standard submission mode for large Member Institutions. The format adheres to the CBIS Flat File Specification v3.2.

Batch File Specification	
Format:	Fixed-width ASCII / CSV (UTF-8, CRLF line endings)
File naming:	MI_CODE_YYYYMMDD_SEQNO.dat (e.g., HDFC_20250401_001.dat)
Compression:	GZIP (.gz); AES-256 encryption mandatory
Transfer:	SFTP to CBIS Secure Data Landing Zone (DLZ)
Max file size:	2 GB per batch; split into segments if exceeded
Checksum:	SHA-256 hash file (.sha256) submitted alongside

2.3.2 Record Types in Batch File

Record Type	Code	Description	Key Fields
Header Record	H	File metadata, MI credentials	MI_ID, Date, Record_Count, Version
Consumer Record	C	Borrower identity information	PAN, Aadhaar_Hash, DOB, Name, Mobile, Address
Account Record	A	Loan / credit card account details	Acct_No, Product_Type, Sanctioned_Amt, OS_Bal, DPD
Enquiry Record	E	Credit enquiry made by MI	Enquiry_Dt, Purpose, Amount, MI_ID
Trailer Record	T	File control totals	Total_C, Total_A, Total_E, Checksum

2.3.3 Real-Time API Submission (Fintechs & Digital Lenders)

API-based submission uses the CBIS Data Submission API (REST/JSON) over mTLS-authenticated connections.

```
POST /api/v2/submit/account
Host: datasub.cbis.in
Authorization: Bearer <JWT_TOKEN>
Content-Type: application/json
X-Member-ID: FINTECH_XYZ_001

{
  "consumer": {
    "pan": "ABCDE1234F",
    "dob": "1985-07-15",
    "name": "Ravi Kumar",
    "mobile_hash": "sha256(<mobile>)",
    "address": { "pin": "400001", "state": "MH", "city": "Mumbai" }
  },
  "account": {
    "account_ref": "LOAN20250401XYZ",
    "product_type": "PL",
    "open_date": "2024-09-01",
    "sanctioned_amount": 500000,
    "outstanding_balance": 420000,
    "dpd": 0,
    "emi_amount": 11200,
    "payment_history": ["STD", "STD", "STD", "STD", "STD", "STD"]
  }
}
```

2.4 Validation & Error Handling

2.4.1 Three-Stage Validation Pipeline



2.4.2 Validation Rules — Quick Reference

Field	Validation Rule	Error Code	Action on Failure
PAN	10-char alphanumeric; regex [A-Z]{5}[0-9]{4}[A-Z]	E001	Quarantine record
DOB	YYYY-MM-DD; age 18–100 years	E002	Quarantine record
DPD	Integer 0–999	E003	Default to NULL; flag
Sanctioned Amount	Positive numeric; >0; max 9,999,999,999	E004	Reject record

Field	Validation Rule	Error Code	Action on Failure
Account Open Date	Not future-dated; not before 1990-01-01	E005	Quarantine record
Mobile	10-digit; not 0000000000	E006	Soft warning; proceed
Product Type	Enum: PL,HL,CC,AL,GL,ML,OD,BL,CV	E007	Quarantine record
IFSC	11-char; validated against RBI IFSC master	E008	Warning; proceed


2.4.3 Error Notification Protocol

1. System generates a structured Error Report (JSON + CSV) per batch within 2 hours of submission.
2. MI's registered Data Steward receives email with Error Report attached.
3. Errors > 5%: Full batch quarantined. MI must resubmit corrected file within 3 business days.
4. Errors <= 5%: Valid records processed; erroneous records returned in next cycle's correction window.
5. Persistent errors (3 consecutive cycles): Escalated to MI Relationship Manager and logged for compliance review.

3. Data Processing & Normalization

3.1 Ingestion & Staging

All validated records from Stage 3 pass into the CBIS Data Processing Engine (DPE). The DPE is a distributed pipeline with the following stages:



3.2 Deduplication Logic

Deduplication prevents the same consumer or account from being stored multiple times, which would inflate or deflate credit scores. CBIS employs a three-tier deduplication strategy:

Tier 1 — Exact Match Deduplication

- Primary Key: PAN number
- Secondary Key: Account Reference Number + Member ID
- If PAN + Account Ref already exist: Update existing record with new submission data (version-controlled)
- If PAN exists but Account Ref is new: Add new account under existing consumer profile

Tier 2 — Fuzzy Identity Matching

Applied when PAN is absent or invalid (legacy data). Uses a weighted scoring algorithm:

Matching Field	Weight
Aadhaar last 4 digits (masked) + DOB	30%
Name similarity (Jaro-Winkler >= 0.92)	25%
Mobile number (SHA-256 hash match)	20%
Date of Birth (exact)	15%
Pincode + Gender	10%

Match decision thresholds:

- Score >= 85: AUTO-MERGE — records linked to same consumer profile

- Score 65–84: MANUAL REVIEW — sent to Data Quality Analyst queue
- Score < 65: TREATED AS NEW CONSUMER — separate profile created

Tier 3 — Cross-Bureau Deduplication Signals

CBIS participates in the Credit Registry of India (CRI) framework. Cross-CIC deduplication signals (anonymized matching tokens) are exchanged weekly to prevent ghost profiles.

3.3 Identity Matching & Anchoring

Identity Anchor	Usage	Masking in Storage
PAN (Primary)	Mandatory for loans > Rs 2 lakhs per RBI KYC norms	Full PAN stored encrypted; last 4 displayed
Aadhaar (Secondary)	Used for fuzzy matching only; not stored as primary ID per UIDAI mandate	Only last 4 digits stored; full number never retained
Voter ID / Passport	Legacy identity fallback	Stored encrypted
Mobile Number	Hashed (SHA-256) for matching; used for consumer alerts	Only SHA-256 hash stored
Date of Birth	Combined with name/PAN for validation	Stored in plain text

3.4 Data Cleansing Rules

Name Normalisation

- Convert to UPPERCASE, strip special characters except hyphens and apostrophes
- Remove honorifics: MR, MRS, DR, SHRI, SMT, KM
- Standardize common variations: RAM / RAMA / RAAM -> retained as submitted; fuzzy match applied during dedup
- Null names rejected at Stage 2 validation

Address Normalisation

- Pincode validated against India Post master database (updated quarterly)
- State code standardized to ISO 3166-2:IN two-letter codes
- Street address stored as-is; not used in matching

Financial Data Cleansing

- Outstanding Balance > Sanctioned Amount: Flagged for MI correction; record held in quarantine
- Negative balances: Only allowed for credit card accounts with credit balance — tagged 'CREDIT_BALANCE'
- DPD > 720: Treated as write-off / NPA; product code cross-checked
- Closed accounts retained in database for 7 years per RBI guidelines; status changed to 'CLOSED'

4. Credit Score Generation

4.1 Scoring Model Overview

CBIS generates a proprietary Credit Score on a scale of 300 to 900. Scores below 300 indicate insufficient data (flagged as 'NH' — No History or 'NA' — Not Applicable). The model is a logistic regression ensemble validated against 24 months of historical default data.

Score Band Interpretation	
300 – 549	: HIGH RISK (Decline / Collateral mandatory)
550 – 649	: MODERATE RISK (Conditional approval; higher rates)
650 – 749	: ACCEPTABLE RISK (Standard approval; market rates)
750 – 799	: LOW RISK (Pre-approved / preferred terms)
800 – 900	: VERY LOW RISK (Best rates; fast-track approval)
NH / NA	: INSUFFICIENT DATA (< 6 months of credit history)

4.2 Score Parameters & Weightage

Parameter	Weightage	Description
Payment History	35%	On-time payments, DPD buckets, write-offs, settlements
Credit Exposure	30%	Total outstanding vs. sanctioned; utilisation ratio
Credit Vintage	15%	Age of oldest account; average age of accounts
Credit Mix	10%	Secured vs. unsecured; product diversity
New Credit (Enquiries)	10%	Hard enquiries in last 12 months; new accounts opened

4.3 DPD Bucket Mapping

DPD Range	Status Code	Score Impact	Retention Period
0	STD (Standard)	Positive	Active
1–30	SMA-0	Minor negative	Active
31–60	SMA-1	Moderate negative	Active
61–90	SMA-2	Significant negative	Active
91–180	SUB (Sub-Standard)	Severe negative	7 years
181–360	DBT (Doubtful)	Critical negative	7 years
>360	LOSS / WO (Write-Off)	Maximum negative	7 years

4.4 Score Refresh Frequency

- Standard Refresh: Monthly, triggered after MIs complete data submission (by T+7 business days)
- Event-Triggered Refresh: Immediately upon receipt of a dispute resolution update or MI correction
- Consumer-Requested Refresh: Permissible once every 30 days via consumer portal (charged at Rs 99 + GST)
- Lender-Triggered Pull: Score computed real-time for hard enquiry requests via API (within 500ms SLA)

4.5 Risk Segmentation

CBIS segments consumers into risk tiers for lender analytics and portfolio management:

Segment	Criteria	Recommended Action for Lenders
Superprime	Score 800–900; 0 DPD; vintage > 5 yrs	Instant approval; lowest pricing
Prime Plus	Score 750–799; max 1x DPD 1-30 in 12 months	Fast track; competitive rates
Prime	Score 700–749; max 2x DPD 1-30 in 12 months	Standard underwriting
Near Prime	Score 650–699; some derogatory marks	Enhanced underwriting; lower limits
Subprime	Score 550–649; multiple DPDs	Secured credit only; co-applicant
Deep Subprime	Score 300–549; write-offs / settlements	Decline or collateral mandatory
No History (NH)	< 6 months / insufficient data	Alternative data underwriting

5. Report Generation

5.1 Consumer Credit Information Report (CIR)

Structure of Consumer CIR

Section	Contents
Section 1: Identity Summary	Name, masked PAN, DOB, Gender, Address history (last 3), Mobile (masked)
Section 2: Credit Score	Current score + score history (12 months); score factors (positive & negative)
Section 3: Account Summary	Total accounts, active/closed counts, total exposure, total overdue
Section 4: Account Details	Per-account: lender, product, open date, sanctioned, outstanding, DPD, payment history grid (36 months)
Section 5: Enquiry History	Date, lender name, purpose, amount applied — last 24 months
Section 6: Dispute Flags	Any active disputes; fields under investigation marked with asterisk
Section 7: Consumer Statement	Consumer's self-added statement (up to 100 words) if applicable

Consumer CIR Delivery Channels

- Consumer Portal (www.cbis.in): Authenticated via OTP + PAN; PDF download; one free per year
- Mobile App: Biometric-authenticated; in-app view + download
- Email Delivery: Encrypted PDF (password = DOB DDMMYYYY) to registered email
- Physical: By post on consumer request; Rs 50 + applicable postal charges

5.2 Lender / Member Institution Report

Lender Report Variants

Report Type	Use Case	Format
Credit Information Report (CIR-L)	Full credit report for lending decision	JSON / XML / PDF via API
Score-Only Response	Quick score for pre-screening	JSON (score + factors)
Portfolio Monitoring Report	Monthly batch report on existing borrowers	SFTP flat file
Alert Report	Real-time alert on significant changes in borrower profile	Webhook / API push
Aggregated Analytics Report	Industry-level trends; not consumer-specific	Monthly PDF + XLS

Lender CIR — Additional Sections vs Consumer CIR

- Bureau Score Trend (24 months) — not visible in consumer version
- Predictive Risk Indicators (model-derived flags — income stress, overleveraging)
- Bureau-Verified Identity Score (BVIS) — confidence score on identity anchors
- Co-Applicant / Guarantor links (if consent obtained)
- Regulatory Compliance Flags (SARFAESI, DRT, Wilful Defaulter status from public records)

6. Dispute Resolution Mechanism

6.1 Consumer Dispute Initiation

Consumers have the right under CICRA 2005 and RBI guidelines to dispute inaccurate information in their CIR. CBIS provides the following channels for dispute filing:

- Online: Dispute form at portal.cbis.in/dispute — authenticated via OTP + PAN
- Mobile App: In-app dispute submission with document upload
- Written: Notarized letter to CBIS Dispute Resolution Centre, Mumbai
- Phone: 1800-XXX-XXXX (toll-free); ticket created by agent

6.2 Dispute Workflow — End to End



TAT: 30 days total

6.3 TAT (Turnaround Time) Matrix

Dispute Stage	Regulatory TAT (RBI)	CBIS Internal SLA	Breach Action
Acknowledgement to Consumer	48 hours	24 hours	Auto-escalate to L2 Analyst
Triage & MI Query Sent	7 days	3 business days	Supervisor alert
MI Investigation & Response	21 days	20 calendar days	CBIS escalates to MI Head
Record Correction & Score Refresh	30 days from filing	28 calendar days	CDO notification
Consumer Final Notification	30 days from filing	30 calendar days	Compliance flag

6.4 Dispute Codes & Categories

Code	Category	Examples
D01	Account Not Mine	Account belongs to different person; identity theft
D02	Wrong Account Status	Account shows open; actually closed
D03	Incorrect Outstanding	Balance shown higher than actual
D04	Wrong DPD / Payment History	Marked overdue despite timely payment
D05	Duplicate Account	Same account appearing twice
D06	Personal Info Error	Wrong name / DOB / address
D07	Unauthorized Enquiry	Credit pulled without consumer's consent
D08	Other	Any dispute not covered by above codes

6.5 Escalation During Dispute

- 6. L1 — Dispute Analyst: Initial triage; in-house corrections
 - 7. L2 — Senior Dispute Analyst: Complex cases; MI non-response
 - 8. L3 — Dispute Resolution Manager: MI escalation; legal queries
 - 9. L4 — Chief Grievance Officer (CGO): Ombudsman-level escalations; RBI inquiries
- Contact for CGO (mandatory regulatory disclosure): cgo@cbis.in | 022-XXXX-XXXX

7. Compliance & Regulatory Requirements

7.1 RBI Compliance Obligations

Obligation	Requirement	Responsible Team
Annual RBI Inspection	Submit all operational records; cooperate with inspectors	Compliance + Legal
Board-Level Compliance Report	Quarterly Board review of CIC operations	Board + Compliance
Data Submission Monitoring	Track MI submission timeliness; report non-compliant MIs to RBI	Data Ops
Wilful Defaulter Integration	Cross-reference with RBI Wilful Defaulter list monthly	Data Ops + Risk
Credit Registry Reporting	Submit anonymized data to RBI Credit Registry of India	Data Engineering
Grievance Escalation	Report unresolved consumer grievances > 30 days to RBI	CGO + Compliance

7.2 Data Privacy & Consent Management (DPDP Act 2023)

Consent Framework

- Purpose Limitation: Credit data used ONLY for credit assessment. Marketing use prohibited.
- Consent Proof: MI must obtain consumer's written/digital consent before submitting data to CBIS.
- Consumer Rights: Access, correction, nomination, grievance — all rights operationalized per DPDP Act.
- Data Minimization: CBIS collects only fields necessary for credit assessment.
- Retention: Active credit data — until 7 years after account closure. Enquiry data — 2 years.

Consent Audit Trail

CBIS maintains a Consent Ledger that logs:

- Consumer's consent timestamp (provided by MI) per data element
- Purpose of consent: loan application, credit card application, portfolio monitoring, etc.
- Consent revocation requests and processing status
- MI attestation that consent was obtained before each data submission

7.3 Data Security Controls

Control	Implementation
Encryption at Rest	AES-256 for all PII; HSM-managed keys
Encryption in Transit	TLS 1.3 minimum; mTLS for all MI connections
Data Masking	PAN last 4 visible; Aadhaar never stored in full
Access Controls	RBAC with least privilege; quarterly access reviews


Control	Implementation
Penetration Testing	Semi-annual; third-party certified ethical hackers
ISO 27001 Certification	Annual re-certification mandatory
SOC 2 Type II	Annual audit by Big-4 firm
Data Localization	All consumer data stored on servers within India (RBI mandate)

8. Access & API Usage

8.1 Lender Onboarding for API Access

- 10.MI submits API Access Application form with: RBI registration certificate, DPA signed, KYC of authorized signatory.
- 11.CBIS Compliance verifies MI eligibility; approval within 5 business days.
- 12.API credentials provisioned: Client_ID + Client_Secret (rotate every 90 days).
- 13.MI integration team completes testing in CBIS Sandbox environment.
- 14.Production access granted post successful UAT signoff.

8.2 Authentication & Authorization Flow



8.3 Key API Endpoints

Endpoint	Method	Purpose	Rate Limit
/auth/token	POST	Obtain OAuth2 JWT token	10/min per MI
/api/v2/cir/pull	POST	Pull full CIR for a consumer	Per contract; typically 1000/day
/api/v2/score/pull	POST	Pull score-only response	Per contract

Endpoint	Method	Purpose	Rate Limit
/api/v2/submit/account	POST	Submit account data (API members)	5000/hour
/api/v2/dispute/status	GET	Check dispute status by ticket ID	200/day
/api/v2/consumer/alert/subscribe	POST	Subscribe to change alerts for a borrower	Per contract
/api/v2/report/download	GET	Download MI-formatted PDF report	Per contract

8.4 API Response Structure

```
// Sample CIR Pull Response
{
  "request_id": "CBIS-2025-04-01-987654321",
  "status": "SUCCESS",
  "consumer": {
    "name": "RAVI KUMAR",
    "pan_masked": "ABCDE***F",
    "dob": "1985-07-15"
  },
  "credit_score": {
    "score": 742,
    "score_band": "ACCEPTABLE_RISK",
    "computed_at": "2025-04-01T10:32:15+05:30",
    "factors_positive": ["CLEAN_PAYMENT_HISTORY", "LONG_VINTAGE"],
    "factors_negative": ["HIGH_UTILIZATION"]
  },
  "accounts_summary": {
    "total": 4, "active": 3, "closed": 1,
    "total_exposure": 1250000, "total_overdue": 0
  },
  "enquiries_last_12m": 2,
  "report_id": "CIR-742-20250401-ABCDE1234F"
}
```

8.5 Consumer Self-Access

- Authentication: Mobile OTP + PAN validation + Date of Birth confirmation
- Session: JWT with 30-min expiry; auto-logout on inactivity
- Purpose Logging: Every consumer self-access logged with timestamp and IP
- Free Annual Pull: One free CIR per year; additional pulls at Rs 99 + GST

9. Audit & Logging

9.1 Data Access Log Structure

Every access to CBIS data — by MIs, consumers, internal staff, or automated systems — is logged in an immutable audit ledger.

```
// Audit Log Entry (JSON Schema)
{
  "log_id": "UUID-v4",
  "timestamp": "ISO-8601 with timezone",
  "actor_type": "MI | CONSUMER | INTERNAL_STAFF | SYSTEM",
  "actor_id": "MI_CODE or USER_ID",
  "action": "CIR_PULL | SCORE_PULL | DATA_SUBMIT | DISPUTE_FILE | ADMIN_ACCESS",
  "consumer_pan_hash": "SHA-256 of PAN",
  "purpose": "LOAN_APPLICATION | MONITORING | CONSUMER_SELF | DISPUTE",
  "ip_address": "requester IP",
  "response_code": "SUCCESS | PARTIAL | FAILED",
  "data_elements_accessed": ["SCORE", "ACCOUNTS", "ENQUIRIES"],
  "session_id": "JWT JTI claim",
  "retention_until": "7 years from log date"
}
```

9.2 Log Retention Policy

Log Type	Retention Period	Storage
Data Access Logs (all)	7 years	Immutable append-only object store (WORM)
Dispute Activity Logs	7 years after resolution	Encrypted archive
MI Submission Logs	5 years	Compressed archive
Authentication / Auth Logs	2 years	SIEM hot storage
System Error Logs	1 year	Log aggregation platform
Score Computation Logs	7 years	Cold storage with 24-hr retrieval SLA

9.3 Internal Audit Mechanism

Automated Controls (Continuous)

- Real-time anomaly detection: Flag access patterns exceeding baseline by >3 sigma
- Privileged Access Monitoring: All DBA / admin actions logged to separate tamper-proof ledger
- Data integrity checks: Daily hash verification of production database against audit snapshots

- API abuse detection: Rate-limit violations, credential sharing attempts flagged to CISO

Periodic Audit Schedule

Audit Type	Frequency	Conducted By	Report To
Internal Data Access Audit	Monthly	Internal Audit Team	CDO + CISO
MI Compliance Audit	Quarterly	Compliance Team	Board Risk Committee
Penetration Testing	Semi-annual	Third-party certified firm	CISO + MD
ISO 27001 Surveillance Audit	Annual	Accredited Certification Body	Board
RBI Regulatory Inspection	As mandated (typically annual)	RBI DNBS / DPSS	MD + Board
Consumer Grievance Audit	Quarterly	CGO + Compliance	Board

10. Exception Handling & Escalation Matrix

10.1 Exception Categories

Category	Code	Examples
Data Quality Exception	EXC-DQ	MI batch > 5% error rate; missing mandatory fields; duplicate batch submission
Processing Exception	EXC-PR	Score computation failure; pipeline timeout; dedup engine failure
Security Exception	EXC-SEC	Unauthorized access attempt; credential compromise; data exfiltration alert
Regulatory Exception	EXC-REG	RBI query; consumer complaint escalated to Ombudsman; DPDP Act notice
System / Infrastructure Exception	EXC-SYS	Database unavailability; SFTP gateway down; API latency > SLA
MI Behavioural Exception	EXC-MI	Repeated late submission; persistent data quality issues; unauthorized bulk pull

10.2 Escalation Matrix


Exception	L1 Owner	L2 Owner	L3 Owner	Max Resolution TAT
MI batch error > 5%	Data Ops Analyst	Data Ops Manager	CDO	3 business days
Score computation failure	Data Engineer	Engineering Manager	CTO	4 hours
Security breach / alert	SOC Analyst	CISO	MD + Legal	Immediate (P0)
RBI Inspection / Query	Compliance Officer	Compliance Head	MD + Legal	As per RBI TAT
Consumer Ombudsman complaint	CGO Team	CGO	MD	30 days
SFTP / API gateway outage	Platform Ops	Infra Lead	CTO	2 hours (P1)
Persistent MI non-compliance	MI Relations Exec	MI Relations Head	CCO + Legal	7 days

10.3 Severity Classification

Severity	Definition	Response SLA	Notification
P0 – Critical	System-wide outage or security breach affecting consumer data	15 minutes	Immediate: CISO + CTO + MD; RBI notification if data breach

Severity	Definition	Response SLA	Notification
P1 – High	Major function degraded (scoring, API > 5 min down)	1 hour	Department Head + CDO paged
P2 – Medium	Non-critical function impacted; no consumer data at risk	4 hours	Team lead notified; ticket raised
P3 – Low	Minor issues; workaround available	Next business day	Email notification to team

10.4 Incident Response Workflow



11. Roles & Responsibilities Summary

Role	Department	Key Responsibilities
Data Steward (MI-side)	Member Institution	Submit timely, accurate data; respond to CBIS queries within TAT; manage consents
Data Ops Analyst	CBIS – Data Operations	Monitor batch ingestion; triage validation errors; manage MI communication
Data Quality Analyst	CBIS – Data Operations	Handle fuzzy match review queue; data cleansing escalations
MI Relations Manager	CBIS – Business	Manage MI relationships; escalate non-compliance; onboard new MIs
Platform Engineer	CBIS – Engineering	Maintain ingestion pipelines, scoring engine, APIs
Dispute Analyst (L1/L2)	CBIS – Customer Service	Process consumer disputes; liaise with MIs; update records
Chief Grievance Officer (CGO)	CBIS – Compliance	Handle Ombudsman escalations; RBI grievance reporting
Compliance Officer	CBIS – Compliance	Monitor regulatory compliance; prepare audit responses
CISO	CBIS – Security	Oversee data security, access controls, incident response
Chief Data Officer (CDO)	CBIS – Leadership	Own data governance, model governance, regulatory reporting

12. Document Control & Version History

Version	Date	Author	Changes
1.0	01 Jan 2022	Operations Division	Initial version
1.5	15 Jun 2022	Data Ops Team	Added API submission section; updated TAT matrix
2.0	01 Apr 2023	Compliance + Data Ops	DPDP Act 2023 alignment; dispute codes updated
2.3	01 Oct 2024	Compliance	RBI Master Directions 2024 updates; Tier 3 dedup added
2.4	01 Apr 2025	Operations Division	Score band descriptions refined; security controls updated

DISCLAIMER

This document is prepared for demonstration and proof-of-concept purposes only. It is based on publicly available knowledge of industry practices, regulatory frameworks, and operational standards typical of credit bureaus licensed in India. It does not represent the actual SOPs of any specific entity, including TransUnion CIBIL. No proprietary, confidential, or non-public information of any organization has been used. This document should not be used for actual credit operations without review by qualified legal, compliance, and domain experts.