Fraud Detection

Problem

Fraud in online transactions:

- Loss of revenue
- Decreased customer satisfaction

Solution

Fraud detection system:

- Accurate fraud prediction
- Less false alarms

Data

- IEEE Computational Intelligence Society Fraud Detection
- Vesta Corporation's real-world e-commerce transactions
- 590,540 observations, 434 variables, I 18 features

Workflow


I. Data Preparation:

- Data Cleaning
- Exploratory Data Analysis
- Feature Engineering


II. Modeling:

- Class Imbalance
- Model Evaluation and Selection
- Hyperparameter Tuning


Target Variable: class imbalance




Transaction Time Deltas




Transaction Amount







Product Codes




Payment Card Information




Address







Distance




Email Domains






Feature Correlation






Principal Component Analysis



Class Imbalance

Random Undersampling


• Synthetic Majority Oversampling Technique (SMOTE)



(source)


Evaluation Metrics

- Area under Receiver Operating Characteristic curve
- 0.93




(source)


Decision Tree




Gradient Boosting Classifier



Random Forest



Random Forest - SMOTE



Feature Importance (>= 0.03)

- Transaction Time Deltas
- Transaction Amount
- C13
- I (V-feature)

Summary

Model	AUROC	Precision	Recall	Type I Error	Type II Error
Random Forest (500)	0.9336	0.21	0.84	0.115	0.005
Random Forest (SMOTE)	0.9023	0.89	0.52	0.002	0.017

Q&A