

TOGAF®



Version 9.1 Enterprise Edition


Module 7 TOGAF Content Metamodel

V9.1 Edition Copyright © 2009-2011

THE *Open* GROUP

All rights reserved
Published by The Open Group, 2011

TOGAF Content Metamodel



TOGAF is a registered trademark of The Open Group in the United States and other countries

TOGAF®

Roadmap

| |
|---|
| Part I - Introduction |
| Preface, Executive Overview, Core Concepts, Definitions and Release Notes |
| Part II – Architecture Development Method |
| Introduction to ADM |
| ADM Phase Narratives |
| Part III – ADM Guidelines and Techniques |
| Guidelines for Adapting the ADM Process |
| Techniques for Architecture Development |
| Part IV – Architecture Content Framework |
| Content Metamodel |
| Architectural Artifacts |
| Architecture Deliverables |
| Building Blocks |
| Part V – Enterprise Continuum and Tools |
| Enterprise Continuum |
| Architecture Partitioning |
| Architecture Repository |
| Tools for Architecture Development |
| Part VI – Reference Models |
| Foundation Architecture: Technical Reference Model |
| Integrated Information Infrastructure Reference Model |
| Part VII – Architecture Capability Framework |
| Architecture Board |
| Architecture Compliance |
| Architecture Contracts |
| Architecture Governance |
| Architecture Maturity Models |
| Architecture Skills Framework |

- Part IV, Architecture Content Framework, Chapter 34



Module Objectives


The objectives of this module are to describe:

- What a *metamodel* is and why it is needed
- Key concepts of the Core Metamodel
- The division of the metamodel into Core and Extensions
- Key concepts of the Core Metamodel Entities
- The components of the TOGAF Content Metamodel

What is a metamodel?

- A metamodel is a precise definition of the constructs and rules needed for creating models
 - Source www.metamodel.com
- A model that describes how and with what the architecture will be described in a structured way.
 - TOGAF 9 *definitions*

Why a metamodel?



Benefits of the Metamodel

The content metamodel provides a number of benefits:

- It formalizes the definition of an Enterprise Architecture
- It formalizes the relationship between objects
- It enables an EA tool mapping

Formal and Informal Modeling

- When defining architecture content there are choices to be made on the level of structure and formality
- In some cases very formal specific language is needed in order to articulate and govern in a precise or detailed way
- In other cases the use of formal engineering discipline will result in architecture content that is:
 - inappropriate for the audience
 - difficult to communicate

Core Content Metamodel Concepts

- A TOGAF architecture is based on
 - Defining architectural building blocks within architecture **catalogs**
 - Specifying the relationships between those building blocks in architecture **matrices**
 - And presenting communication **diagrams** that show in a precise way what the architecture is
- The metamodel is structured into **Core** and **Extension** content
 - Core content is designed not to be altered




Core and Extension Content

- In order to support many scenarios the metamodel has been partitioned into **core** and **extension** content
- The **core** provides a minimum set of architectural content to support traceability across artifacts
- The **extension** content allows for more specific or more in-depth modeling



TOGAF Content Metamodel and its Extensions



Core Metamodel Entities


- **Actor:** A person, organization, or system that is outside the consideration of the architecture model, but interacts with it.
- **Application Component:** An encapsulation of application functionality that is aligned to implementation structuring.
- **Business Service:** Supports business capabilities through an explicitly defined interface and is explicitly governed by an organization.
- **Data Entity:** An encapsulation of data that is recognized by a business domain expert as a discrete concept. Data entities can be tied to applications, repositories, and services and may be structured according to implementation considerations.
- **Function:** Delivers business capabilities closely aligned to an organization, but not explicitly governed by the organization.

Core Metamodel Entities (Cont'd)


- **Information System Service:** The automated elements of a business service. An information system service may deliver or support all of one or more business services.
- **Organization Unit:** A self-contained unit of resources with line management responsibility, goals, objectives, and measures. Organization units may include external parties and business partner organizations.
- **Platform Service:** A technical capability required to provide enabling infrastructure that supports the delivery of applications.
- **Role:** An actor assumes a role to perform a task.
- **Technology Component:** An encapsulation of technology infrastructure that represents a class of technology product or specific technology product.



Core Entities and their Relationships



Stakeholder Needs




The Content Metamodel


The content metamodel provides definitions of all the types of building blocks that may exist, showing how they can be described and related to one another.

- When creating and managing architectures, it is necessary to consider concerns such as business services, actors, applications, data entities, and technology.
- The metamodel highlights these concerns, shows their relationships and identifies artifacts that can be used to represent them in a consistent way.
- The metamodel can also be used to provide guidance to organizations that wish to implement their architecture using an architecture tool.

Content Metamodel (Simplified)



Content Metamodel (Detailed)




Core Content Metamodel


The diagram illustrates the Core Content Metamodel, showing the relationships between various entities and their associated capabilities.


Entities and Relationships:


- Associated with all objects:** Principle, Constraint, Assumption, Requirement, Gap, Work Package.
- Delivers / Is delivered by:** Capability.
- Organization Unit:**
 - Owns and governs:** Organization Unit.
 - Contains:** Actor, Function, Role, Process.
 - Participates in:** Organization Unit.
 - Supplies, consumes:** Actor, Function, Role, Process.
 - Belongs to:** Actor, Function, Role, Process.
 - Accesses:** Actor, Function, Role, Process.
 - Is accessed by:** Actor, Function, Role, Process.
 - Can be accessed by:** Actor, Function, Role, Process.
 - Is owned by:** Actor, Function, Role, Process.
 - Is bounded by:** Actor, Function, Role, Process.
 - Orchestrates, decomposes:** Actor, Function, Role, Process.
 - Supports, is realized by:** Actor, Function, Role, Process.
 - Involves:** Actor, Function, Role, Process.
 - Is accessed by:** Actor, Function, Role, Process.
- Business Service:**
 - Is owned and governed by:** Business Service.
 - Provides, consumes:** Business Service.
 - Is realized through:** Business Service.
 - Is implemented on:** Business Service.
 - Is accessed and updated through:** Business Service.
 - Is supplied or consumed by:** Business Service.
 - Is encapsulated within or accessed by:** Business Service.
 - Encapsulates or accesses:** Business Service.
 - Is implemented on:** Business Service.
 - Provides platform for:** Business Service.
 - Implements:** Business Service.
 - Is realized through:** Business Service.
- Data Entity:**
 - Is encapsulated within or accessed by:** Data Entity.
 - Encapsulates or accesses:** Data Entity.
 - Is implemented on:** Data Entity.
 - Provides platform for:** Data Entity.
 - Implements:** Data Entity.
 - Is realized through:** Data Entity.
- Application Component:**
 - Is encapsulated within or accessed by:** Application Component.
 - Encapsulates or accesses:** Application Component.
 - Is implemented on:** Application Component.
 - Provides platform for:** Application Component.
 - Implements:** Application Component.
 - Is realized through:** Application Component.
- Technology Component:**
 - Is encapsulated within or accessed by:** Technology Component.
 - Encapsulates or accesses:** Technology Component.
 - Is implemented on:** Technology Component.
 - Provides platform for:** Technology Component.
 - Implements:** Technology Component.
 - Is realized through:** Technology Component.
- Platform Service:**
 - Is encapsulated within or accessed by:** Platform Service.
 - Encapsulates or accesses:** Platform Service.
 - Is implemented on:** Platform Service.
 - Provides platform for:** Platform Service.
 - Implements:** Platform Service.
 - Is realized through:** Platform Service.

© The Open Group


| | | | |
|--|---|--|--|
| Preliminary Phase <ul style="list-style-type: none">Principles catalog | Phase A, Architecture Vision <ul style="list-style-type: none">Stakeholder Map MatrixSolution Concept diagramValue Chain diagram | | |
| Requirements Management <ul style="list-style-type: none">Requirements catalog | | | |
| Phase B, Business Architecture <ul style="list-style-type: none">Organization/Actor catalogDriver/Goal/Objective catalogRole catalogBusiness Service/Function catalogLocation catalogProcess/Event/Control/Product catalogContract/Measure catalogBusiness Interaction matrixActor/Role matrixBusiness Footprint diagramBusiness Service/Information diagramFunctional Decomposition diagramProduct Lifecycle diagram | Phase C, Data Architecture <ul style="list-style-type: none">Data Entity/Data Component catalogData Entity/Business Function matrixApplication/Data matrixLogical Data diagramData Dissemination diagram | Phase C, Application Architecture <ul style="list-style-type: none">Application Portfolio catalogInterface catalogApplication/Organization matrixRole/Application matrixApplication/Function matrixApplication Interaction matrixApplication Communication diagramApplication and User Location diagramApplication Use-Case diagram | Phase D, Technology Architecture <ul style="list-style-type: none">Technology Standards catalogTechnology Portfolio catalogSystem/Technology matrixEnvironments and Locations diagramPlatform Decomposition diagram |
| <div><div>Phase E. Opportunities & Solutions<ul style="list-style-type: none">Project Context diagramBenefits diagram</div><div>Core TOGAF 9 Artifacts</div></div> | | | |









Metamodel Extensions






Governance Extension




- **Scope:**
 - The ability to apply measures to objectives and then link those measures to services
 - The ability to apply contracts to service communication or service interactions with external users and systems
 - The ability to define re-usable service qualities defining a service-level profile that can be used in contracts
 - Creation of additional diagrams to show ownership and management of systems
- **Additional diagrams to be created:**
 - Enterprise Manageability diagram

Governance Extension




- This extension should be used in the following situations:
 - When an organization is considering IT change that will result in a significant impact to existing operational governance models
 - When an organization has granular requirements for service levels that differ from service to service
 - When an organization is looking to transform its operational governance practice

Services Extension




Services Extension




- Scope:
 - Creation of IS services as an extension of business service
- Additional diagrams to be created:
 - Business Use-Case Diagram
 - Organization Decomposition Diagram

Services Extension




- This extension should be used in the following situations:
 - When the business has a preset definition of its services that does not align well to technical and architectural needs
 - When business and IT use different language to describe similar capabilities
 - Where IT service is misaligned with business need, particularly around the areas of quality of service, visibility of performance, and management granularity
 - Where IT is taking initial steps to engage business in discussions about IT architecture

Process Modeling Extension




Process Modeling Extension




- **Scope:**
 - Creation of events as triggers for processes
 - Creation of controls that business logic and governance gates for process execution
 - Creation of products to represent the output of a process
 - Creation of event diagrams to track triggers and state changes across the organization
- **Additional diagrams to be created:**
 - Process Flow diagrams
 - Event diagrams

Process Modeling Extension

- This extension should be used in the following situations:
 - Where the architecture must pay specific attention to state and events
 - Where the architecture is required to explicitly identify and store process control steps; for example, to support regulatory compliance
 - Where the architecture features critical or elaborate process flows




Data Extension




Data Extension

- Scope:
 - Creation of logical data components that group data entities into encapsulated modules for governance, security, and deployment purposes
 - Creation of physical data components that implement logical data components; analogous to databases, registries, repositories, schemas, and other techniques of segmenting data
 - Creation of data lifecycle, data security, and data migration diagrams to show data concerns in more detail
- Additional diagrams to be created: :
 - Data Security diagram
 - Class Hierarchy diagram
 - Data Migration diagram
 - Data Lifecycle diagram




Data Extension




- This extension should be used in the following situations:
 - Where the architecture features significant complexity and risk around the location, encapsulation, and management of or access to data

Infrastructure Consolidation Extension




Infrastructure Consolidation Extension



- **Additional diagrams to be created:**
 - Process/System Realization diagram
 - Software Engineering diagram
 - Application Migration diagram
 - Software Distribution diagram
 - Processing diagram
 - Networked Computing/Hardware diagram
 - Communications Engineering diagram


- **Scope:**
 - Creation of a location entity to hold the location of IT assets and external consumers of service
 - Creation of logical and physical application components to abstract the capability of an application away from the actual applications in existence
 - Creation of logical and physical application components to abstract product type from the actual technology products in existence
 - Creation of additional diagrams focusing on the location of assets, compliance with standards, structure of applications, application migration, and infrastructure configuration

Infrastructure Consolidation Extension




- This extension should be used in the following situations:
 - Where many technology products are in place with duplicate or overlapping capability
 - Where many applications are in place with duplicate or overlapping functionality
 - Where applications are geographically dispersed and the decision logic for determining the location of an application is not well understood
 - When applications are going to be migrated into a consolidated platform
 - When application features are going to be migrated into a consolidated application

Motivation Extension




Motivation Extension



- The scope of this extension is as follows:
 - Creation of a new metamodel entity for Driver that shows factors generally motivating or constraining an organization
 - Creation of a new metamodel entity for Goal that shows the strategic purpose and mission of an organization
 - Creation of a new metamodel entity for Objective that shows near to mid-term achievements that an organization would like to attain
 - Creation of a Goal/Objective/Service diagram showing the traceability from drivers, goals, and objectives through to services
- Additional diagrams to be created:
 - Goal/Objective/Service diagram

Motivation Extension



- This extension should be used in the following situations:
 - When the architecture needs to understand the motivation of organizations in more detail than the standard business or engagement principles and objectives that are informally modeled within the core content metamodel
 - When organizations have conflicting drivers and objectives and that conflict needs to be understood and addressed in a structured form
 - When service levels are unknown or unclear

Summary

TOGAF provides a rich metamodel


This provides a number of benefits:

- It supports both formal and informal modeling
- It formalizes the definition of an Enterprise Architecture
- It formalizes the relationship between objects
- It enables an EA tool mapping

Exercise

- Determine which of the Metamodel extensions is most appropriate for the following situations:
 1. Where organizations have conflicting objectives
 2. Where service levels are unknown
 3. Where many applications are in use with overlapping functionality
 4. Where management of information is complex
 5. Where business process has to support regulatory compliance

TOGAF Content Metamodel



TOGAF is a registered trademark of The Open Group in the United States and other countries

TOGAF®