

# ASSIGNMENT2\_SI

*Anil Kumar*

*August 21, 2015*

```
library(ggplot2)
```

```
## Warning: package 'ggplot2' was built under R version 3.1.3
```

```
library(datasets)
```

Now in the second portion of the class, we're going to analyze the ToothGrowth data in the R datasets package. 1. Use confidence intervals and hypothesis tests to compare tooth growth by supp and dose. (Use the techniques from class even if there's other approaches worth considering) 2. State conclusions and the assumptions needed for conclusions. 3. Some criteria that you will be evaluated on

## Question 1

1. Load the ToothGrowth data and perform some basic exploratory data analyses


```
data(ToothGrowth)
str(ToothGrowth)
```

```
## 'data.frame':   60 obs. of  3 variables:
## $ len : num  4.2 11.5 7.3 5.8 6.4 10 11.2 11.2 5.2 7 ...
## $ supp: Factor w/ 2 levels "OJ","VC": 2 2 2 2 2 2 2 2 2 ...
## $ dose: num  0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 ...
```

```
head(ToothGrowth)
```

```
##      len supp dose
## 1  4.2   VC  0.5
## 2 11.5   VC  0.5
## 3  7.3   VC  0.5
## 4  5.8   VC  0.5
## 5  6.4   VC  0.5
## 6 10.0   VC  0.5
```

```
plot <- ggplot(ToothGrowth,
               aes(x=factor(dose),y=len,fill=factor(dose)))
plot + geom_boxplot(notch=F) + facet_grid(.~supp) +
  scale_x_discrete("Dosage (Milligram)") +
  scale_y_continuous("Length of Teeth") +
  ggtitle("Exploratory Data Analyses")
```



## Question 2

Provide the basic summary of the data

```
ToothGrowth$dose <- as.factor(ToothGrowth$dose)
summary(ToothGrowth)
```

```
##      len      supp  dose
##  Min.   : 4.20   OJ:30  0.5:20
##  1st Qu.:13.07   VC:30  1 :20
##  Median :19.25           2 :20
##  Mean   :18.81
##  3rd Qu.:25.27
##  Max.   :33.90
```

```
table(ToothGrowth$supp, ToothGrowth$dose)
```

```
##
##      0.5  1  2
##  OJ   10 10 10
##  VC   10 10 10
```

```
#summary of the data
```

## Question 3

Use confidence intervals and hypothesis tests to compare tooth growth by supp and dose. (Use the techniques from class even if there's other approaches worth considering)

```
supp.t1 <- t.test(len~supp, paired=F, var.equal=T, data=ToothGrowth)
supp.t2 <- t.test(len~supp, paired=F, var.equal=F, data=ToothGrowth)
supp.result <- data.frame("p-value"=c(supp.t1$p.value, supp.t2$p.value),
                          "Conf-Low"=c(supp.t1$conf[1],supp.t2$conf[1]),
                          "Conf-High"=c(supp.t1$conf[2],supp.t2$conf[2]),
                          row.names=c("Equal Var","Unequal Var"))
supp.result
```

```
##           p.value   Conf.Low Conf.High
## Equal Var  0.06039337 -0.1670064  7.567006
## Unequal Var 0.06063451 -0.1710156  7.571016
```

## Question 4

State your conclusions and the assumptions needed for your conclusions.

Based on the analysis above, we can conclude that 1- The 2mg dose has larger impact on tooth growth than 1mg and 0.5mg, while 1mg dose has more impact than 0.5mg dose. So there is a different in the growth of the tooth while the doses are larger. 2- There is no doubt that orange juice and vitamin C have obvious different impact on tooth growth.