







A




USB conversion UART




Real-time clock




E2PROM







Title **XLINX SPARTAN6 XC6SLX16**


Size	Number	Revision
A3		VER1.2
Date:	2020-12-07	Sheet of 5/8
File:	D:\work\...\FPGA1.SchDoc	Drawn By: HSEDA




Title: XILINX SPARTAN6 XC6SLX16		
Size	Number	Revision
A3		VER1.2
Date:	2020-12-07	Sheet of 6/8
File:	D:\work\...\FPGA2.SchDoc	Drawn By: HSEDA




Title: XLINX SPARTAN6 XC6SLX16		
Size: A4	Number:	Revision: VER1.2
Date: 2020-12-07	Sheet of: 7/8	
File: D:\work\...\FPGA3.SchDoc	Drawn By: HSEDA	






Title XLINX SPARTAN-6 XC6SLX9		
Size A4	Number	Revision VER1.2
Date: 2020-12-07	Sheet of 4/8	
File: D:\work\...\POWER.SchDoc	Drawn By: ZhangZhenyan	



USB_FD[0..15]	USB_FD[0..15]
USB_SLRD	USB_SLRD
USB_SLWR	USB_SLWR
USB_SLCS	USB_SLCS
USB_FLAGA	USB_FLAGA
USB_FLAGB	USB_FLAGB
USB_FLAGC	USB_FLAGC
USB_SLOE	USB_SLOE
USB_FIFOADR1	USB_FIFOADR1
USB_FIFOADR0	USB_FIFOADR0
USB_PKTEND	USB_PKTEND
USB_CLKOUT	USB_CLKOUT
USB_IFCLK	USB_IFCLK
USB_PA0	USB_PA0

正常使用将J15短接，空白E2PROM的时候不要理会直接下载烧写固件
如果PC已经安装对应驱动并识别ID就可以直接烧写对应USB固件（.IIC文件）

Title XLINX SPARTAN6 XC6SLX16			
Size A4	Number	Revision VER1.2	
Date:	2020-12-07	Sheet of	8/8
File:	D:\work\...\USB20.SchDoc	Drawn By:	HSEDA



Title XLINX SPARTAN6 XC6SLX16			
Size A4	Number		Revision VER1.2
Date:	2020-12-07	Sheet of	1/8
File:	D:\work\...\XC6SLX16TOP.SchDoc	Drawn By:	HSEDA