☰   Documentation Settings   ▼

ⓘ   This documentation is not published yet, this is only a preview. Changes to the publishing settin…

Bulls and Cows

POST CreateGame

http://localhost:8080/backend/CreateGame

BODY raw

{"name":"anil"}

Example Request   CreateGame

```
curl --location --request POST 'http://localhost:8080/backend/CreateGame' \
--data-raw '{
  "move": {
    "id": 2,
    "session": {
      "id": 2,
      "date": "now",
      "start": 0,
      "end": 0,                              View More
      "winner": 0
```

Example Response

  Body   Header (0)

```
{
  "move": {
    "id": 2,
    "session": {
      "id": 2,
      "date": "now",
      "start": 0,
      "end": 0,
      "winner": 0                            View More
    },
```

POST JoinGame

> ⓘ This documentation is not published yet, this is only a preview. Changes to the publishing settin...
> /backend/JoinGame

BODY raw

```
{
    "user": {
        "name": "anil"
    },
    "session": {
        "id": 1
    }
}
```

Example Request   JoinGame

```
curl --location --request POST '/backend/JoinGame' \
--data-raw '{
    "user": {
        "name": "anil"
    },
    "session": {
        "id": 1
    }
}'
```

POST AbandonGame

/backend/AbandonGame

BODY raw

```
{
    "user": 1,
    "session": 1
}
```

Example Request   AbandonGame

≡

ℹ This documentation is not published yet, this is only a preview. Changes to the publishing settin...

```
curl --location --request POST '/backend/AbandonGame' \
--data-raw '{
    "user": 1,
    "session": 1
}'
```

POST GetReady

```
/backend/GetReady
```

BODY raw

```
{
        "number": 1111,
        "user": 1,
        "session": 1
}
```

Example Request

GetReady

```
curl --location --request POST '/backend/GetReady' \
--data-raw '{
        "number": 1111,
        "user": 1,
        "session": 1
}'
```

POST MakePrediction

```
/backend/MakePrediction
```

BODY raw

```
{
    "user": 1,
    "session": 1,
    "prediction": 1111
}
```

≡   Documentation Settings ▼

ⓘ   This documentation is not published yet, this is only a preview. Changes to the publishing settin…

Example Request   MakePrediction

```
curl --location --request POST '/backend/MakePrediction' \
--data-raw '{
    "user": 1,
    "session": 1,
    "prediction": 1111
}'
```

POST Connect

```
/backend/Connect
```

BODY raw

```
{
    "user": {
        "name": "anil"
    },
    "session": {
        "id": 1
    }
}
```

Example Request   Connect

```
curl --location --request POST '/backend/Connect' \
--data-raw '{
    "user": {
        "name": "anil"
    },
    "session": {
        "id": 1
    }
```