

Medical Report Analysis

Report Name:	Medical_Report_1_hin
Analysis Date:	14 May 2026
Health Score:	21/100

Summary

2 critical, 4 out-of-range, 7 borderline parameters mile. Health score: 21/100 (Critical).

Issues Detected

Parameter	Value	Status	Deviation
Vitamin D	12.5 ng/mL	Critical	58.3%
Bilirubin Indirect	0.91 mg/dL	Critical	51.7%
ESR	30.0 mm/hr	High	50.0%
Bilirubin Total	1.26 mg/dL	High	40.0%
HDL	38.4 mg/dL	Low	30.2%
Creatinine	0.45 mg/dL	Low	25.0%

Pattern Analysis

Iron Deficiency Anaemia

Hemoglobin, MCH aur MCHC — teeno low hain. Ye Iron Deficiency Anaemia ka classic pattern hai. Body mein iron ki kami se RBC chhota ho jata hai aur unme haemoglobin bhi kam hoti hai.

Action Required:

1. Iron supplement shuru karo — doctor se lo. 2. Vitamin C ke saath lo — absorption badhti hai. 3. Palak, chana, khajoor, meat zyada khao. 4. Chai/coffee khaane ke saath mat piyo. 5. 3 mahine baad CBC repeat karo.

Cardiovascular Risk Pattern

Triglycerides high, HDL (good cholesterol) low, aur VLDL high — ye combination dil ki bimari ka risk indicator hai.

Action Required:

1. Meetha, maida, rice kam karo. 2. Roz 30-45 min brisk walk karo. 3. Olive oil, nuts, avocado lo. 4. Omega-3 consider karo — doctor se poocho. 5. Cardiologist se ek baar milo.

Vitamin Deficiency

Vitamin D deficient hai (deficiency zone <20). India mein ye bahut common hai, khaaskar women mein 40+ ke baad. Thakaan, bone pain, aur immunity problems cause karta hai.

Action Required:

1. Vitamin D3: 60,000 IU weekly x 8 hafte — doctor se confirm karo. 2. Maintenance: 1000-2000 IU daily. 3. Subah 15-20 min dhoop — bina sunscreen. 4. B12 ke liye: dahi, doodh, eggs, paneer khao. 5. 3 mahine baad Vitamin D re-test karo.

Elevated Bilirubin — Liver Watch

Total aur Indirect Bilirubin dono slightly elevated hain. SGOT/SGPT normal hain — liver cell damage nahi lagta. Ye Gilbert's Syndrome ya mild haemolysis ho sakta hai — usually benign. Lekin confirm zaroor karo.

Action Required:

1. Alcohol bilkul band karo. 2. Paracetamol overuse avoid karo. 3. Liver ultrasound karwao. 4. 4-6 hafte mein LFT repeat karo. 5. Reticulocyte Count bhi karwao.

Elevated Inflammation Marker (ESR)

ESR high hai — normal for women is 0-20. ESR ek non-specific test hai — body mein kahin inflammation hai. Anaemia, infection, arthritis ya autoimmune condition ho sakta hai.

Action Required:

1. Pehle anaemia treat karo — iron deficiency ESR badha sakti hai. 2. CRP test karwao — zyada specific hai. 3. Joints mein dard hai toh rheumatologist se milo. 4. ESR ko context mein dekho.

Final Advice

Sabse pehle 'Vitamin D' pe dhyan do (Critical). Neeche diye gaye patterns aur suggestions zaroor padho. Kisi bhi bimari ka final diagnosis doctor hi karta hai — ye report sirf guide karne ke liye hai.

This report is AI-generated and for informational purposes only. Please consult a qualified medical professional for diagnosis and treatment.