



Student Tables



Admin Tables



Department Table

deptInfoTable
id (primaryKey)
Ex: dep00*
deptName (uniqueKey) (varchar)
deptType(vvarchar)

deptDetailsTable
id
headName(vvarchar)
headContcatNo(vvarchar)
headEmailId(vvarchar)
deptContactNo(vvarchar)
deptEmailId(vvarchar)
deptAddres(vvarchar)
deptFax(vvarchar)

employerTable

employerInfoTable
id (primaryKey)
Ex : emp00*
employerName(vvarchar)
employerEmailId(vvarchar)
employerContactNo (varchar)
employerAltrntContactNo (varchar)
employerWebsite (varchar)

emplyerNotificationTable
id (primaryKey)
Ex : ent00*
subject(vvarchar)
description(vvarchar)
todaysDate(mm/dd/yy)

placementDetailsTable

placementInfoTable	placementDetailsTable
id (primaryKey) →	id
Ex : pif00*	notificationSINo
todaysDate	studentId
(mm/dd/yy)	deptId
driveDate	selected (boolean)
(mm/dd/yy)	
driveName(varchar)	
abtDrive(varchar)	
notificationSINo	
employerId	
venue(varchar)	

notificationTable

notificationInfoTable	notificationDetailsTable
id →	id
Ex : not00*	receiverId
subject(varchar)	mailSuccess(boolean)
description(varchar)	readMail (boolean)
type(dept, student, emplr) (varchar)	portalSuccess(boolean)
byMail (boolean)	readPortal(boolean)
byPortal(boolean)	smsSuccess(boolean)
bySms(boolean)	
todaysDate	