


R Notebook

```
library(shiny)
ui<-fluidPage(
  numericInput(inputId="n", "Sample size", value=25),
  plotOutput(outputId = "hist")
)
server<-function(input,output){
  output$hist<-renderPlot({hist(rnorm(input$n))})
}
shinyApp(ui, server)
```

Sample size

25




```
library(shiny)
ui <- fluidPage(
  "Hello, world!"
)
server <- function(input, output, session) {
}
shinyApp(ui, server)
```

Hello, world!

```
library(shiny)
ui <- fluidPage(
  sliderInput("x", label = "If x is", min = 1, max = 50, value = 30),
  "then x times 5 is",
  textOutput("product")
)
server <- function(input, output, session) {
  output$product <- renderText({
    input$x * 5
  })
}
shinyApp(ui, server)
```

If x is



then x times 5 is

150

```
# import shiny package
library(shiny)

# define fluid page layout
ui <- fluidPage(
  textInput(inputId = "Name", label = "Enter your name"),
  textOutput("txt")
)

server <- function(input, output, session)
{
  output$txt <- renderText({
    Name <- paste(input$Name, collapse = ", ")
    paste("Welcome! ", Name)
  })
}

# create shiny app object
# using shinyApp
shinyApp(ui = ui, server = server)
```

Enter your name

Welcome!

```
library(shiny)
library(shinydashboard)
```

```
##
## Attaching package: 'shinydashboard'
```

```
## The following object is masked from 'package:graphics':
##
##     box
```

```

library(ggplot2)

# 1. Define the User Interface
ui <- dashboardPage(
  dashboardHeader(title = "Interactive App"),

  dashboardSidebar(
    # Interactive input selectors go in the sidebar
    selectInput("variable", "Select Plot Metric:",
               choices = c("mpg", "disp", "hp", "wt")),
  ),


  dashboardBody(
    plotOutput("dynamic_plot")
  )
)

# 2. Define the Server Logic
server <- function(input, output) {
  output$dynamic_plot <- renderPlot({
    x=mtcars$gear
    t=input$variable
    y=mtcars[,t]
    plot(x,y)


  })
}

# 3. Launch the Application
shinyApp(ui = ui, server = server)

```



```
x=mtcars$mpg  
y=mtcars$cyl  
plot(x,y)
```



```
x=mtcars$gear
t="mpg"
y=mtcars[[t]]
print(x)
```

```
## [1] 4 4 4 3 3 3 3 4 4 4 4 3 3 3 3 3 3 4 4 4 3 3 3 3 3 4 5 5 5 5 5 4
```

```
print("-----")
```



```
## [1] "-----"
```

```
print(y)
```

```
## [1] 21.0 21.0 22.8 21.4 18.7 18.1 14.3 24.4 22.8 19.2 17.8 16.4 17.3 15.2 10.4  
## [16] 10.4 14.7 32.4 30.4 33.9 21.5 15.5 15.2 13.3 19.2 27.3 26.0 30.4 15.8 19.7  
## [31] 15.0 21.4
```

```
plot(x,y)
```

