Vinaya Sahasrabuddhe
Architect, Interior Designer & Govt. Approved Valuer Panel Valuer: State Bank of India / Central Bank of India
(CAT – 1 /618) Dena Bank / Bank of Maharashtra
Reg. No. Council of Architecture – CA/86/10333 Canara Bank / Cosmos Bank / IOB

6, Yeshwant Apartments, 265 A, Shaniwar Peth, Pune 411030. Tel: 24452069 / Mobile 94220 22475.

VALUATION OF MOVABLE ASSET (PLANT & MACHINERY)

OF

M/S SEDEMAC MECHATRONICS PVT. LTD.

AT

S. NO. 64 / 5, WADGAON BUDRUK, NARHE PUNE

Mr. V.P. Sahasrabuddhe
B.E., D.I.M.
Approved Valuer / F - 11640

FORM-O-1
(See Rule 8 d)

Valuation of Moveable (Plant & Machinery) assets of M/S Sedemac Mechatronics Private Limited, Survey No. 64/5, Bhide Baug Industrial Estate Wadgaon Budruk, Narhe, Pune 411041, Taluka Haveli District Pune, Maharashtra.

GENERAL

1 Purpose for which valuation is made.	To determine fair market value for assets acquired under slump sale.
2 Date as on which the valuation is made.	1st September 2016.
3 Name of the owner/owners	Private Limited Company.
4 If the plant & machinery under joint Ownership/Co.ownership, Share of each such owner, are the share undivided.	Private Limited Company.
5 Brief description of the machinery.	See Page 3.
6 Country of origin.	Indian and Imported.
7 New Purchase or Second hand.	New and old Purchase.
8 Is the machinery situated in residential/commercial/Mixed commercial /Industrial area,	Industrial area.
9 Classification of the locality high class/middle class/poor class.	N.A.
10 Proximity to civic amenities like Schools, Hospitals, Offices, Market, Cinemas etc.	All civic amenities are available at reasonable distance from the site.
11 Means and proximity to surface communication by which the locality is served.	Private and Public vehicles serve the locality.

Dr. Mr. S.M. Sane
M. Tech, ICWA
Approved Valuer
F – 11638
Chartered Engineer

PREFACE

As requested by M/S Sedemac Mechatronics Private Limited, we have carried out valuation of Moveable assets offered at Wadgaon Budruk, Narhe, off Singhgarh Road.

The Moveable asset that includes Machinery in the form of Oscilloscope, In circuit Tester. Pick and place machine, Vision printer, etc. with Installation & Commissioning etc.

We have carried out inspection, study of facts and valuation based on the prevailing accepted standards and guidelines issued by the competent authorities.

During the inspection it is important to collect all the relevant papers, facts, details, which are used as tool to arrive at the conclusion.

During the visit it was observed that the documentary evidence and papers pertaining to ownership of machinery were adequate and complete. The details given, claims made and products, services shown were backed up by documentary evidence.

In this report we have considered the present condition of the market, in particular the slow trend in the market, the obsolescence of the machines due to change in technology. Life and age of the machines, Utility, Availability, Present status of the machines, the deteriorating condition of plant and machinery, depreciation is also considered in this report.

We are of the opinion that this valuation report represents to fair and reasonable extent in all material respects, the estimated value of all the assets offered on " As is where is" basis.

The opinion expressed in this report is based on our observations, estimation, knowledge and experience.

LIMITATIONS OF VALUATION REPORT

A > Ownership documents pertaining to assets were available and hence fully verified.

B > Identification marks pertaining to plant and machinery like make, years of make, were present on most of the moveable assets.

C > Records of repairs & maintenance expenditure of plant & machinery were not made available.

D > Records pertaining to plant and machinery usage like continuous or shift etc. i.e. capacity utilization were available.

E > The unforeseen statutory or otherwise creditors were not known i.e. unforeseen liabilities of the company are not known. Since the scope of valuation was limited to valuation of assets, liability status is not covered.

F > This report does not take into account the sales forecast and the market scenario.

BASIS OF VALUATION

All the offered Machinery offered for valuation are inspected on the basis of " as is and Where is " condition in accordance with the purpose of valuation.

During valuation the difference of the cost of acquisition and the combined effect of depreciation and deterioration is considered while arriving at the fair market value of the items.

The parameters like Technical, Functional, Economical obsolescence and the utility of the items are taken in to consideration.

The age of the items and depreciation is directly co related with the date of valuation. Life of the items depends upon the working condition, frequency of breakdown, spares, climate, Government policies etc.

The future anticipated life of items is arrived from the verification of present condition and is fully based on the proper preventive periodic maintenance carried out of the items, as the records of the same are made available.

The Machinery is technically fully suitable to meet the latest requirements of speed, accuracy, and price performance ratio. The machinery is maintained in good running condition. The Machines have average 7 years of functional and economical life.

In our considered opinion the fair market value of Movable Asset (Plant & Machinery) is Rs. 2, 47, 19, 000.0 (Two Crores Forty Seven Lakhs Nineteen Thousand)

(V.P. Sahasrabuddhe)
BE, DIM
Approved Valuer (F - 11640)

V.P.Sahasrabuddhe
BE,DIM
Approved Valuer(F-11640)

(Dr. S.M. Sane)
Ph. D. M. Tech, ICWA
Approved Valuer (F – 11638) & Chartered Engineer

Dr. Mr. S.M. Sane
M. Tech, ICWA
Approved Valuer
F – 11638
Chartered Engineer

Details of Plant & Machinery are enclosed.

DECLARATION

1: The report is based on the information given and documents produced before me.

2: The opinion in this report is based on my qualification and experience.

3: I have no direct or indirect interest in this property.

4: The Valuer shall not be responsible for matters of legal nature that affects the value and opinion expressed by us.

5: I have visited the site on 25th August 2016.

6: The Valuer shall not give testimony or appear in the Court because we have done the valuation, unless, specific arrangements and fees for the same is agreed upon before taking up the assignment.

7: In no event shall the Valuer be held responsible or liable for special, direct, indirect or consequential during the assignment has been completed on best of efforts, available knowledge and in good intentions of persons concerned and belief.

(V.P. Sahasrabuddhe)
BE, DIM
Approved Valuer (F - 11640)

V.P.Sahasrabuddhe
BE,DIM
Approved Valuer(F-11640)

M/S SEDEMAC

PLANT & MACHINERY DETAILS

Description of Plant & Machinery	Quantity	Purchase Cost	Age	Depreciation %	WDV	Depreciated Value in Rs.
In circuit tester focus 2000		910,000.00	1	10.0	0.90	819,000
Aplab SCR Pre regulated Bench rack		69,609.00	2	10.0	0.81	56,383
Mixed signal Oscilloscope						
200MHz, 4 CH		334825	1	10.0	0.90	301,343
AC DC RR Tester Fully Automatic 1 No		95625	2	10.0	0.81	77,456
Air Conditioner		46500	2	10.0	0.81	37,665
Air Condition		54990	2	10.0	0.81	44,542
Microsoft Office 2013- 9 stck, Microsoft windows 8.1		277532	2	10.0	0.81	224,801
Microsoft licenses (server)		131672	7	10.0	0.48	62,978
Hand Mould		19519	2	10.0	0.81	15,810
Single Cavity & Plate Die		50625	2	10.0	0.81	41,006
Die Modification N9HG0380		21109	2	10.0	0.81	17,098
1200 x 1800 x 500 material rack		63585	2	10.0	0.81	51,504
Epoxy dispensing machine		2784375	2	10.0	0.81	2,255,344
Lenovo Think Centre		43200	2	10.0	0.81	34,992
RR Unit Automatic Test Rig		95625	3	10.0	0.73	69,711
Gas level indi Housing Top & bottom		214889	3	10.0	0.73	156,654
RR Unit Automatic Test Rig		127125	3	10.0	0.73	92,674
DMM		45117	2	10.0	0.81	36,545
Polished laser cut stencil 2 nos		16045	2	10.0	0.81	12,996
1200 x 1800 x 500 material rack		42390	2	10.0	0.81	34,336
Oscilloscope 50MHz, 2 CH		29400	2	10.0	0.81	23,814
Intel ® Core™ i3-540 @ 3.07 GHz		20000	2	10.0	0.81	16,200
Screw driver SKD 5200L		18666	2	10.0	0.81	15,119
Purchase of rack for FG inventory 3 Nos		21431	2	10.0	0.81	17,359
Intel ® Core™ i3-540 @ 3.07 GHz		19500	3	10.0	0.73	14,216
Green crate 150 Nos for B5060050 OMS purchase at 4%		94652	3	10.0	0.73	69,001
Oscilloscope 2 channel 50 Mhz 16k memory 2 Nos		40800	3	10.0	0.73	29,743
Aluminum Sq Tray 40 Nos		6167	3	10.0	0.73	4,496
Oscilloscope 2 channel 50 Mhz 16k memory 2 Nos		40800	3	10.0	0.73	29,743
Wave pallet AE 277 M 2 Nos		29252	3	10.0	0.73	21,325
Wave pallet AE 277 M		14599	3	10.0	0.73	10,643
Aluminum Sq Tray 40 Nos		3649	3	10.0	0.73	2,660

VFD (Variable Frequency Driver)	17622	3	10.0	0.73	12,846
Crates	7875	3	10.0	0.73	5,741
3 1/2 Digital Multimeter	9177	3	10.0	0.73	6,690
Pick & Place Machine	6256436	4	10.0	0.66	4,104,848
Automatic Optical Inspection (AOI)	2956714	4	10.0	0.66	1,939,900
2 Cavity die	47250	3	10.0	0.73	34,445
Oscilloscope 60MHz, 2 CH- 2Nos	102789	4	10.0	0.66	67,440
Oscilloscope 60MHz, 2 CH- 2Nos	30765	4	10.0	0.66	20,185
Pick & Place Machine Feeder	67500	4	10.0	0.66	44,287
Laptop Intel ® Pentium ®4 @ 2.66 GHz	34000	4	10.0	0.66	22,307
G5 vision printer	2271408	5	10.0	0.59	1,341,244
Single cavity - Mould	38812	5	10.0	0.59	22,918
CPU Colour laser printer	31900	5	10.0	0.59	18,837
X Y Table : 02 Nos	274500	6	10.0	0.53	145,881
X Y Table	137250	6	10.0	0.53	72,940
Fully automatic testing unit for AC-DC regulator with load bank	75150	6	10.0	0.53	39,938
Damper Mould	47250	4	10.0	0.66	31,001
K6060330 Damper Mould	47250	4	10.0	0.66	31,001
Damper Mould	47250	4	10.0	0.66	31,001
Taper Feeder 8mm	202500	5	10.0	0.59	119,574
Leakage Current Tester model LS-138	42270	5	10.0	0.59	24,960
Wave soldering machine	2039206	5	10.0	0.59	1,204,131
PCB Conveyor (WEC) 8C050M	110000	5	10.0	0.59	64,954
10HP Compressor	124189	5	10.0	0.59	73,332
Air Receiver	19277	5	10.0	0.59	11,383
Southwest make Guardian series air drier	60422	5	10.0	0.59	35,679
Intel ® Pentium ® G620 @ 2.60 GHz	21000	5	10.0	0.59	12,400
Intel ® Pentium ® G620 @ 2.60 GHz	22200	5	10.0	0.59	13,109
Oscilloscope 2 channel 40 Mhz	52000	9	10.0	0.39	20,146
Hydro Pneumatic Press Machine	35400	9	10.0	0.39	13,715
Motorized Diode Testing machine	50625	9	10.0	0.39	19,613
Computer 1GB 160GB 2.4GHz	25500	9	10.0	0.39	9,879
Dell laptop	37500	9	10.0	0.39	14,528
Computer 1GB 160GB 2.4GHz	15250	9	10.0	0.39	5,908
Battery and rack for UPS System	29313	8	10.0	0.43	12,618
Battery and rack for UPS System	27675	8	10.0	0.43	11,913
UPS System for SMD machinery	40149	9	10.0	0.39	15,555
Office Tables (for SMD) 2 ft x 5ft	8438	9	10.0	0.39	3,269
Computer 1GB 80GB Core 2	15000	10	10.0	0.35	5,230
Computer P4 Intel	14664	10	10.0	0.35	5,113

Printer & monitor	18336	10	10.0	0.35	6,393
Computer Intel P4	12968	10	10.0	0.35	4,522
Printer & monitor	13132	8	10.0	0.43	5,653
Reflow oven	1599376	8	10.0	0.43	688,479
Interlinking Conveyor	57184	8	10.0	0.43	24,616
Canon IR-2018N	71755	8	10.0	0.43	30,888
125kVA Genset	552024	8	10.0	0.43	237,628
125kVA Genset Installation	38300	4	10.0	0.66	25,129
Cabling for genset	20081	4	10.0	0.66	13,175
AMF Panel for 125kVA	94804	4	10.0	0.66	62,201
IMECO Ultrasonic Cleaning Equipment	73062	8	10.0	0.43	31,451
Epoxy dispensing machine	868612	7	10.0	0.48	415,454
SCR bending & cutting machine	314359	2	10.0	0.81	254,631
Humidity oven	117837	14	10.0	0.23	26,957
Dust Test Chamber	48000	14	10.0	0.23	10,981
Water Resistance Test Chamber	62000	14	10.0	0.23	14,184
Magneto Test Bench: 02 nos	173872	14	10.0	0.23	39,776
EMC Stencil Printer	238071	14	10.0	0.23	54,463
LCR Meter	337126	14	10.0	0.23	77,124
Pick & Place machine	5556721	12	10.0	0.28	1,569,382
Automatic Optical Inspection (AOI)	218591	3	10.0	0.73	159,353
				Total Rs	**18,140,055**

Lab Oven	53100	12	10.0	0.28	14,997
Lab Oven	53400	12	10.0	0.28	15,082
Oven	87000	17	10.0	0.17	14,509
Hot Chamber	30250	17	10.0	0.17	5,045
Thermal cycle Chamber	30500	17	10.0	0.17	5,087
Reflow Oven	30500	17	10.0	0.17	5,087
Vibration Machine	61250	17	10.0	0.17	10,215
Motorized Magneto Test Bench	60500	17	10.0	0.17	10,090
Motorized Magneto Test Bench	245000	17	10.0	0.17	40,859
Motorized Magneto Test Bench	1250000	19	10.0	0.14	168,856
Motorized Magneto Test Bench	58250	**10**	10.0	0.35	20,311
Motorized Magneto Test Bench	57500	10	10.0	0.35	20,049
Motorized Magneto Test Bench	57500	10	10.0	0.35	20,049
Motorized Magneto Test Bench	57500	10	10.0	0.35	20,049
Motorized Magneto Test Bench	57650	10	10.0	0.35	20,101
Motorized Magneto Test Bench	57500	10	10.0	0.35	20,049
Motorized Magneto Test Bench	57500	10	10.0	0.35	20,049
Motorized Magneto Test Bench	57650	10	10.0	0.35	20,101
Motorized Magneto Test Bench	57500	**10**	10.0	0.35	20,049
Motorized Magneto Test Bench	57775	10	10.0	0.35	20,145
Motorized Magneto Test Bench	56225	10	10.0	0.35	19,604
Motorized Magneto Test Bench	55450	10	10.0	0.35	19,334
Motorized Magneto Test Bench	56500	10	10.0	0.35	19,700
Motorized Magneto Test Bench	55500	10	10.0	0.35	19,352
Leads Performing M/c	55555	10	10.0	0.35	19,371
Leads Precutting M/c	56450	10	10.0	0.35	19,683
Pneumatic Cutter	57225	10	10.0	0.35	19,953
Leads Forming & Cutting M/c	57500	10	10.0	0.35	20,049
Capacitor lead Cutting & Bending Machine	115000	10	10.0	0.35	40,098
SMT Board Dividing M/C & Tool	95000	7	10.0	0.48	45,438
PCB Cutting Machine	31000	10	10.0	0.35	10,809
Epoxy Dispensing M/c	165000	11	10.0	0.31	51,779
Epoxy Dispensing M/c	625000	7	10.0	0.48	298,936
Air Compressor 3 Phase	61500	7	10.0	0.48	29,415
Electrical Screw Driver	8500	5	10.0	0.59	5,019
Electrical Screw Driver	14750	10	10.0	0.35	5,143
Electrical Screw Driver	15000	10	10.0	0.35	5,230
Pick & Place Machine Feeder	595000	10	10.0	0.35	207,464
Gang programmer	42500	7	10.0	0.48	20,328
Device programmer	32000	7	10.0	0.48	15,306
Device programmer	25250	6	10.0	0.53	13,419
Device programmer	24000	5	10.0	0.59	14,172

Pin gauges 0.55mm to 3.05mm (set of 66 pins) (spare pins 15)	14,225	10	10.0	0.35	4,960
Digital Photo / contact Tachometer	17,000	5	10.0	0.59	10,038
3 1/2 Digital Multimeter	14,500	10	10.0	0.35	5,056
3 1/2 Digital Multimeter	14,250	10	10.0	0.35	4,969
3 1/2 Digital Multimeter	14,500	10	10.0	0.35	5,056
3 1/2 Digital Multimeter	14,500	10	10.0	0.35	5,056
3 1/2 Digital Multimeter	14,500	10	10.0	0.35	5,056
3 1/2 Digital Multimeter	14,750	10	10.0	0.35	5,143
3 1/2 Digital Multimeter	14,750	10	10.0	0.35	5,143
3 1/2 Digital Multimeter	14,750	10	10.0	0.35	5,143
3 1/2 Digital Multimeter	14,500	10	10.0	0.35	5,056
3 1/2 Digital Multimeter	14,500	10	10.0	0.35	5,056
3 1/2 Digital Multimeter	14,500	10	10.0	0.35	5,056
3 1/2 Digital Multimeter	14,750	10	10.0	0.35	5,143
3 1/2 Digital Multimeter	14,500	10	10.0	0.35	5,056
3 1/2 Digital Multimeter	14,500	10	10.0	0.35	5,056
3 1/2 Digital Multimeter	14,500	10	10.0	0.35	5,056
3 1/2 Digital Multimeter	14,750	10	10.0	0.35	5,143
3 1/2 Digital Multimeter	14,500	10	10.0	0.35	5,056
6 1/2 Digital Multimeter	99,500	8	10.0	0.43	42,831
3 1/2 Digital Multimeter	12,500	2	10.0	0.81	10,125
3 1/2 Digital Multimeter	12,500	2	10.0	0.81	10,125
Oscilloscope 60MHz, 2 CH	11,500	1	10.0	0.90	10,350
Oscilloscope 60MHz, 2 CH	30,500	10	10.0	0.35	10,635
Million Meqa Ohm Meter	18,500	2	10.0	0.81	14,985
Micro Meter 0-25mm	115,500	10	10.0	0.35	40,272
Insutester Meger 500V/100 MΩ	45,500	10	10.0	0.35	15,865
Diode Testing Machine 3/5 µA 100/400/800 V	75,000	10	10.0	0.35	26,151
Special LT electrical installation	1,150,500	8	10.0	0.43	495,253
Oscilloscope 100MHz, 2 CH	23,000	4	10.0	0.66	15,090
Scanner (Store)= Canon UYP3036152-D646U ex	15,000	10	10.0	0.35	5,230
Fax Machine= Canon L220-JKD14105	14,600	10	10.0	0.35	5,091
computers	325,000	10	10.0	0.35	113,320
Printers	101,000	10	10.0	0.35	35,217
FURNITURE	550,000	5	10.0	0.59	324,770
TWO WHEELERS	200,000	2	10.0	0.81	162,000
DIES	1,500,000	10	10.0	0.35	523,018
			Total in Rs. >		**6,578,967**