Learn Programming with Expert-Led Courses

Start your journey in coding today! Choose from a variety of programming languages and get started.

Browse Courses

Our Courses

English   Spanish   French

Python for Beginners

Learn the fundamentals of Python, the most versatile language.

Buy Course

JavaScript Mastery

Become a JavaScript pro and start building interactive websites.

Buy Course

Java Programming

Master Java, one of the most widely used programming languages in enterprise development.

Buy Course

C++ Programming

Learn C++ and dive into system and application software development.

Buy Course

Ruby on Rails

Learn Ruby on Rails, the powerful web framework for building applications.

Buy Course

Contact Us

Your Name

Your Email

Your Message

Send Message

```html
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Programming Courses</title>
  <link rel="stylesheet" href="css/style.css">
  <style>
    /* Global Styles */
    body {
      font-family: 'Arial', sans-serif;
      margin: 0;
      padding: 0;
      background-image: url('https://wallpapercave.com/wp/wp3863452.jpg'); /* Christmas Background Image */
      background-size: cover;
      background-position: center;
      color: #333;
    }

    header {
      background-color: #306090;
      color: white;
      padding: 20px 40px; /* Padding to ensure space on both sides */
      display: flex;
      justify-content: space-between;
      align-items: center;
      position: fixed;
      width: 100%;
      top: 0;
      left: 0;
      z-index: 10;
    }

    header .logo-container {
      display: flex;
      align-items: center;
    }
```

```css
header .logo {
  width: 50px;
  height: 50px;
  margin-right: 10px;
}

header h1 {
  font-size: 24px;
}

/* Navigation */
nav {
  width: 100%;
  display: flex;
  justify-content: flex-end; /* Move navigation items to the right */
  padding-left: 50px; /* Ensure space from the left edge */
  margin-right: 20px; /* Slight margin on the right to keep tabs within boundary */
}

nav ul {
  list-style: none;
  display: flex;
  gap: 20px;
  margin: 0;
  padding: 0;
}

nav ul li {
  padding: 5px 0;
}

nav ul li a {
```

```css
nav ul li a {
  text-decoration: none;
  color: █white;
  font-size: 18px;
  padding: 5px 15px;
  transition: background-color 0.3s;
}

nav ul li a:hover {
  background-color: █#3498db;
  border-radius: 5px;
}

/* Adjust the "About" tab specifically to move it slightly to the left */
nav ul li:nth-child(4) a {
  margin-right: 12px; /* Move the "About" tab 5px to the left */
}

.hero-section {
  background-color: █rgba(41, 128, 185, 0.7); /* Semi-transparent to allow text visibility */
  color: █white;
  text-align: center;
  padding: 100px 20px 50px; /* Add padding for spacing */
  margin-top: 60px; /* Ensure content is not hidden behind fixed header */
}

.cta-button {
  background-color: █#e74c3c;
  color: █white;
  padding: 10px 20px;
  font-size: 18px;
```

```css
  .cta-button {
    background-color: #e74c3c;
    color: white;
    padding: 10px 20px;
    font-size: 18px;
    border: none;
    border-radius: 5px;
    cursor: pointer;
    text-decoration: none;
  }

  .cta-button:hover {
    background-color: #c0392b;
  }

  .language-tabs {
    display: flex;
    justify-content: center;
    gap: 20px;
    margin-top: 20px;
  }

  .lang-tab {
    background-color: #2980b9;
    color: white;
    padding: 10px 20px;
    font-size: 16px;
```

```css
.lang-tab {
  background-color: #2980b9;
  color: white;
  padding: 10px 20px;
  font-size: 16px;
  border: none;
  cursor: pointer;
  border-radius: 5px;
}

.lang-tab:hover {
  background-color: #3498db;
}

.courses-section {
  padding: 50px 20px;
  text-align: center;
}

.courses-section h2 {
  font-size: 36px;
  margin-bottom: 20px;
}

.course-container {
  display: flex;
  justify-content: center;
  gap: 40px;
  flex-wrap: wrap;
}
```

```css
    }


    .course-container {
      display: flex;
      justify-content: center;
      gap: 40px;
      flex-wrap: wrap;
    }


    .course {
        display: flex;
flex-direction: column;
background-color: #f8f8f8; /* Lighter, brighter background */
border-radius: 10px;
box-shadow: 0 4px 8px rgba(0, 0, 0, 0.1);
width: 280px;
overflow: hidden;
text-align: center;
margin-bottom: 30px;
    }


    .course img {
      width: 100%;
      height: 180px;
      object-fit: cover;
    }


    .course h3 {
      font-size: 24px;
      margin: 15px 0;
    }
```

```css
.course h3 {
    font-size: 24px;
    margin: 15px 0;
}

.course p {
    font-size: 16px;
    margin: 10px 0;
    color: #7f8c8d;
}

.buy-button {
    background-color: #27ae60;
    color: white;
    padding: 12px;
    border: none;
    font-size: 16px;
    cursor: pointer;
    width: 100%;   /* Make button full width */
    border-radius: 0 0 10px 10px;
}

.buy-button:hover {
    background-color: #2ecc71;
}

/* Push button to the bottom of the course card */
.course .buy-button {
    margin-top: auto;  /* Push the button to the bottom of the card */
}

.contact-section {
    background-color: #ecf0f1;
    padding: 50px 20px;
```

```css
.contact-section {
  background-color: #ecf0f1;
  padding: 50px 20px;
  text-align: center;
}

form {
  max-width: 500px;
  margin: 0 auto;
}

form input,
form textarea {
  width: 100%;
  padding: 10px;
  margin: 10px 0;
  border-radius: 5px;
  border: 1px solid #ccc;
}

form button {
  background-color: #2980b9;
  color: white;
  padding: 12px;
  border: none;
  border-radius: 5px;
  cursor: pointer;
  font-size: 18px;
}

form button:hover {
  background-color: #3498db;
}
```

```css
    }

    form button:hover {
      background-color: #3498db;
    }

    footer {
      background-color: #386f9a;
      color: white;
      text-align: center;
      padding: 20px 0;
    }

    /* Modal Form (Hidden by default) */
    .modal {
      display: none;
      position: fixed;
      top: 0;
      left: 0;
      width: 100%;
      height: 100%;
      background-color: rgb(8, 8, 8);
      justify-content: center;
      align-items: center;
      z-index: 20;
    }

    .modal-content {
      background-color: white;
      padding: 20px;
      border-radius: 5px;
      width: 400px;
      position: relative;
```

```css
    padding: 20px;
    border-radius: 5px;
    width: 400px;
    position: relative;
    text-align: center;
}

.close-button {
    position: absolute;
    top: 10px;
    right: 10px;
    font-size: 20px;
    cursor: pointer;
}

.modal h2 {
    margin-bottom: 20px;
}

.modal input,
.modal button {
    width: 100%;
    padding: 10px;
    margin: 10px 0;
    border-radius: 5px;
    border: 1px solid #ccc;
}

.modal button {
    background-color: #2980b9;
    color: white;
}
```

```
283        .modal button {
284            background-color: ■#2980b9;
285            color: ■white;
286        }
287
288        .modal button:hover {
289            background-color: ■#3498db;
290        }
291    </style>
292  </head>
293
294  <body>
295    <header>
296        <div class="logo-container">
297            <img src="https://cteezy.com/system/resources/previews/020/111/555.5eb78.png" alt="Logo" class="logo">
298            <h1>CodeMaster Academy</h1>
299        </div>
300        <nav>
301            <ul>
302                <li><a href="#home">Home</a></li>
303                <li><a href="#courses">Courses</a></li>
304                <li><a href="#contact">Contact</a></li>
305                <li><a href="#about">About</a></li>
306            </ul>
307        </nav>
308    </header>
309
310    <main>
311        <!-- Hero Section -->
312        <section id="home" class="hero-section">
313            <div class="hero-content">
314                <h2>Learn Programming with Expert-Led Courses</h2>
315                <p>Start your journey in coding today! Choose from a variety of programming languages and get started.</p>
316                <a href="#courses" class="cta-button">Browse Courses</a>
```

```html
<section id="home" class="hero-section">
  <div class="hero-content">
    <h2>Learn Programming with Expert-Led Courses</h2>
    <p>Start your journey in coding today! Choose from a variety of programming languages and get started.</p>
    <a href="#courses" class="cta-button">Browse Courses</a>
  </div>
</section>

<!-- Courses Section -->
<section id="courses" class="courses-section">
  <h2>Our Courses</h2>

  <!-- Language Selection Tabs -->
  <div class="language-tabs">
    <button class="lang-tab" onclick="changeLanguage('en')">English</button>
    <button class="lang-tab" onclick="changeLanguage('es')">Spanish</button>
    <button class="lang-tab" onclick="changeLanguage('fr')">French</button>
  </div>

  <!-- Course Containers -->
  <div class="course-container">
    <div class="course">
      <img src="https://mir-s3-cdn-cf.behance.net/project_modules/2800_opt_1/9d2e8896750899.5eb54f3381452.png" alt="Python Course" class="course
      <h3 class="course-title" data-en="Python for Beginners" data-es="Python para Principiantes" data-fr="Python pour Débutants">Python for Beg
      <p class="course-desc" data-en="Learn the fundamentals of Python, the most versatile language." data-es="Aprende los fundamentos de Python
      <button class="buy-button" data-course="Python" onclick="openBuyForm('Python')">Buy Course</button>
    </div>
    <div class="course">
      <img src="https://ih1.redbubble.net/image.917810873.9738/fposter,small,wall_texture,product,750x1000.jpg" alt="JavaScript Course" class="c
      <h3 class="course-title" data-en="JavaScript Mastery" data-es="Maestría en JavaScript" data-fr="Maîtrise de JavaScript">JavaScript Mastery
      <p class="course-desc" data-en="Become a JavaScript pro and start building interactive websites." data-es="Conviértete en un profesional d
      <button class="buy-button" data-course="JavaScript" onclick="openBuyForm('JavaScript')">Buy Course</button>
    </div>
</section>
```

```html
      <img src="https://ih1.redbubble.net/image.917810873.9738/fposter,small,wall_texture,product,750x1000.jpg" alt="JavaScript Course" class="c
        <h3 class="course-title" data-en="JavaScript Mastery" data-es="Maestría en JavaScript" data-fr="Maîtrise de JavaScript">JavaScript Mastery
        <p class="course-desc" data-en="Become a JavaScript pro and start building interactive websites." data-es="Conviértete en un profesional d
        <button class="buy-button" data-course="JavaScript" onclick="openBuyForm('JavaScript')">Buy Course</button>
      </div>
      <div class="course">
        <img src="https://static.vecteezy.com/system/resources/previews/020/111/555/non_2x/java-editorial-logo-free-download-free-vector.jpg" alt=
        <h3 class="course-title" data-en="Java Programming" data-es="Programación en Java" data-fr="Programmation en Java">Java Programming</h3>
        <p class="course-desc" data-en="Master Java, one of the most widely used programming languages in enterprise development." data-es="Domina
        <button class="buy-button" data-course="Java" onclick="openBuyForm('Java')">Buy Course</button>
      </div>
      <div class="course">
        <img src="https://reviewsreporter.com/wp-content/uploads/2022/08/CPlusPlus1-1.jpg" alt="C++ Course" class="course-image">
        <h3 class="course-title" data-en="C++ Programming" data-es="Programación en C++" data-fr="Programmation en C++">C++ Programming</h3>
        <p class="course-desc" data-en="Learn C++ and dive into system and application software development." data-es="Aprende C++ y adéntrate en
        <button class="buy-button" data-course="C++" onclick="openBuyForm('C++')">Buy Course</button>
      </div>
      <div class="course">
        <img src="https://e7.pngegg.com/pngimages/963/964/png-clipart-ruby-on-rails-web-framework-software-framework-angularjs-ruby-programming-la
        <h3 class="course-title" data-en="Ruby on Rails" data-es="Ruby on Rails" data-fr="Ruby on Rails">Ruby on Rails</h3>
        <p class="course-desc" data-en="Learn Ruby on Rails, the powerful web framework for building applications." data-es="Aprende Ruby on Rails
        <button class="buy-button" data-course="Ruby" onclick="openBuyForm('Ruby')">Buy Course</button>
      </div>
    </div>
  </section>

  <!-- Contact Section -->
  <section id="contact" class="contact-section">
    <h2>Contact Us</h2>
    <form id="contact-form">
      <input type="text" id="name" placeholder="Your Name" required>
      <input type="email" id="email" placeholder="Your Email" required>
```

```html
    <section id="contact" class="contact-section">
      <h2>Contact Us</h2>
      <form id="contact-form">
        <input type="text" id="name" placeholder="Your Name" required>
        <input type="email" id="email" placeholder="Your Email" required>
        <textarea id="message" placeholder="Your Message" required></textarea>
        <button type="submit">Send Message</button>
      </form>
    </section>
  </main>

  <footer>
    <p>&copy; 2024 CodeMaster Academy. All rights reserved.</p>
  </footer>

  <!-- Modal Form (Hidden by default) -->
  <div id="buy-course-modal" class="modal">
    <div class="modal-content">
      <span class="close-button" onclick="closeModal()">&times;</span>
      <h2>Buy Course</h2>
      <form id="buy-course-form">
        <input type="text" id="user-name" placeholder="Your Name" required>
        <input type="email" id="user-email" placeholder="Your Email" required>
        <input type="text" id="course-name" placeholder="Course Name" readonly required>
        <input type="number" id="payment" placeholder="Payment Amount" required>
        <button type="submit">Submit</button>
      </form>
    </div>
  </div>

  <script>
    // Show modal when Buy Course button is clicked
    function openBuyForm(courseName) {
      document.getElementById('course-name').value = courseName;
```

```
        </div>

    <script>
      // Show modal when Buy Course button is clicked
      function openBuyForm(courseName) {
        document.getElementById('course-name').value = courseName;
        document.getElementById('buy-course-modal').style.display = 'flex';
      }

      // Close modal
      function closeModal() {
        document.getElementById('buy-course-modal').style.display = 'none';
      }

      // Language switching functionality
      function changeLanguage(language) {
        const titles = document.querySelectorAll('.course-title');
        const descriptions = document.querySelectorAll('.course-desc');

        titles.forEach(title => {
          title.textContent = title.getAttribute('data-' + language);
        });

        descriptions.forEach(desc => {
          desc.textContent = desc.getAttribute('data-' + language);
        });
      }
    </script>
  </body>
</html>
```