Git & GitHub Command Guide

Field Service Management • ASP.NET Core + React + Vite • macOS / zsh

1. First-Time Project Setup

Run these commands from your project root.

```
cd /path/to/Field\ Service\ Management
git init
git status
git add .
git commit -m "Initial project setup"
git branch -M main
git remote add origin https://github.com/YOUR_USERNAME/FieldServiceManagement.git
git remote -v
git push -u origin main
```

2. Normal Workflow After the First Push

Use this after completing a meaningful change or module.

```
git status
git add .
git status
git commit -m "Describe what changed"
git push
```

3. Useful Git Commands

```
git status
git log --oneline --decorate --graph --all
git remote -v
git pull
git diff
git diff --cached
git branch
git switch -c feature/customer-address
git switch main
git branch -d feature/customer-address
```

4. Safe .gitignore for This Project

Your project uses ASP.NET Core, React/Vite, SQL Server, Azure and Docker. Keep generated files and secrets out of GitHub.

```
# .NET
bin/
obj/
.vs/
*.user
*.suo

# React / Vite
node_modules/
dist/
.vite/

# Secrets / environment files
.env
.env.*
!.env.example

# Development configuration with secrets
appsettings.Development.json

# OS
.DS_Store
Thumbs.db
```

IMPORTANT: Never commit real SQL passwords, Azure credentials, JWT secrets, API keys, or connection strings containing secrets.

5. CRLF → LF Warning on macOS

A warning such as “CRLF will be replaced by LF” is normally a line-ending normalization message, not a Git failure.

```
git config --global core.autocrlf input
git add .
git status
```

6. If GitHub Remote Is Not Configured

```
git remote -v

# If nothing is returned:
git remote add origin https://github.com/YOUR_USERNAME/FieldServiceManagement.git
git branch -M main
git push -u origin main
```

7. Recommended Module Commit Pattern

```
git add .
git commit -m "Connect authentication frontend integration"
git push

git add .
git commit -m "Connect customer address APIs"
git push

git add .
git commit -m "Connect customer assets APIs"
git push

git add .
git commit -m "Connect service request APIs"
git push
```

8. Before Every Push — Safety Checklist

1. git status
2. Check that no .env or secret configuration is staged.
3. Check that SQL Server/Azure passwords are not staged.
4. Check that JWT secrets are not staged.
5. Run and test the backend.
6. Run and test the React frontend.
7. git add .
8. git status
9. git commit -m "Describe the completed change"
10. git push

For your current terminal warning: it is safe to continue. The next command you should run is **git status** to verify exactly what will be committed.