

Practical - 29: Implementation of File, FileReader and FileWriter class using java

114) Write a java program to create a file to the specified location. (Use File Class) (A)

```
import java.io.File;
import java.io.IOException;

public class p114 {
    public static void main(String[] args) {

        File file = new File("D:\\JavaFiles\\Student.txt");

        try {
            if (file.createNewFile()) {
                System.out.println("File created successfully.");
            } else {
                System.out.println("File already exists.");
            }
        } catch (IOException e) {
            System.out.println("Error: " + e);
        }
    }
}
```

115) WAP to copy the content of one file to another file and console. (Use FileReader and File Writer Class) (A)

```
import java.io.FileReader;
import java.io.FileWriter;
import java.io.IOException;

public class p115 {
    public static void main(String[] args) {

        try {
            FileReader fr = new FileReader("source.txt");
            FileWriter fw = new FileWriter("Destination.txt");

            int ch;

            while ((ch = fr.read()) != -1) {
                System.out.print((char) ch);
                fw.write(ch);
            }

            fr.close();
            fw.close();

            System.out.println("\nFile Copied Successfully.");

        } catch (IOException e) {
```

	<pre> System.out.println(e); } } } </pre>
116)	WAP to demonstrate FileInputStream and FileOutputStream class. (A)
	<pre> import java.io.FileInputStream; import java.io.FileOutputStream; import java.io.IOException; public class p116 { public static void main(String[] args) { try { FileOutputStream fos = new FileOutputStream("data.txt"); String str = "Hello Java"; fos.write(str.getBytes()); fos.close(); FileInputStream fis = new FileInputStream("data.txt"); int ch; while ((ch = fis.read()) != -1) { System.out.print((char) ch); } fis.close(); } catch (IOException e) { System.out.println(e); } } } </pre>
117)	WAP to Merge the content of two files into single file. (B)
	<pre> import java.io.FileReader; import java.io.FileWriter; import java.io.IOException; public class p117 { public static void main(String[] args) { try { FileReader fr1 = new FileReader("file1.txt"); FileReader fr2 = new FileReader("file2.txt"); </pre>

```
        FileWriter fw = new FileWriter("merged.txt");

        int ch;

        while ((ch = fr1.read()) != -1) {
            fw.write(ch);
        }

        while ((ch = fr2.read()) != -1) {
            fw.write(ch);
        }

        fr1.close();
        fr2.close();
        fw.close();

        System.out.println("Files Merged Successfully.");

    } catch (IOException e) {
        System.out.println(e);
    }
}
```

118) WAP to demonstrate BufferedReader and BufferedWriter class. (B)

```
import java.io.BufferedReader;
import java.io.BufferedWriter;
import java.io.FileReader;
import java.io.FileWriter;
import java.io.IOException;

public class p118 {
    public static void main(String[] args) {

        try {
            BufferedWriter bw = new BufferedWriter(
                new FileWriter("sample.txt"));

            bw.write("Welcome to Java Programming");
            bw.newLine();
            bw.write("BufferedWriter Example");
            bw.close();

            BufferedReader br = new BufferedReader(
                new FileReader("sample.txt"));

            String line;

            while ((line = br.readLine()) != null) {
                System.out.println(line);
            }
        }
    }
}
```

	<pre> br.close(); } catch (IOException e) { System.out.println(e); } } </pre>
119)	WAP to Copy the content of one file into multiple file. (C)
	<pre> import java.io.FileReader; import java.io.FileWriter; import java.io.IOException; public class p119 { public static void main(String[] args) { try { FileReader fr = new FileReader("source.txt"); FileWriter fw1 = new FileWriter("copy1.txt"); FileWriter fw2 = new FileWriter("copy2.txt"); int ch; while ((ch = fr.read()) != -1) { fw1.write(ch); fw2.write(ch); } fr.close(); fw1.close(); fw2.close(); System.out.println("File copied into multiple files."); } catch (IOException e) { System.out.println(e); } } } </pre>
120)	WAP to demonstrate BufferedInputStream and BufferedOutputStream class. (C)
	<pre> import java.io.BufferedInputStream; import java.io.BufferedOutputStream; import java.io.FileInputStream; import java.io.FileOutputStream; import java.io.IOException; </pre>

```
public class p120 {  
    public static void main(String[] args) {  
  
        try {  
            BufferedOutputStream bos =  
                new BufferedOutputStream(  
                    new FileOutputStream("buffer.txt"));  
  
            String str = "Buffered Stream Example";  
  
            bos.write(str.getBytes());  
            bos.close();  
  
            BufferedInputStream bis =  
                new BufferedInputStream(  
                    new FileInputStream("buffer.txt"));  
  
            int ch;  
  
            while ((ch = bis.read()) != -1) {  
                System.out.print((char) ch);  
            }  
  
            bis.close();  
  
        } catch (IOException e) {  
            System.out.println(e);  
        }  
    }  
}
```