

Lab No. : SLK/16-04-2023/SR7533112
Patient Name : ANIRUDDHA CHAKRABORTY
Age : 48 Y 0 M 1 D
Gender : M

Lab Add. :
Ref Dr. : Dr.SOUMYA MUKHERJEE
Collection Date:
Report Date : 17/Apr/2023 02:45PM



DEPARTMENT OF ULTRASONOGRAPHY
REPORT ON EXAMINATION OF WHOLE ABDOMEN

LIVER

Liver is mildly enlarged in size(151 mm), and shows diffusely increased echogenicity, suggestive of grade-II fatty infiltration. No focal parenchymal lesion is evident. Intrahepatic biliary radicles are not dilated. Branches of portal vein are normal.

PORTA

The appearance of porta is normal. Common Bile duct is normal (3 mm) with no intraluminal pathology (Calculi /mass) could be detected at its visualised part. Portal vein is normal (10 mm) at porta.

GALL BLADDER

Gallbladder is physiologically distended. Wall thickness appears normal. No intraluminal pathology (Calculi/mass) could be detected.

PANCREAS

Pancreas is normal in size, shape and contour. Parenchymal echogenicity is normal and homogeneous. No focal mass or calcification seen. No Calcular disease noted. Pancreatic duct is not dilated. No peri-pancreatic collection of fluid noted.

SPLEEN

Spleen is enlarged in size (143 mm). Homogenous and smooth echotexture without any focal lesion. Splenic vein at hilum appears normal. No definite collaterals could be detected.

RIGHT KIDNEY

Right kidney is normal in size (measures : 119 mm.), shape position, axis. Surfaces is smooth. Cortical echogenicity and cortical thickness of right kidney is normal. Normal cortico-medullary differentiation is maintained. No calculus, mass or hydronephrosis is seen in right kidney.

LEFT KIDNEY

Left kidney is normal in size (measures : 118 mm.), shape position, axis. Surfaces is smooth. Cortical echogenicity and cortical thickness of left kidney is normal. Normal cortico-medullary differentiation is maintained. No calculus, mass or hydronephrosis is seen in left kidney.

URETER

Ureters are not dilated.

URINARY BLADDER

Urinary bladder is optimally distended. Wall is normal in thickness. No intraluminal calculus or mass is seen. Post void residual urine is insignificant.

PROSTATE

Prostate is normal in size. Echotexture appears within normal limits. No focal alteration of its echogenicity could be detectable.

It measures : 39 mm x 34 mm x 32 mm

Lab No. : SLK/16-04-2023/SR7533112
Patient Name : ANIRUDDHA CHAKRABORTY
Age : 48 Y 0 M 1 D
Gender : M

Lab Add. :
Ref Dr. : Dr.SOUMYA MUKHERJEE
Collection Date:
Report Date : 17/Apr/2023 02:45PM



Approximate volume could be around = 23 cc.

IMPRESSION:

- Mild hepatomegaly with grade – II fatty change of liver.
- Splenomegaly.

Kindly note

Ultrasound is not the modality of choice to rule out subtle bowel lesion.

Please Intimate us for any typing mistakes and send the report for correction within 7 days.

The science of Radiological diagnosis is based on the interpretation of various shadows produced by both the normal and abnormal tissues and are not always conclusive. Further biochemical and radiological investigation & clinical correlation is required to enable the clinician to reach the final diagnosis.

The report and films are not valid for medico-legal purpose.

Patient Identity not verified.

DR. UPAMANYU MAJUMDER
MBBS, CBET(Sonologist)