

AI-Debt Report


ai-debt-audit · generated 2026-07-05T10:35:43.518Z



Medium Risk

Blended from technical (50%), cognitive (25%), and intent (25%) debt signals

Category Breakdown



Technical Debt — 30 Semgrep findings

- **error_handling**: 6 findings (weighted 24)
- **incomplete_implementation**: 23 findings (weighted 23)
- **security**: 1 findings (weighted 3)

All Findings

SEVERITY	RULE	LOCATION	DETAIL
WARNING	ai-debt-empty-catch-block-js	bin/aidebt-scan.js:149	Empty catch block. AI-generated code frequently wraps calls in try/catch to "make the error go away" without handling or surfacing the failure — a hallmark of unreviewed AI output.

SEVERITY	RULE	LOCATION	DETAIL
WARNING	ai-debt-empty-catch-block-js	bin/aidebt-scan.js:178	Empty catch block. AI-generated code frequently wraps calls in try/catch to "make the error go away" without handling or surfacing the failure — a hallmark of unreviewed AI output.
WARNING	ai-debt-empty-catch-block-js	bin/aidebt-scan.js:209	Empty catch block. AI-generated code frequently wraps calls in try/catch to "make the error go away" without handling or surfacing the failure — a hallmark of unreviewed AI output.
WARNING	ai-debt-empty-catch-block-js	bin/aidebt-scan.js:268	Empty catch block. AI-generated code frequently wraps calls in try/catch to "make the error go away" without handling or surfacing the failure — a hallmark of unreviewed AI output.
WARNING	ai-debt-empty-catch-block-js	bin/aidebt-scan.js:283	Empty catch block. AI-generated code frequently wraps calls in try/catch to "make the error go away" without handling or surfacing the failure — a hallmark of unreviewed AI output.
WARNING	ai-debt-empty-catch-block-js	lib/pdf-export.js:24	Empty catch block. AI-generated code frequently wraps calls in try/catch to "make the error go away" without handling or surfacing the failure

SEVERITY	RULE	LOCATION	DETAIL
			— a hallmark of unreviewed AI output.
WARNING	ai-debt- flask- cors- wildcard	rules/09-java-spring-smells.yml:46	Flask-CORS configured with a wildcard origin. Common AI shortcut to silence a browser CORS error during development; if this is an authenticated API, wildcard origins undermine cookie/credential protections.
INFO	ai-debt- console- log- debug- leftover	bin/aidebt-scan.js:304	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI- generated commits (weight this by frequency, not presence).
INFO	ai-debt- console- log- debug- leftover	bin/aidebt-scan.js:305	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI- generated commits (weight this by frequency, not presence).
INFO	ai-debt- console- log- debug- leftover	bin/aidebt-scan.js:306	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI- generated commits (weight this by

SEVERITY	RULE	LOCATION	DETAIL
			frequency, not presence).
INFO	ai-debt-console-log-debug-leftover	bin/aidebt-scan.js:308	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI-generated commits (weight this by frequency, not presence).
INFO	ai-debt-console-log-debug-leftover	bin/aidebt-scan.js:315	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI-generated commits (weight this by frequency, not presence).
INFO	ai-debt-console-log-debug-leftover	bin/aidebt-scan.js:330	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI-generated commits (weight this by frequency, not presence).
INFO	ai-debt-console-log-debug-leftover	bin/aidebt-scan.js:333	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI-generated commits (weight this by

SEVERITY	RULE	LOCATION	DETAIL
			frequency, not presence).
INFO	ai-debt-console-log-debug-leftover	bin/aidebt-scan.js:334	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI-generated commits (weight this by frequency, not presence).
INFO	ai-debt-console-log-debug-leftover	bin/aidebt-scan.js:335	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI-generated commits (weight this by frequency, not presence).
INFO	ai-debt-console-log-debug-leftover	bin/aidebt-scan.js:336	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI-generated commits (weight this by frequency, not presence).
INFO	ai-debt-console-log-debug-leftover	bin/aidebt-scan.js:337	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI-generated commits (weight this by

SEVERITY	RULE	LOCATION	DETAIL
			frequency, not presence).
INFO	ai-debt-console-log-debug-leftover	bin/aidebt-scan.js:338	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI-generated commits (weight this by frequency, not presence).
INFO	ai-debt-console-log-debug-leftover	bin/aidebt-scan.js:339	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI-generated commits (weight this by frequency, not presence).
INFO	ai-debt-console-log-debug-leftover	bin/aidebt-scan.js:340	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI-generated commits (weight this by frequency, not presence).
INFO	ai-debt-console-log-debug-leftover	bin/aidebt-scan.js:341	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI-generated commits (weight this by

SEVERITY	RULE	LOCATION	DETAIL
			frequency, not presence).
INFO	ai-debt-console-log-debug-leftover	bin/aidebt-scan.js:342	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI-generated commits (weight this by frequency, not presence).
INFO	ai-debt-console-log-debug-leftover	bin/aidebt-scan.js:343	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI-generated commits (weight this by frequency, not presence).
INFO	ai-debt-console-log-debug-leftover	bin/aidebt-scan.js:344	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI-generated commits (weight this by frequency, not presence).
INFO	ai-debt-console-log-debug-leftover	bin/aidebt-scan.js:356	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI-generated commits (weight this by

SEVERITY	RULE	LOCATION	DETAIL
			frequency, not presence).
INFO	ai-debt-console-log-debug-leftover	bin/aidebt-scan.js:362	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI-generated commits (weight this by frequency, not presence).
INFO	ai-debt-console-log-debug-leftover	scripts/test-config-integration.js:89	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI-generated commits (weight this by frequency, not presence).
INFO	ai-debt-console-log-debug-leftover	scripts/test-rules.js:108	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI-generated commits (weight this by frequency, not presence).
INFO	ai-debt-console-log-debug-leftover	scripts/test-rules.js:116	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI-generated commits (weight this by

SEVERITY	RULE	LOCATION	DETAIL
			frequency, not presence).

Python Security (Bandit) — 0 findings

sub-score 0/100 — by severity: none

SEVERITY	TEST	LOCATION	DETAIL
----------	------	----------	--------

Dependency Vulnerabilities (pip-audit + npm audit)

No known-vulnerable dependencies found — sub-score 0/100

Duplication (jscpd)

1.1% duplicated lines (73/6355) across 12 clone pairs — sub-score 6/100

- 6 lines: `.github/workflows/ci.yml:32-37` ↔ `.github/workflows/self-scan.yml:37-42`
- 6 lines: `docs/index.html:104-109` ↔ `docs/index.html:110-115`
- 6 lines: `docs/index.html:104-109` ↔ `docs/index.html:122-127`
- 6 lines: `docs/index.html:109-114` ↔ `docs/index.html:115-120`
- 7 lines: `docs/index.html:109-115` ↔ `docs/index.html:127-133`
- 6 lines: `docs/index.html:116-121` ↔ `docs/index.html:134-139`
- 6 lines: `docs/index.html:121-126` ↔ `docs/index.html:133-138`
- 7 lines: `docs/index.html:121-127` ↔ `docs/index.html:139-145`
- 7 lines: `docs/index.html:121-127` ↔ `docs/index.html:145-151`
- 7 lines: `docs/index.html:121-127` ↔ `docs/index.html:151-157`
- 11 lines: `rules/01-security-smells.yml:2-12` ↔ `rules/08-go-smells.yml:103-113`
- 10 lines: `rules/01-security-smells.yml:53-62` ↔ `rules/01-security-smells.yml:68-77`

Historical Secrets (gitleaks)

4 leaked secret(s) found in git history — sub-score 100/100

- `aws-access-token` in `test-fixtures/bad.py:31` (commit 3e4505cc)
- `generic-api-key` in `test-fixtures/rails/config/secrets.yml:2` (commit 3e4505cc)

- `generic-api-key` in `test-fixtures/rails/config/secrets.yml:2` (commit 560b7622)
- `aws-access-token` in `test-fixtures/bad.py:31` (commit a933837c)

Cognitive Debt (knowledge concentration)

⚠ **This is a shallow git clone (limited commit history available).** Cognitive and intent debt scores are likely unreliable — re-run against a full clone (`git fetch --unshallow` , or `fetch-depth: 0` in CI) before trusting these two numbers.

Bus-factor risk ratio (raw): 98.3% of tracked files have had only one author ever

Total distinct authors: 2 (team-size damping factor: 0.50)

⚠ Score damped heavily — with only 2 total contributor(s), single-author-per-file is structural, not a debt signal.

Files only one person has ever touched:

- `.claude-plugin/plugin.json` (Solo Builder)
- `CALIBRATION.md` (Solo Builder)
- `CALIBRATION_50_REPOS.md` (Solo Builder)
- `CALIBRATION_50_REPOS.pdf` (Solo Builder)
- `CONTRIBUTING.md` (Solo Builder)
- `assets/demo-terminal.svg` (Solo Builder)
- `docs/TOOLS.md` (Solo Builder)
- `package.json` (Solo Builder)
- `scripts/git-mine.js` (Solo Builder)
- `bin/aidebt-scan.js` (Solo Builder)
- `lib/args.js` (Solo Builder)
- `lib/fs-utils.js` (Solo Builder)
- `lib/pdf-export.js` (Solo Builder)
- `scripts/render/sarif.js` (Solo Builder)
- `scripts/score.js` (Solo Builder)
- `scripts/score.test.js` (Solo Builder)
- `skills/ai-debt-audit/SKILL.md` (Solo Builder)
- `docs/WHAT_IT_CATCHES.md` (Solo Builder)
- `scripts/render/csv.js` (Solo Builder)
- `scripts/render/html.js` (Solo Builder)
- `scripts/render/markdown.js` (Solo Builder)
- `scripts/scoring.js` (Solo Builder)
- `.github/workflows/ci.yml` (Solo Builder)
- `.github/workflows/self-scan.yml` (Solo Builder)
- `action.yml` (Solo Builder)
- `lib/auth-middleware-dampening.js` (Solo Builder)
- `lib/history.js` (Solo Builder)
- `rules/README.md` (Solo Builder)
- `scripts/config.js` (Solo Builder)
- `scripts/render/badge.js` (Solo Builder)
- `scripts/report-data.js` (Solo Builder)
- `scripts/resolve-gitleaks-version.sh` (Solo Builder)

- `.aidebtrc.json` (Solo Builder)
- `examples/language-support/README.md` (Solo Builder)
- `examples/language-support/Sample.java` (Solo Builder)
- `examples/language-support/sample.go` (Solo Builder)
- `examples/language-support/sample.py` (Solo Builder)
- `examples/language-support/sample.rb` (Solo Builder)
- `docs/USAGE.md` (Solo Builder)
- `.claude-plugin/marketplace.json` (Solo Builder)
- `.dockerignore` (Solo Builder)
- `Dockerfile` (Solo Builder)
- `calibration-pilot-results/caddyserver_caddy.json` (Solo Builder)
- `calibration-pilot-results/calcom_cal.com.json` (Solo Builder)
- `calibration-pilot-results/encode_django-rest-framework.json` (Solo Builder)
- `calibration-pilot-results/forem_forem.json` (Solo Builder)
- `calibration-pilot-results/gin-gonic_gin.json` (Solo Builder)
- `calibration-pilot-results/gofiber_fiber.json` (Solo Builder)
- `calibration-pilot-results/gothinkster_realworld.json` (Solo Builder)
- `calibration-pilot-results/miguelgrinberg_flasky.json` (Solo Builder)
- `calibration-pilot-results/pallets_flask.json` (Solo Builder)
- `calibration-pilot-results/shadcn-ui_taxonomy.json` (Solo Builder)
- `calibration-pilot-results/spring-projects_spring-petclinic.json` (Solo Builder)
- `calibration-pilot-results/wagtail_wagtail.json` (Solo Builder)
- `examples/full-output-demo/README.md` (Solo Builder)
- `examples/full-output-demo/csv-workbook/knowledge-risk.csv` (Solo Builder)
- `examples/full-output-demo/csv-workbook/missing-context.csv` (Solo Builder)
- `examples/full-output-demo/csv-workbook/summary.csv` (Solo Builder)
- `examples/full-output-demo/csv-workbook/technical-debt.csv` (Solo Builder)
- `examples/full-output-demo/report.html` (Solo Builder)
- `examples/full-output-demo/report.md` (Solo Builder)
- `examples/full-output-demo/report.pdf` (Solo Builder)
- `examples/full-output-demo/scores.json` (Solo Builder)
- `marketing/launch-drafts.md` (Solo Builder)
- `marketing/release-notes-v1.4.0.md` (Solo Builder)
- `node_modules/.bin/jscpd` (Solo Builder)
- `node_modules/.package-lock.json` (Solo Builder)
- `node_modules/cpd-linux-x64-gnu/LICENSE` (Solo Builder)
- `node_modules/cpd-linux-x64-gnu/README.md` (Solo Builder)
- `node_modules/cpd-linux-x64-gnu/cpd-bin/cpd` (Solo Builder)
- `node_modules/cpd-linux-x64-gnu/package.json` (Solo Builder)
- `node_modules/jscpd/README.md` (Solo Builder)
- `node_modules/jscpd/package.json` (Solo Builder)
- `node_modules/jscpd/platform-map.js` (Solo Builder)
- `node_modules/jscpd/run-jscpd.js` (Solo Builder)
- `test-fixtures/bad.py` (Solo Builder)
- `test-fixtures/bad.ts` (Solo Builder)
- `test-fixtures/django/myproject/settings.py` (Solo Builder)
- `test-fixtures/django/views.py` (Solo Builder)
- `test-fixtures/dup1.js` (Solo Builder)
- `test-fixtures/dup2.js` (Solo Builder)
- `test-fixtures/flask/app.py` (Solo Builder)

- `test-fixtures/flask/requirements.txt` (Solo Builder)
- `test-fixtures/go/main.go` (Solo Builder)
- `test-fixtures/java/src/main/java/com/example/InsecureClient.java` (Solo Builder)
- `test-fixtures/java/src/main/java/com/example/SecurityConfig.java` (Solo Builder)
- `test-fixtures/java/src/main/java/com/example/UserService.java` (Solo Builder)
- `test-fixtures/rails/app/controllers/users_controller.rb` (Solo Builder)
- `test-fixtures/rails/config/initializers/cors.rb` (Solo Builder)
- `test-fixtures/rails/config/secrets.yml` (Solo Builder)
- `test-fixtures/supabase/schema.sql` (Solo Builder)
- `test-fixtures/webhooks/route.ts` (Solo Builder)
- `.gitattributes` (Solo Builder)
- `.github/workflows/ai-debt-check.yml` (Solo Builder)
- `.gitignore` (Solo Builder)
- `LICENSE` (Solo Builder)
- `assets/logo.svg` (Solo Builder)
- `assets/sample-report.png` (Solo Builder)
- `docs/index.html` (Solo Builder)
- `examples/sample-report.md` (Solo Builder)
- `package-lock.json` (Solo Builder)
- `rules/01-security-smells.yml` (Solo Builder)
- `rules/02-error-handling-smells.yml` (Solo Builder)
- `rules/03-placeholder-and-stub-smells.yml` (Solo Builder)
- `rules/04-react-node-smells.yml` (Solo Builder)
- `rules/05-supabase-smells.yml` (Solo Builder)
- `rules/06-django-flask-smells.yml` (Solo Builder)
- `rules/07-rails-smells.yml` (Solo Builder)
- `rules/08-go-smells.yml` (Solo Builder)
- `rules/09-java-spring-smells.yml` (Solo Builder)
- `scripts/colors.js` (Solo Builder)
- `scripts/test-config-integration.js` (Solo Builder)
- `scripts/test-rules.js` (Solo Builder)
- `assets/demo-terminal.png` (Solo Builder)
- `ai-debt-audit` (Solo Builder)
- `ai-debt-report.html` (Solo Builder)
- `ai-debt-report.md` (Solo Builder)

Giant-Dump Commits (measured from `git log --numstat`)

5.9% of commits (6) touched many files or churned many lines in one shot — the "wasn't reviewed incrementally" pattern:

- `8cf7210` Solo Builder: "refactor: split score.js and aidebt-scan.js into focused modules — zero behavior change" — 25 files, +1260/-1149 lines
- `fc1767e` Solo Builder: "chore: slim repo for install — drop marketing/demo bulk, move test data to test-data branch" — 50 files, +0/-7475 lines
- `7a937ba` Solo Builder: "docs: add a real full-output demo bundle under examples/" — 94 files, +13026/-0 lines
- `d2e835e` Solo Builder: "docs: add 12-repo calibration pilot results, link from README" — 14 files, +5028/-1 lines

- `281562c` Solo Builder: "add AGPL-3.0 license (official, unmodified text) — chosen deliberately over MIT to prevent silent commercial forks, per explicit decision" — 4 files, +670/-2 lines
- `b633b2e` Solo Builder: "add jscpd duplicate test fixtures" — 15 files, +789/-0 lines

Intent Debt (externalized rationale)

Generic/uninformative commit messages: 2.9% of commits

Refactor-commit ratio (trend indicator, not scored): 2.9%

Commits flagged as generic/uninformative:

- `7fb3e88` Solo Builder: "update"
- `0933525` Solo Builder: "fix"
- `f44bc42` Solo Builder: "wip"

AI-Assisted Commits (measured from commit trailers, not inferred)

4.9% of commits (5) carry a known AI coding tool's signature

- Claude Code: 5 commit(s)

Methodology is a v1 heuristic pending calibration against real audited repos.