

AI-Debt Report


ai-debt-audit · generated 2026-07-05T05:39:52.103Z



Low Risk

Blended from technical (50%), cognitive (25%), and intent (25%) debt signals

Category Breakdown



Technical Debt — 29 Semgrep findings

- **error_handling**: 5 findings (weighted 20)
- **incomplete_implementation**: 23 findings (weighted 23)
- **security**: 1 findings (weighted 3)

All Findings

SEVERITY	RULE	LOCATION	DETAIL
WARNING	ai-debt-empty-catch-block-js	bin/aidebt-scan.js:259	Empty catch block. AI-generated code frequently wraps calls in try/catch to "make the error go away" without handling or surfacing the failure — a hallmark of unreviewed AI output.

SEVERITY	RULE	LOCATION	DETAIL
WARNING	ai-debt-empty-catch-block-js	bin/aidebt-scan.js:288	Empty catch block. AI-generated code frequently wraps calls in try/catch to "make the error go away" without handling or surfacing the failure — a hallmark of unreviewed AI output.
WARNING	ai-debt-empty-catch-block-js	bin/aidebt-scan.js:343	Empty catch block. AI-generated code frequently wraps calls in try/catch to "make the error go away" without handling or surfacing the failure — a hallmark of unreviewed AI output.
WARNING	ai-debt-empty-catch-block-js	bin/aidebt-scan.js:358	Empty catch block. AI-generated code frequently wraps calls in try/catch to "make the error go away" without handling or surfacing the failure — a hallmark of unreviewed AI output.
WARNING	ai-debt-empty-catch-block-js	bin/aidebt-scan.js:386	Empty catch block. AI-generated code frequently wraps calls in try/catch to "make the error go away" without handling or surfacing the failure — a hallmark of unreviewed AI output.
WARNING	ai-debt-flask-cors-wildcard	rules/09-java-spring-smells.yml:46	Flask-CORS configured with a wildcard origin. Common AI shortcut to silence a browser CORS error during development; if this is an authenticated API,

SEVERITY	RULE	LOCATION	DETAIL
			wildcard origins undermine cookie/credential protections.
INFO	ai-debt- console- log- debug- leftover	bin/aidebt-scan.js:414	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI- generated commits (weight this by frequency, not presence).
INFO	ai-debt- console- log- debug- leftover	bin/aidebt-scan.js:415	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI- generated commits (weight this by frequency, not presence).
INFO	ai-debt- console- log- debug- leftover	bin/aidebt-scan.js:416	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI- generated commits (weight this by frequency, not presence).
INFO	ai-debt- console- log- debug- leftover	bin/aidebt-scan.js:418	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI- generated commits

SEVERITY	RULE	LOCATION	DETAIL
			(weight this by frequency, not presence).
INFO	ai-debt-console-log-debug-leftover	bin/aidebt-scan.js:425	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI-generated commits (weight this by frequency, not presence).
INFO	ai-debt-console-log-debug-leftover	bin/aidebt-scan.js:440	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI-generated commits (weight this by frequency, not presence).
INFO	ai-debt-console-log-debug-leftover	bin/aidebt-scan.js:443	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI-generated commits (weight this by frequency, not presence).
INFO	ai-debt-console-log-debug-leftover	bin/aidebt-scan.js:444	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI-generated commits (weight this by

SEVERITY	RULE	LOCATION	DETAIL
			frequency, not presence).
INFO	ai-debt-console-log-debug-leftover	bin/aidebt-scan.js:445	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI-generated commits (weight this by frequency, not presence).
INFO	ai-debt-console-log-debug-leftover	bin/aidebt-scan.js:446	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI-generated commits (weight this by frequency, not presence).
INFO	ai-debt-console-log-debug-leftover	bin/aidebt-scan.js:447	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI-generated commits (weight this by frequency, not presence).
INFO	ai-debt-console-log-debug-leftover	bin/aidebt-scan.js:448	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI-generated commits (weight this by

SEVERITY	RULE	LOCATION	DETAIL
			frequency, not presence).
INFO	ai-debt-console-log-debug-leftover	bin/aidebt-scan.js:449	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI-generated commits (weight this by frequency, not presence).
INFO	ai-debt-console-log-debug-leftover	bin/aidebt-scan.js:450	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI-generated commits (weight this by frequency, not presence).
INFO	ai-debt-console-log-debug-leftover	bin/aidebt-scan.js:451	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI-generated commits (weight this by frequency, not presence).
INFO	ai-debt-console-log-debug-leftover	bin/aidebt-scan.js:452	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI-generated commits (weight this by

SEVERITY	RULE	LOCATION	DETAIL
			frequency, not presence).
INFO	ai-debt-console-log-debug-leftover	bin/aidebt-scan.js:453	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI-generated commits (weight this by frequency, not presence).
INFO	ai-debt-console-log-debug-leftover	bin/aidebt-scan.js:454	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI-generated commits (weight this by frequency, not presence).
INFO	ai-debt-console-log-debug-leftover	bin/aidebt-scan.js:466	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI-generated commits (weight this by frequency, not presence).
INFO	ai-debt-console-log-debug-leftover	bin/aidebt-scan.js:472	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI-generated commits (weight this by

SEVERITY	RULE	LOCATION	DETAIL
			frequency, not presence).
INFO	ai-debt-console-log-debug-leftover	scripts/test-config-integration.js:89	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI-generated commits (weight this by frequency, not presence).
INFO	ai-debt-console-log-debug-leftover	scripts/test-rules.js:108	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI-generated commits (weight this by frequency, not presence).
INFO	ai-debt-console-log-debug-leftover	scripts/test-rules.js:116	console.log/debugger left in source. Individually trivial, but a high density across a codebase correlates strongly with unreviewed AI-generated commits (weight this by frequency, not presence).

Python Security (Bandit) — 0 findings

sub-score 0/100 — by severity: none

SEVERITY	TEST	LOCATION	DETAIL
----------	------	----------	--------

Dependency Vulnerabilities (pip-audit + npm audit)

No known-vulnerable dependencies found — sub-score 0/100

Duplication (jscpd)

2.7% duplicated lines (325/11897) across 48 clone pairs — sub-score 14/100

- 7 lines: `.github/workflows/ci.yml:27-33` ↔ `.github/workflows/self-scan.yml:37-43`
- 16 lines: `docs/index.html:5-20` ↔ `report.html:5-20`
- 6 lines: `docs/index.html:20-25` ↔ `report.html:20-25`
- 29 lines: `docs/index.html:29-57` ↔ `report.html:29-57`
- 11 lines: `docs/index.html:63-73` ↔ `report.html:63-73`
- 6 lines: `docs/index.html:74-79` ↔ `report.html:74-79`
- 6 lines: `docs/index.html:80-85` ↔ `report.html:80-85`
- 8 lines: `docs/index.html:96-103` ↔ `report.html:96-103`
- 7 lines: `docs/index.html:103-109` ↔ `report.html:109-115`
- 7 lines: `docs/index.html:103-109` ↔ `report.html:115-121`
- 7 lines: `docs/index.html:103-109` ↔ `report.html:121-127`
- 6 lines: `docs/index.html:103-108` ↔ `report.html:127-132`
- 6 lines: `docs/index.html:104-109` ↔ `docs/index.html:110-115`
- 6 lines: `docs/index.html:104-109` ↔ `docs/index.html:122-127`
- 6 lines: `docs/index.html:109-114` ↔ `docs/index.html:115-120`
- 7 lines: `docs/index.html:109-115` ↔ `docs/index.html:127-133`
- 6 lines: `docs/index.html:116-121` ↔ `docs/index.html:134-139`
- 6 lines: `docs/index.html:116-121` ↔ `report.html:134-139`
- 6 lines: `docs/index.html:121-126` ↔ `docs/index.html:133-138`
- 7 lines: `docs/index.html:121-127` ↔ `docs/index.html:139-145`
- 7 lines: `docs/index.html:121-127` ↔ `docs/index.html:145-151`
- 7 lines: `docs/index.html:121-127` ↔ `docs/index.html:151-157`
- 7 lines: `docs/index.html:121-127` ↔ `report.html:139-145`
- 7 lines: `docs/index.html:121-127` ↔ `report.html:145-151`
- 7 lines: `docs/index.html:121-127` ↔ `report.html:151-157`
- 7 lines: `docs/index.html:121-127` ↔ `report.html:157-163`
- 7 lines: `docs/index.html:121-127` ↔ `report.html:163-169`
- 7 lines: `docs/index.html:121-127` ↔ `report.html:169-175`
- 7 lines: `docs/index.html:121-127` ↔ `report.html:175-181`
- 7 lines: `docs/index.html:121-127` ↔ `report.html:181-187`
- 7 lines: `docs/index.html:121-127` ↔ `report.html:187-193`
- 7 lines: `docs/index.html:121-127` ↔ `report.html:193-199`
- 7 lines: `docs/index.html:121-127` ↔ `report.html:199-205`
- 7 lines: `docs/index.html:121-127` ↔ `report.html:205-211`
- 7 lines: `docs/index.html:121-127` ↔ `report.html:211-217`
- 7 lines: `docs/index.html:121-127` ↔ `report.html:217-223`
- 7 lines: `docs/index.html:121-127` ↔ `report.html:223-229`

- 7 lines: docs/index.html:121-127 ↔ report.html:229-235
- 7 lines: docs/index.html:121-127 ↔ report.html:235-241
- 7 lines: docs/index.html:121-127 ↔ report.html:241-247
- 7 lines: docs/index.html:121-127 ↔ report.html:247-253
- 7 lines: docs/index.html:121-127 ↔ report.html:253-259
- 7 lines: docs/index.html:121-127 ↔ report.html:259-265
- 7 lines: docs/index.html:121-127 ↔ report.html:265-271
- 11 lines: docs/index.html:121-131 ↔ report.html:271-283
- 11 lines: rules/01-security-smells.yml:2-12 ↔ rules/08-go-smells.yml:103-113
- 10 lines: rules/01-security-smells.yml:53-62 ↔ rules/01-security-smells.yml:68-77
- 7 lines: test-fixtures/dup1.js:1-7 ↔ test-fixtures/dup2.js:1-7

Historical Secrets (gitleaks)

2 leaked secret(s) found in git history — sub-score 50/100

- generic-api-key in test-fixtures/rails/config/secrets.yml:2 (commit 560b7622)
- aws-access-token in test-fixtures/bad.py:31 (commit a933837c)

Cognitive Debt (knowledge concentration)

Bus-factor risk ratio (raw): 97.8% of tracked files have had only one author ever

Total distinct authors: 2 (team-size damping factor: 0.50)

△ Score damped heavily — with only 2 total contributor(s), single-author-per-file is structural, not a debt signal.

Files only one person has ever touched:

- action.yml (Solo Builder)
- bin/aidebt-scan.js (Solo Builder)
- docs/USAGE.md (Solo Builder)
- scripts/score.js (Solo Builder)
- scripts/git-mine.js (Solo Builder)
- scripts/test-config-integration.js (Solo Builder)
- CONTRIBUTING.md (Solo Builder)
- skills/ai-debt-audit/SKILL.md (Solo Builder)
- .claude-plugin/plugin.json (Solo Builder)
- package.json (Solo Builder)
- docs/WHAT_IT_CATCHES.md (Solo Builder)
- CALIBRATION_50_REPOS.md (Solo Builder)
- calibration-pilot-results/caddyserver_caddy.json (Solo Builder)
- calibration-pilot-results/calcom_cal.com.json (Solo Builder)
- calibration-pilot-results/encode_django-rest-framework.json (Solo Builder)
- calibration-pilot-results/forem_forem.json (Solo Builder)
- calibration-pilot-results/gin-gonic_gin.json (Solo Builder)

- `calibration-pilot-results/gofiber_fiber.json` (Solo Builder)
- `calibration-pilot-results/gothinkster_realworld.json` (Solo Builder)
- `calibration-pilot-results/miguelgrinberg_flasky.json` (Solo Builder)
- `calibration-pilot-results/pallets_flask.json` (Solo Builder)
- `calibration-pilot-results/shadcn-ui_taxonomy.json` (Solo Builder)
- `calibration-pilot-results/spring-projects_spring-petclinic.json` (Solo Builder)
- `calibration-pilot-results/wagtail_wagtail.json` (Solo Builder)
- `docs/TOOLS.md` (Solo Builder)
- `.aidebtrc.json` (Solo Builder)
- `.github/workflows/self-scan.yml` (Solo Builder)
- `.gitattributes` (Solo Builder)
- `.github/workflows/ci.yml` (Solo Builder)
- `rules/09-java-spring-smells.yml` (Solo Builder)
- `rules/README.md` (Solo Builder)
- `scripts/score.test.js` (Solo Builder)
- `scripts/test-rules.js` (Solo Builder)
- `test-fixtures/java/src/main/java/com/example/InsecureClient.java` (Solo Builder)
- `test-fixtures/java/src/main/java/com/example/SecurityConfig.java` (Solo Builder)
- `test-fixtures/java/src/main/java/com/example/UserService.java` (Solo Builder)
- `rules/08-go-smells.yml` (Solo Builder)
- `test-fixtures/go/main.go` (Solo Builder)
- `Dockerfile` (Solo Builder)
- `CALIBRATION.md` (Solo Builder)
- `assets/logo.svg` (Solo Builder)
- `marketing/launch-drafts.md` (Solo Builder)
- `marketing/release-notes-v1.4.0.md` (Solo Builder)
- `LICENSE` (Solo Builder)
- `rules/07-rails-smells.yml` (Solo Builder)
- `test-fixtures/rails/app/controllers/users_controller.rb` (Solo Builder)
- `test-fixtures/rails/config/initializers/cors.rb` (Solo Builder)
- `test-fixtures/rails/config/secrets.yml` (Solo Builder)
- `.dockerignore` (Solo Builder)
- `.gitignore` (Solo Builder)
- `.github/workflows/ai-debt-check.yml` (Solo Builder)
- `rules/01-security-smells.yml` (Solo Builder)
- `assets/demo-terminal.png` (Solo Builder)
- `assets/demo-terminal.svg` (Solo Builder)
- `assets/sample-report.png` (Solo Builder)
- `docs/index.html` (Solo Builder)
- `examples/sample-report.md` (Solo Builder)
- `ai-debt-audit` (Solo Builder)
- `ai-debt-report.html` (Solo Builder)
- `ai-debt-report.md` (Solo Builder)
- `test-fixtures/flask/requirements.txt` (Solo Builder)
- `rules/06-django-flask-smells.yml` (Solo Builder)
- `test-fixtures/django/myproject/settings.py` (Solo Builder)
- `test-fixtures/django/views.py` (Solo Builder)
- `test-fixtures/flask/app.py` (Solo Builder)
- `scripts/colors.js` (Solo Builder)
- `node_modules/.package-lock.json` (Solo Builder)

- `package-lock.json` (Solo Builder)
- `test-fixtures/bad.py` (Solo Builder)
- `node_modules/.bin/jscpd` (Solo Builder)
- `node_modules/cpd-linux-x64-gnu/LICENSE` (Solo Builder)
- `node_modules/cpd-linux-x64-gnu/README.md` (Solo Builder)
- `node_modules/cpd-linux-x64-gnu/cpd-bin/cpd` (Solo Builder)
- `node_modules/cpd-linux-x64-gnu/package.json` (Solo Builder)
- `node_modules/jscpd/README.md` (Solo Builder)
- `node_modules/jscpd/package.json` (Solo Builder)
- `node_modules/jscpd/platform-map.js` (Solo Builder)
- `node_modules/jscpd/run-jscpd.js` (Solo Builder)
- `test-fixtures/dup1.js` (Solo Builder)
- `test-fixtures/dup2.js` (Solo Builder)
- `test-fixtures/bad.ts` (Solo Builder)
- `test-fixtures/supabase/schema.sql` (Solo Builder)
- `test-fixtures/webhooks/route.ts` (Solo Builder)
- `rules/05-supabase-smells.yml` (Solo Builder)
- `rules/03-placeholder-and-stub-smells.yml` (Solo Builder)
- `rules/04-react-node-smells.yml` (Solo Builder)
- `rules/02-error-handling-smells.yml` (Solo Builder)

Intent Debt (externalized rationale)

Generic/uninformative commit messages: 3.6% of commits

Refactor-commit ratio (trend indicator, not scored): 3.6%

Commits flagged as generic/uninformative:

- `7fb3e88` Solo Builder: "update"
- `0933525` Solo Builder: "fix"
- `f44bc42` Solo Builder: "wip"

Methodology is a v1 heuristic pending calibration against real audited repos.