

साक्षी

Saakshi


A resilient, provable computer-based testing ecosystem

Hackathon Challenge 6 · Prototype & Proof of Concept

Team Kawaai: Anirudh, Bhumika, Arjav

A working prototype, not a concept

Every answer is signed and hash-chained at the seat. The system survives relay, cell and link failures, and any tampering afterwards is locatable and recoverable.



The five demo acts, in exam order. Each drives real seat, relay, cell and control processes (not mocks) and writes an evidence file to docs/evidence/.

Repository: <https://github.com/anirudh12032008/saakshi> · Tested on macOS and Windows. The design never auto-penalises a candidate: flags go to a human reviewer.

Key limit, stated up front: a seat signature proves a record was not altered after the device produced it, not that the candidate chose it. Analytics figures use synthetic data and performance figures are loopback on one host.

What runs today

Act	What it proves	Measured number	Evidence
1 Before	Integrity gate blocks a seat running AnyDesk and an overlay tool by name; re-check turns green; face flag goes to human review	2 tools named and blocked; 1 face flag cleared by reviewer	evidence folder
2 T0	2-of-3 custody release; centre with cut link unlocks via phoned offline code; forged relay key rejected	308 candidates, 7 centres, 6,586 entries committed	evidence folder
3 During	WAN cut, cell wipe and rebuild, seat force-quit and move; candidates keep answering	Data lost 0; recovery 1.3 to 1.9 s across three drill runs	evidence folder
4 After	Rogue DB edit is located; /verify shows "Q17: record says C, the seat committed B" and recovers B; evidence pack manifest verifies	1,000 of 1,000 byte-flip locations found	evidence folder
5 Decide	Analytics on the cells' own export flag likely cheating and decide compensate, re-test or re-conduct	203,031 entries; 53 flags; no honest candidate flagged; Compensated 0, Re-tested 193, Re-conducted 3 centres, Spared 1,190 (synthetic)	evidence folder


Measured numbers

One Apple M5 Mac (16 GiB), 3 real cells on loopback, 99 simulated centres, synthetic cohort. Not real WAN.

Measure	Result	Source
Ingest latency, relay to cell (3,697 calls)	p50 44.1 ms, p99 168.1 ms	evidence folder
Entries stored / rejected at 20k candidates	227,882 / 0	evidence folder
Candidates unlocked	19,803 of 19,803	evidence folder
Relay-to-cell traffic	about 1.06 MB per candidate-hour	evidence folder
Seat CPU / memory	2.3% median (max 4.3%) / 166 MiB	evidence folder
Chaos drill (kill-cell, wipe-cell, spare-relay)	20/20 pass, 0 of 16,000 answers lost, recovery median 0.96 to 1.23 s	evidence folder
Offline-start act	PASS, 308 candidates at 7 centres, 6,586 entries	evidence folder


Caveats: the per-candidate-hour figure extrapolates a 60 s window; seat CPU and memory cover the main process over about 10 s; everything is loopback on one host.

The running system (1 of 3)



Act 1. Control board: seat blocked by name (AnyDesk), another amber on battery; review queue shows a cleared face flag.

Stills from the recorded demo (submitted separately). Burned-in text is the video narration caption.



Act 2. Custody release: 6 of 7 centres green, Centre 42 (link cut) still locked; 308 candidates registered.

Act 3. Incident cards during chaos: Data Centre 2 rebuilding from the relays, "answers lost 0".

Act 4. /verify page: "Q17: record says C, the seat committed B"; signed chain and receipt checks shown.

The running system (3 of 3)

Decide fairly

Incident id

Breach perimeter

Evidence

Leaked items

e.g. act15-small

comma-separated centres, o

☐ Systemic

how the breach was four

optional, comma-se

Run

Compensated 0 · Re-tested 193 · Re-conducted 3 centres · Spared 1,190 · ₹ avoided 17,85,000

C00156 · CEN010

Watch

speed-accuracy

correct on 19 of 19 hard items answered unusually fast (ability decile 1; expected 3.3)

corroboration only — no prior attempt in the registry; nothing to corroborate

C00243 · CEN010

Watch

speed-accuracy

correct on 21 of 21 hard items answered unusually fast (ability decile 2; expected 4.8)

corroboration only — observed P41 vs expected P34 (past P34 + typical gain -0); does not corroborate the flag; annotation only

C00349 · CEN005

Watch

speed-accuracy

correct on 20 of 20 hard items answered unusually fast (ability decile 3; expected 1.4)

corroboration only — no prior attempt in the registry; nothing to corroborate

C00576 · CEN010

Act 5. Decision headline on the cells' own export: Compensated 0, Re-tested 193, Re-conducted 3 centres, Spared 1,190 (synthetic).

Measured numbers

One Apple M5 Mac (16 GiB), 3 real cells on loopback, 99 simulated centres, synthetic G1 cohort. Not real WAN.

Ingest latency, relay to cell (3,697 calls)	p50 44.1 ms, p99 168.1 ms
Entries stored / rejected at 20k candidates	227,882 / 0
Candidates unlocked	19,803 of 19,803
Relay-to-cell traffic	about 1.06 MB per candidate-hour
Seat CPU / RSS	2.3% median (max 4.3%) / 166 MiB
Chaos drill (kill-cell, wipe-cell, spare-relay)	20/20 pass, 0 of 16,000 answers lost, RTO median 0.96 to 1.23 s
Offline-start act	PASS, 308 candidates at 7 centres, 6,586 entries committed

A protocol, not a product · Apache-2.0 · tested on macOS and in Windows CI · every number cited in docs/evidence/

It is tested on macOS and in Windows CI, and every number is cited in the evidence folder.

Close. Measured-numbers slide: every figure is cited to a file in the evidence folder.

Engineering proof

Check	Result
Workspace tests	476 passing: core 93, seat 98, server 285
Analytics tests	76 passed
Checks on every commit	Green. The packaged seat is built and tested end to end, and the build refuses debugger flags. Tested on macOS and Windows.
Chaos drill	20/20 runs pass; 16,000 sent = 16,000 stored, 0 answers lost
Tamper lab	1,000 of 1,000 byte-flips located
Protocol spec	Frozen spec with golden test vectors. /verify re-checks the vectors in the browser on every load.

Repository: <https://github.com/anirudh12032008/saakshi> · Apache-2.0