PASSKAL

🔰 Here you'll get 🔰

- PPT
- NOTES
- VIDEO LECTURE
- E-BOOK
- PYQ
- EXPERIMENT
- ASSIGNMENT
- TUTORIAL

PASSKAL

@PASSKALBOT

https://telegram.me/Passkalbot

Unit No.4
ORTHOGRAPHIC PROJECTIONS

CLASSIFICATION OF DRAWING



ENGINEERING DRAWING

- Drawings drawn by an engineer, using engineering instruments, engineering concepts, engineering principles, engineering processes etc used only for engineering applications.

PRINCIPLE OF PROJECTION

WHAT IS THE NEED ?

GEOMETRICAL OBJECTS

- Dimensionless objects
- One dimensional objects
- Two dimensional objects
- Three dimensional objects

EXAMPLES

POINT IS A DIMENSIONLESS OBJECT

LINE IS A ONE DIMENSIONAL OBJECT



PLANE/ LAMINA IS A TWO DIMENSIONAL OBJECT



SOLID IS A THREE DIMENSIONAL OBJECT

ACTUAL DRAWINGS REQUIRED FOR FABRICATION/ CONSTRUCTION OR MANUFACTUREING


1

AP

A Volkswagen Polo is loaded in the car towers of the VW Autostadt in Wolfsburg, northern Germany on Wednesday. The Autostadt, situated next to Volkswagen's headquarter, is the company's theme park, and distribution centre where daily 5,500 visitors view Volkswagen brands like Bentley, Audi, Lamborghini.


AIR CANADA
14/07/2006


Fairmont Château
12/07/2006


28/02/2006


28/02/2006


01/03/2006


04/03/2006


09/03/2006


FOOD
TOBACCO
DUTY FREE
01/05/2006


03/05/2006


25/01/2007


Emirates
BOEING 777-300ER
28/01/2007


Delta Air Lines

PROJECTION

- ***Principles of Projection*** invented by French Mathematician, ***GASPARD MONGE*** in 1800.
- Today it has become an indispensable tool of an engineer to transform his ideas into reality.
- The word projection is a latin word, meaning "***to throw forward"***

PRINCIPLE OF PROJECTION



ORTHOGRAPHIC PROJECTION



ORTHOGRAPHIC PROJECTION

- **Orthographic projection** is a means of representing a three-dimensional (3D) object in two dimensions (2D). It uses multiple views of the object.

PRINCIPAL PLANES OF PROJECTIONS

1. VERTICAL PLANE [VP]
2. HORIZONTAL PLANE [HP]
3. PROFILE PLANES [PP]
   a) LEFT PROFILE PLANE [LPP]
   b) RIGHT PROFILE PLANE [RPP]

PRINCIPAL VIEWS

1. **FRONT VIEW [ELEVATION]**
2. **TOP VIEW [PLAN]**
3. **PROFILE VIEWS [END VIEWS]**
   - **a. RIGHT END VIEW**
   - **b. LEFT END VIEW**

POSITIONS OF OBJECT IN DIFFERENT QUADRANTS



II QUADRANT

VP

I QUADRANT

HP

HP

OBSERVER DIRECTION



III QUADRANT

VP

I V QUADRANT


II QUADRANT
VP
I QUADRANT
ABOVE HP
BEHIND VP
ABOVE HP
INFRONT OF VP
HP
HP
OBSERVER
DIRECTION
BELOW HP
BEHIND VP
BELOW HP
INFRONT OF VP
III QUADRANT
VP
I V QUADRANT

1ST QUADRANT



RIGHT VIEW IS PROJECTED ON LPP
LEFT VIEW IS PROJECTED ON RPP

OBJECT IS ALWAYS INFRONT OF VP, RPP,LPP.

POINT IS ALWAYS LIES BETWEEN OBSERVER AND PLANE

2ND QUADRANT



RIGHT VIEW IS PROJECTED ON RPP
LEFT VIEW IS PROJECTED ON LPP

POINT IS ALWAYS BEHIND VP, RPP,LPP.

PLANE ALWAYS LIES BETWEEN OBSERVER AND THE POINT

3RD QUADRANT



RIGHT VIEW IS PROJECTED ON RPP
LEFT VIEW IS PROJECTED ON LPP

POINT ALWAYS BEHIND VP, RPP,LPP.

PLANE ALWAYS LIES BETWEEN OBSERVER AND THE POINT

4TH QUADRANT



RIGHT VIEW IS PROJECTED ON LPP
LEFT VIEW IS PROJECTED ON RPP

OBJECT IS ALWAYS INFRONT OF VP, RPP,LPP.

POINT ALWAYS LIES BETWEEN OBSERVER AND PLANE

FIRST ANGLE PROJECTION


II QUADRANT
VP
I QUADRANT
F
V
HP
TV
HP
OBSERVER
DIRECTION
III QUADRANT
VP
I V QUADRANT


II QUADRANT
VP
I QUADRANT
HP
F
V
OBSERVER
DIRECTION
HP
TV
III QUADRANT
VP
I V QUADRANT


II QUADRANT
VP
I QUADRANT
F
V
OBSERVER
DIRECTION
HP
TV
HP
III QUADRANT
VP
I V QUADRANT


II QUADRANT
VP
I QUADRANT
F
V
OBSERVER
DIRECTION
HP
T
V
III QUADRANT
VP
HP
I V QUADRANT

CONVENTION FOR FIRST ANGLE



SECOND ANGLE PROJECTION


II QUADRANT
VP
I QUADRANT
F
V
OBSERVER
DIRECTION
HP
TV
HP
III QUADRANT
VP
I V QUADRANT

CONVENTION FOR FIRST ANGLE



THIRD ANGLE PROJECTION


II QUADRANT
VP
I QUADRANT
HP
TV
HP
OBSERVER DIRECTION
F
V
III QUADRANT
VP
I V QUADRANT

CONVENTION FOR FIRST ANGLE



FOURTH ANGLE PROJECTION


II QUADRANT
VP
I QUADRANT
HP
TV
HP
OBSERVER DIRECTION
F
V
III QUADRANT
VP
I V QUADRANT

CONVENTION FOR FIRST ANGLE



First Angle Projection	Third Angle Projection
The object is imagined to be in first quadrant.	The object is imagined to be in third quadrant.
The object is lies between the observer and plane of projection.	The plane of projection lies between the observer and object.
The plane of projection is assumed to be non transparent.	The plane of projection is assumed to be transparent.
When view are drawn in their relative position Top view comes below Front view, Right side view drawn to the left side of elevation.	When view are drawn in their relative position Top view comes above Front view, Right side view drawn to the right side of elevation.
 SYMBOL	 SYMBOL
	

F.V. (front View.)

Appears on V.P. (Vertical Plane)

L.H.S.V. (left Hand Side View.)

Appears on P.P. (Profile Plane)



T.V. (Top View.)

Appears on H.P. (Horizontal Plane)


Elevation




Elevation

Elevation



Plan



Plan



	Elevation 	End View 1 
	 Plan	





First-angle Projection







ORTHOGRAPHIC PROJECTIONS



PICTORIAL PRESENTATION IS GIVEN

DRAW THREE VIEWS OF THIS OBJECT
BY FIRST ANGLE PROJECTION METHOD



ORTHOGRAPHIC PROJECTIONS



PICTORIAL PRESENTATION IS GIVEN

DRAW FV AND SV OF THIS OBJECT
BY FIRST ANGLE PROJECTION METHOD

ORTHOGRAPHIC PROJECTIONS





PICTORIAL PRESENTATION IS GIVEN

DRAW FV AND TV OF THIS OBJECT
BY FIRST ANGLE PROJECTION METHOD


30
9
12
9
75
9
18
30
15
7


Ø30
18
R7.5
30
7
9
60
9
9
12

sectional orthographic projection



sectional orthographic projection





SECTIONAL ISOMETRIC VIEWS

Soln :



PROJECTIONS OF A POINT IN FIRST QUADRANT.

POINT A ABOVE HP & INFRONT OF VP



PICTORIAL PRESENTATION

POINT A ABOVE HP & IN VP



PICTORIAL PRESENTATION

POINT A IN HP & INFRONT OF VP



ORTHOGRAPHIC PRESENTATIONS OF ALL ABOVE CASES.

Fv above xy, Tv below xy.



Fv above xy, Tv on xy.



Fv on xy, Tv below xy.



POINT A IN 2ND QUADRANT



POINT A IN 1ST QUADRANT





POINT A IN 3RD QUADRANT



POINT A IN 4TH QUADRANT

PROJECTIONS OF STRAIGHT LINES.

SIMPLE CASES OF THE LINE

1. A VERTICAL LINE i.e. LINE PERPENDICULAR TO HP & // TO VP.
2. A HORIZONTAL LINE i.e. LINE PERPENDICULAR TO VP & //TO HP.
3. LINE PARALLEL TO BOTH HP & VP.
4. LINE INCLINED TO HP & PARALLEL TO VP.
5. LINE INCLINED TO VP & PARALLEL TO HP.
6. LINE INCLINED TO BOTH HP & VP.

(Pictorial Presentation)

1.

A Line perpendicular to Hp & // to Vp



Orthographic Pattern

Note:
Fv is a vertical line
Showing True Length
&
Tv is a point.



(Pictorial Presentation)

3.

A Line // to Hp & // to Vp



Orthographic Pattern

Note:
Fv & Tv both are
// to xy
&
both show T. L.



4.

A Line inclined to Hp
and
parallel to Vp

(Pictorial presentation)



Fv inclined to xy
Tv parallel to xy.



Orthographic Projections

5.

A Line inclined to Vp
and
parallel to Hp

(Pictorial presentation)



Tv inclined to xy
Fv parallel to xy.



6.

A Line inclined to both Hp and Vp

(Pictorial presentation)



On removal of object
i.e. Line AB
Fv as a image on Vp.
Tv as a image on Hp,





Orthographic Projections
Fv is seen on Vp clearly.
To see Tv clearly, HP is rotated 90^0 downwards,
Hence it comes below xy.

Note These Facts:-
Both Fv & Tv are inclined to xy.
(No view is parallel to xy)
Both Fv & Tv are reduced lengths.
(No view shows True Length)

Orthographic Projections
Means Fv & Tv of Line AB
are shown below,
with their apparent Inclinations
α & β



Here TV (ab) is not // to XY line
Hence it's corresponding FV
a' b' is not showing
True Length &
True Inclination with Hp.

Note the procedure
When Fv & Tv known,
How to find True Length.
(Views are rotated to determine
True Length & it's inclinations
with Hp & Vp).



In this sketch, TV is rotated
and made // to XY line.
Hence it's corresponding
FV a' b1' Is showing
True Length
&
True Inclination with Hp.

Note the procedure
When True Length is known,
How to locate Fv & Tv.
(Component a-1 of TL is drawn
which is further rotated
to determine Fv)



Here a -1 is component
of TL ab_1 gives length of Fv.
Hence it is brought Up to
Locus of a' and further rotated
to get point b'. a' b' will be Fv.
Similarly drawing component
of other TL(a' b_1') Tv can be drawn.

The most important diagram showing graphical relations among all important parameters of this topic.
Study and memorize the *DIAGRAM*
And use in solving various problems.



1) True Length (TL) – a' b_1' & a b1
2) Angle of TL with Hp - θ
3) Angle of TL with Vp – Ø
4) Angle of FV with xy – α
5) Angle of TV with xy – β
6) LTV (length of TV) – Component (a-1)
7) LFV (length of FV) – Component (a'-1')
8) Position of A- Distances of a & a' from xy
9) Position of B- Distances of b & b' from xy
10) Distance between End Projectors

Important TEN parameters to be remembered with Notations used here onward

NOTE this

θ & α Construct with *a'*

Ø & β Construct with *a*

b' & b_1' on same locus.

b & b_1 on same locus.

Also Remember

True Length is never rotated. It's horizontal component is drawn & it is further rotated to locate view.

Views are always rotated, made horizontal & further extended to locate TL, θ & Ø

GROUP (A)

GENERAL CASES OF THE LINE INCLINED TO BOTH HP & VP

(based on 10 parameters).

PROBLEM 1)

Line AB is 75 mm long and it is 30^0 & 40^0 Inclined to Hp & Vp respectively.
End A is 12mm above Hp and 10 mm in front of Vp.
Draw projections. Line is in 1st quadrant.

SOLUTION STEPS:

1) Draw xy line and one projector.
2) Locate a' 12mm above xy line & a 10mm below xy line.
3) Take 30^0 angle from a' & 40^0 from a and mark TL I.e. 75mm on both lines. Name those points b_1' and b_1 respectively.
4) Join both points with a' and a resp.
5) Draw horizontal lines (Locus) from both points.
6) Draw horizontal component of TL a b_1 from point b_1 and name it 1.
(the length a-1 gives length of Fv as we have seen already.)
7) Extend it up to locus of a' and rotating a' as center locate b' as shown. Join a' b' as Fv.
8) From b' drop a projector down ward & get point b. Join a & b I.e. Tv.



PROBLEM 2:

Line AB 75mm long makes 45^0 inclination with Vp while it's Fv makes 55^0. End A is 10 mm above Hp and 15 mm in front of Vp.If line is in 1st quadrant draw it's projections and find it's inclination with Hp.

Solution Steps:-

1.Draw x-y line.
2.Draw one projector for a' & a
3.Locate *a'* 10mm above x-y & Tv *a* 15 mm below xy.
4.Draw a line 45^0 inclined to xy from point *a* and cut TL 75 mm on it and name that point b_1 Draw locus from point b_1
5.Take 55^0 angle from *a'* for Fv above xy line.
6.Draw a vertical line from b_1 up to locus of a and name it *1*. It is horizontal component of TL & is LFV.
7.Continue it to locus of *a'* and rotate upward up to the line of Fv and name it *b'*.This *a' b'* line is Fv.
8. Drop a projector from b' on locus from point b_1 and name intersecting point *b*. Line *a b* is Tv of line AB.
9.Draw locus from *b'* and from *a'* with TL distance cut point b_1'
10.Join $a' b_1'$ as TL and measure it's angle at *a'*.

It will be true angle of line with HP.



PROBLEM 3:

Fv of line AB is 50^0 inclined to xy and measures 55 mm long while it's Tv is 60^0 inclined to xy line. If end A is 10 mm above Hp and 15 mm in front of Vp, draw it's projections,find TL, inclinations of line with Hp & Vp.

SOLUTION STEPS:

1. Draw xy line and one projector.
2. Locate a' 10 mm above xy and a 15 mm below xy line.
3. Draw locus from these points.
4. Draw Fv 50^0 to xy from a' and mark b' Cutting 55mm on it.
5. Similarly draw Tv 60^0 to xy from a & drawing projector from b' Locate point b and join a b.
6. Then rotating views as shown, locate True Lengths ab_1 & $a'b_1'$ and their angles with Hp and Vp.



PROBLEM 4 :-

Line AB is 75 mm long .It's Fv and Tv measure 50 mm & 60 mm long respectively. End A is 10 mm above Hp and 15 mm in front of Vp. Draw projections of line AB if end B is in first quadrant.Find angle with Hp and Vp.

SOLUTION STEPS:

1.Draw xy line and one projector.
2.Locate a' 10 mm above xy and a 15 mm below xy line.
3.Draw locus from these points.
4.Cut 60mm distance on locus of a' & mark 1' on it as it is LTV.
5.Similarly Similarly cut 50mm on locus of a and mark point 1 as it is LFV.
6.From 1' draw a vertical line upward and from a' taking TL (75mm) in compass, mark b'_1 point on it. Join a' b'_1 points.
7. Draw locus from b'_1
8. With same steps below get b_1 point and draw also locus from it.
9. Now rotating one of the components I.e. a-1 locate b' and join a' with it to get Fv.
10. Locate tv similarly and measure Angles θ & Φ



PROBLEM 5 :-

T.V. of a 75 mm long Line CD, measures 50 mm.
End C is in Hp and 50 mm in front of Vp.
End D is 15 mm in front of Vp and it is above Hp.
Draw projections of CD and find angles with Hp and Vp.

SOLUTION STEPS:

1.Draw xy line and one projector.
2.Locate c' on xy and
c 50mm below xy line.
3.Draw locus from these points.
4.Draw locus of d 15 mm below xy
5.Cut 50mm & 75 mm distances on locus of d from c and mark points d & d_1 as these are Tv and line CD lengths resp.& join both with c.
6.From d_1 draw a vertical line upward up to xy I.e. up to locus of c' and draw an arc as shown.
7 Then draw one projector from d to meet this arc in d' point & join c' d'
8. Draw locus of d' and cut 75 mm on it from c' as TL
9.Measure Angles θ & Φ



PROBLEMS INVOLVING TRACES OF THE LINE.

TRACES OF THE LINE:-

These are the points of intersections of a line (or it's extension) With respective reference planes.

A line itself or it's extension, where ever touches H.P.,
That point is called trace of the line on H.P.(It is called H.T.)

Similarly, a line itself or it's extension, where ever touches V.P.,
That point is called trace of the line on V.P.(It is called V.T.)

V.T.:- It is a point on VP.
Hence it is called *Fv* of a point in VP.
Hence it's *TV* comes on XY line.(Here onward named as v)

H.T.:- It is a point on HP.
Hence it is called *TV* of a point in Hp.
Hence it's *Fv* comes on XY line.(Here onward named as h')

STEPS TO LOCATE HT.
(WHEN PROJECTIONS ARE GIVEN.)

1. Begin with FV. Extend FV up to XY line.
2. Name this point h’
   (as it is a Fv of a point in Hp)
3. Draw one projector from h’.
4. Now extend TV to meet this projector.
   This point is HT

STEPS TO LOCATE VT.
(WHEN PROJECTIONS ARE GIVEN.)

1. Begin with TV. Extend TV up to XY line.
2. Name this point v
   (as it is a TV of a point in VP)
3. Draw one projector from v.
4. Now extend Fv to meet this projector.
   This point is VT



Observe & note :-

1. Points h’ & v always on x-y line.
2. VT’ & v always on one projector.
3. HT & h’ always on one projector.
4. FV - h’- VT’ always co-linear.
5. TV - v - HT always co-linear.

These points are used to solve next three problems.

PROBLEM 6 :- Fv of line AB makes 45^0 angle with XY line and measures 60 mm. Line's Tv makes 30^0 with XY line. End A is 15 mm above Hp and it's VT is 10 mm below Hp. Draw projections of line AB,determine inclinations with Hp & Vp and locate HT, VT.



SOLUTION STEPS:-

Draw xy line, one projector and locate fv a' 15 mm above xy.
Take 45^0 angle from a' and marking 60 mm on it locate point b'.
Draw locus of VT, 10 mm below xy & extending Fv to this locus locate VT. as fv-h'-vt' lie on one st.line.
Draw projector from vt, locate v on xy.
From v take 30^0 angle downward as Tv and it's inclination can begin with v.
Draw projector from b' and locate b I.e.Tv point.
Now rotating views as usual TL and it's inclinations can be found.
Name extension of Fv, touching xy as h' and below it, on extension of Tv, locate HT.

PROBLEM 7 :

One end of line AB is 10mm above Hp and other end is 100 mm in-front of Vp.
It's Fv is 45^0 inclined to xy while it's HT & VT are 45mm and 30 mm below xy respectively.
Draw projections and find TL with it's inclinations with Hp & VP.



SOLUTION STEPS:-

Draw xy line, one projector and locate a' 10 mm above xy.
Draw locus 100 mm below xy for points b & b_1
Draw loci for VT and HT, 30 mm & 45 mm below xy respectively.
Take 45^0 angle from a' and extend that line backward to locate h' and VT, & Locate v on xy above VT.
Locate HT below h' as shown.
Then join v – HT – and extend to get top view end b.
Draw projector upward and locate b' Make a b & a'b' dark.
Now as usual rotating views find TL and it's inclinations.

PROBLEM 8 :- Projectors drawn from HT and VT of a line AB are 80 mm apart and those drawn from it's ends are 50 mm apart. End A is 10 mm above Hp, VT is 35 mm below Hp while it's HT is 45 mm in front of Vp. Draw projections, locate traces and find TL of line & inclinations with Hp and Vp.

SOLUTION STEPS:-

1.Draw xy line and two projectors, 80 mm apart and locate HT & VT , 35 mm below xy and 55 mm above xy respectively on these projectors.

2.Locate h' and v on xy as usual.

3.Now just like previous two problems, Extending certain lines complete Fv & Tv And as usual find TL and it's inclinations.



Instead of considering a & a' as projections of first point,
if v &VT' are considered as first point , then true inclinations of line with
Hp &Vp i.e. angles θ & Φ can be constructed with points VT' &V respectively.



Then from point v & HT
angles β & Φ can be drawn.
&
From point VT' & h'
angles α & θ can be drawn.

THIS CONCEPT IS USED TO SOLVE NEXT *THREE* PROBLEMS.

PROBLEM 9 :-

Line AB 100 mm long is 30^0 and 45^0 inclined to Hp & Vp respectively.
End A is 10 mm above Hp and it's VT is 20 mm below Hp
.Draw projections of the line and it's HT.



SOLUTION STEPS:-

Draw xy, one projector
and locate on it VT and V.
Draw locus of a' 10 mm above xy.
Take 30^0 from VT and draw a line.
Where it intersects with locus of a'
name it a_1' as it is TL of that part.
From a_1' cut 100 mm (TL) on it and locate point b_1'
Now from v take 45^0 and draw a line downwards
& Mark on it distance VT-a_1' I.e.TL of extension & name it a_1
Extend this line by 100 mm and mark point b_1.
Draw it's component on locus of VT'
& further rotate to get other end of Fv i.e.b'
Join it with VT' and mark intersection point
(with locus of a_1') and name it a'
Now as usual locate points a and b and h' and HT.

PROBLEM 10 :-

A line AB is 75 mm long. It's Fv & Tv make 45^0 and 60^0 inclinations with X-Y line resp
End A is 15 mm above Hp and VT is 20 mm below Xy line. Line is in first quadrant.
Draw projections, find inclinations with Hp & Vp. Also locate HT.



SOLUTION STEPS:-

Similar to the previous only change
is instead of line's inclinations,
views inclinations are given.
So first take those angles from VT & v
Properly, construct Fv & Tv of extension,
then determine it's TL(V-a_1)
and on it's extension mark TL of line
and proceed and complete it.

PROBLEM 11 :- The projectors drawn from VT & end A of line AB are 40mm apart. End A is 15mm above Hp and 25 mm in front of Vp. VT of line is 20 mm below Hp. If line is 75mm long, draw it's projections, find inclinations with HP & Vp



Draw two projectors for VT & end A
Locate these points and then

YES !

YOU CAN COMPLETE IT.

GROUP (C)

CASES OF THE LINES IN A.V.P., A.I.P. & PROFILE PLANE.



Line AB is in AIP as shown in above figure no 1.
It's FV (a'b') is shown projected on Vp.(Looking in arrow direction)
Here one can clearly see that the
Inclination of AIP with HP = Inclination of FV with XY line



Line AB is in AVP as shown in above figure no 2..
It's TV (a b) is shown projected on Hp.(Looking in arrow direction)
Here one can clearly see that the
Inclination of AVP with VP = Inclination of TV with XY line

LINE IN A PROFILE PLANE (MEANS IN A PLANE PERPENDICULAR TO BOTH HP & VP)



ORTHOGRAPHIC PATTERN OF LINE IN PROFILE PLANE



Results:-

1. TV & FV both are vertical, hence arrive on one single projector.
2. It's Side View shows True Length (TL)
3. Sum of it's inclinations with HP & VP equals to 90^0 ($\theta + \Phi = 90^0$)
4. It's HT & VT arrive on same projector and can be easily located From Side View.

OBSERVE CAREFULLY ABOVE GIVEN ILLUSTRATION AND 2nd SOLVED PROBLEM.

PROBLEM 12 :- Line AB 80 mm long, makes 30^0 angle with Hp and lies in an Aux.Vertical Plane 45^0 inclined to Vp.
End A is 15 mm above Hp and VT is 10 mm below X-y line.
Draw projections, fine angle with Vp and Ht.



Simply consider inclination of AVP as inclination of TV of our line, well then?

You sure can complete it as previous problems! Go ahead!!

PROBLEM 13 :- A line AB, 75mm long, has one end A in Vp. Other end B is 15 mm above Hp and 50 mm in front of Vp.Draw the projections of the line when sum of it's Inclinations with HP & Vp is 90^0, means it is lying in a profile plane.
Find true angles with ref.planes and it's traces.

SOLUTION STEPS:-

After drawing xy line and one projector
Locate top view of A I.e point a on xy as
It is in Vp,
Locate Fv of B i.e.b'15 mm above xy as
it is above Hp.and Tv of B i.e. b, 50 mm
below xy asit is 50 mm in front of Vp
Draw side view structure of Vp and Hp
and locate S.V. of point B i.e. b''
From this point cut 75 mm distance on Vp and
Mark a'' as A is in Vp. (This is also VT of line.)
From this point draw locus to left & get a'
Extend SV up to Hp. It will be HT. As it is a Tv
Rotate it and bring it on projector of b.
Now as discussed earlier SV gives TL of line
and at the same time on extension up to Hp & Vp
gives inclinations with those panes.