

NSW RESIDENTIAL TENANCY CONDITION REPORT

Combined START and END of tenancy - ORBAS PDF Extractor test fixture

DUMMY DATA ONLY - NOT AN NSW GOVERNMENT-ISSUED FORM. Both START / Move-In and END / Move-Out fields are populated to test ORBAS extraction and subsequent reconciliation.

Address of premises	24 Example Street, Parramatta NSW 2150	Report type	Combined Move In + Move Out
Tenancy start date	03/09/2026	Move-in inspection	01/09/2026
Vacate date	31/08/2027	Move-out inspection	31/08/2027
Landlord / Agent	Harbour Example Realty Pty Ltd	Property manager	Amelia Carter
Tenant 1	Daniel Nguyen	Tenant 2	Priya Shah
Test reference	TEST-NSW-COMBINED-270831-001	Jurisdiction	New South Wales (NSW)

Key: C = Clean; U = Undamaged; W = Working

ENTRANCE / HALL

Item	START / MOVE IN						END / MOVE OUT					
	Tenant agrees	Tenant comments	C	U	W	Landlord / agent comments	Tenant agrees	Tenant comments	C	U	W	Landlord / agent comments
front door / screen door / security door	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
walls / picture hooks	Y	Agreed.	Y	N	Y	3 hooks; small scuff near intercom.	Y	Agreed.	Y	Y	Y	No exit defect noted.
doorway frames	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
windows / screens / window safety devices	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
ceiling / light fittings	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
blinds / curtains	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
lights / power points / door bell	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
skirting boards	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
floor coverings	Y	Existing stain.	N	Y	Y	Light carpet stain near front door.	N	Tenant says fair wear.	N	Y	Y	Carpet soiled near entrance; cleaning required.
other	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.

LOUNGE ROOM

Item	START / MOVE IN						END / MOVE OUT					
	Tenant agrees	Tenant comments	C	U	W	Landlord / agent comments	Tenant agrees	Tenant comments	C	U	W	Landlord / agent comments
walls / picture hooks	Y	Agreed.	Y	Y	Y	No defect noted.	N	Tenant disputes adhesive mark.	Y	N	Y	New wall scuff and adhesive marks.
doors / doorway frames	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
windows / screens / window safety devices	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
ceiling / light fittings	N	Tenant says mark darker.	Y	N	Y	Repaired water mark near balcony.	Y	Agreed.	Y	Y	Y	No exit defect noted.
blinds / curtains	Y	Agreed.	Y	N	Y	One vertical blind slat cracked.	Y	Agreed.	Y	N	Y	Two blind slats cracked.
lights / power points	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
skirting boards	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
floor coverings	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
other	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.

DINING ROOM

Item	START / MOVE IN						END / MOVE OUT					
	Tenant agrees	Tenant comments	C	U	W	Landlord / agent comments	Tenant agrees	Tenant comments	C	U	W	Landlord / agent comments
walls / picture hooks	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
doors / doorway frames	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
windows / screens / window safety devices	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
ceiling / light fittings	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
blinds / curtains	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
lights / power points	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
skirting boards	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
floor coverings	Y	Agreed.	Y	N	Y	Two shallow timber scratches.	N	Tenant considers fair wear.	Y	N	Y	Additional deep scratch near table area.
other	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.

KITCHEN

Item	START / MOVE IN						END / MOVE OUT					
	Tenant agrees	Tenant comments	C	U	W	Landlord / agent comments	Tenant agrees	Tenant comments	C	U	W	Landlord / agent comments
walls / picture hooks	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
doors / doorway frames	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
windows / screens / window safety devices	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
ceiling / light fittings	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
blinds / curtains	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
lights / power points	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
skirting boards	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
floor coverings	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
cupboards / drawers	Y	Agreed.	Y	N	Y	Chip to pantry door lower edge.	Y	Agreed.	Y	Y	Y	No exit defect noted.
bench tops / tiling	Y	Photographed.	Y	N	Y	Small heat mark beside cooktop.	Y	Agreed.	N	N	Y	Grease residue; new chip to benchtop edge.
sink / taps / disposal unit	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
stove top / hot plates	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
oven / grill	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	N	Y	Y	Oven requires further cleaning.
exhaust fan / range hood	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
dishwasher	Y	Repair requested.	Y	Y	N	Powers on; test cycle did not start.	Y	Agreed.	Y	Y	Y	Operational at exit inspection.
other	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.

BEDROOM 1

Item	START / MOVE IN						END / MOVE OUT					
	Tenant agrees	Tenant comments	C	U	W	Landlord / agent comments	Tenant agrees	Tenant comments	C	U	W	Landlord / agent comments
walls / picture hooks	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
built-in wardrobe / shelves	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
doors / doorway frames	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
windows / screens / window safety devices	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
ceiling / light fittings	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
blinds / curtains	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
lights / power points	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
skirting boards	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
floor coverings	N	Tenant notes 2 stains.	N	Y	Y	Carpet spot stain near wardrobe.	N	Tenant says pre-existed.	N	N	Y	Dark carpet stain beside bed position.
other	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.

ENSUITE

Item	START / MOVE IN						END / MOVE OUT					
	Tenant agrees	Tenant comments	C	U	W	Landlord / agent comments	Tenant agrees	Tenant comments	C	U	W	Landlord / agent comments
walls / tiles	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
floor tiles / floor coverings	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
doors / doorway frame	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
windows / screens / window safety devices	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
ceiling / light fittings	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
blinds / curtains	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
lights / power points	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
bath / taps	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
shower / screen / taps	Y	Agreed.	N	Y	Y	Light soap residue on screen.	Y	Agreed.	N	Y	Y	Soap scale visible to screen and tiles.
wash basin / taps	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
mirror / cabinet / vanity	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
towel rails	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
toilet / cistern / seat	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
toilet roll holder	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
heating / exhaust fan / vent	Y	Repair requested.	Y	Y	N	Fan noisy; weak airflow.	Y	Agreed.	Y	Y	Y	No exit defect noted.
other	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.

BEDROOM 2

Item	START / MOVE IN						END / MOVE OUT					
	Tenant agrees	Tenant comments	C	U	W	Landlord / agent comments	Tenant agrees	Tenant comments	C	U	W	Landlord / agent comments
walls / picture hooks	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	N	Y	Two unapproved wall anchors remain.
built-in wardrobe / shelves	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
doors / doorway frames	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
windows / screens / window safety devices	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
ceiling / light fittings	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
blinds / curtains	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
lights / power points	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
skirting boards	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
floor coverings	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
other	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.

BEDROOM 3

Item	START / MOVE IN						END / MOVE OUT					
	Tenant agrees	Tenant comments	C	U	W	Landlord / agent comments	Tenant agrees	Tenant comments	C	U	W	Landlord / agent comments
walls / picture hooks	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
built-in wardrobe / shelves	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
doors / doorway frames	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
windows / screens / window safety devices	Y	Agreed.	Y	N	Y	Small tear in flyscreen.	N	Tenant says pre-existing.	Y	N	Y	Flyscreen tear enlarged at lower corner.
ceiling / light fittings	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
blinds / curtains	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
lights / power points	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
skirting boards	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
floor coverings	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
other	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.

BATHROOM

Item	START / MOVE IN						END / MOVE OUT					
	Tenant agrees	Tenant comments	C	U	W	Landlord / agent comments	Tenant agrees	Tenant comments	C	U	W	Landlord / agent comments
walls / tiles	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
floor tiles / floor coverings	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
doors / doorway frames	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
windows / screens / window safety devices	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
ceiling / light fittings	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
blinds / curtains	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
lights / power points	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
bath / taps	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
shower / screen / taps	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
wash basin / taps	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
mirror / cabinet / vanity	Y	Agreed.	Y	N	Y	Small chip to vanity drawer.	Y	Agreed.	Y	N	Y	Vanity drawer chip enlarged.
towel rails	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
toilet / cistern / seat	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
toilet roll holder	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
heating / exhaust fan / vent	N	Tenant confirms.	Y	Y	N	Exhaust fan not operating.	Y	Agreed.	Y	Y	Y	No exit defect noted.
other	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.

LAUNDRY

Item	START / MOVE IN						END / MOVE OUT					
	Tenant agrees	Tenant comments	C	U	W	Landlord / agent comments	Tenant agrees	Tenant comments	C	U	W	Landlord / agent comments
walls / tiles	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
floor tiles / floor coverings	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	N	Y	Y	Floor requires cleaning behind appliance area.
doors / doorway frames	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
windows / screens / window safety devices	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
ceiling / light fittings	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
blinds / curtains	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
lights / power points	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
washing machine / taps	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
exhaust fan / vent	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
washing tub	Y	Agreed.	Y	N	Y	Minor dent on left side.	Y	Agreed.	Y	Y	Y	No exit defect noted.
dryer	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
other	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.

SECURITY / SAFETY

Item	START / MOVE IN						END / MOVE OUT					
	Tenant agrees	Tenant comments	C	U	W	Landlord / agent comments	Tenant agrees	Tenant comments	C	U	W	Landlord / agent comments
external door locks	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
window locks	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
keys / other security devices	Y	Agreed.	Y	Y	Y	No defect noted.	N	Tenant says left with agent.	Y	Y	Y	One mailbox key not returned.
security / alarm system	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
smoke alarms	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
electrical safety switch	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
other	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.

GENERAL

Item	START / MOVE IN						END / MOVE OUT					
	Tenant agrees	Tenant comments	C	U	W	Landlord / agent comments	Tenant agrees	Tenant comments	C	U	W	Landlord / agent comments
heating / air conditioning	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
staircase / handrails	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
external television antenna / TV points	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
balcony / porch / deck	Y	Agreed.	N	Y	Y	Dust and leaf debris at drain.	Y	Agreed.	N	Y	Y	Balcony requires sweeping and wash-down.
swimming pool	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
swimming pool fence / gate	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
gates / fences	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
grounds / garden	Y	Agreed.	N	Y	Y	Weeds along rear fence.	Y	Agreed.	N	Y	Y	Garden overgrown; weeds present.
garden hose / fittings / watering system	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
lawns / edges	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
letter box / street number	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
water tanks / septic tanks	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
garbage bins	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	N	Y	Y	General waste bin contains rubbish.
paving / driveways	Y	Agreed.	Y	N	Y	Hairline crack in one paver.	Y	Agreed.	Y	Y	Y	No exit defect noted.
clothesline	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
garage / carport / storeroom	Y	Agreed.	Y	Y	Y	No defect noted.	N	Tenant says pre-existing.	N	Y	Y	Oil mark on garage floor.
garden shed	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
hot water system	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
gutters / downpipe	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.
other	Y	Agreed.	Y	Y	Y	No defect noted.	Y	Agreed.	Y	Y	Y	No exit defect noted.

COMBINED TENANCY INFORMATION

Field	START / MOVE IN	END / MOVE OUT
Inspection date	01/09/2026	31/08/2027
Water meter reading	001284.6 kL	001497.2 kL
Keys	2 front-door keys; 1 mailbox key; 1 garage remote issued	2 front-door keys; 1 garage remote returned; mailbox key disputed
Smoke alarms	Checked and working 28/08/2026	Present; no exit defect recorded
General cleaning	Several pre-existing cleaning observations recorded	Additional cleaning issues recorded in relevant END rows
Signatures	Agent and tenants acknowledged 01-03/09/2026	Agent and tenants acknowledged 31/08/2027

SIGNATURES

Stage	Party	Name	Acknowledgement	Date
START	Landlord / Agent	Amelia Carter	Digital acknowledgement - TEST	01/09/2026
START	Tenant 1	Daniel Nguyen	Digital acknowledgement - TEST	03/09/2026
START	Tenant 2	Priya Shah	Digital acknowledgement - TEST	03/09/2026
END	Landlord / Agent	Amelia Carter	Digital acknowledgement - TEST	31/08/2027
END	Tenant 1	Daniel Nguyen	Digital acknowledgement - TEST	31/08/2027
END	Tenant 2	Priya Shah	Digital acknowledgement - TEST	31/08/2027

Extractor test objective: ORBAS should identify and preserve START and END observations separately for each area/component so they can be reconciled without cross-mapping or duplicate records.