

ORBAS – Functional Scope Document

Digital PDF Condition Report Extractor

Version 3.7.10 • 23 July 2026 • Australian Residential Tenancy Condition Reports

1. Purpose

ORBAS is a self-contained Windows desktop application that reads a digital Australian residential tenancy condition-report PDF and extracts its contents into a structured data file (JSON) for use by the downstream converter/app. This document defines what the extractor does and does not handle, so the working scope is clear to both sides.

2. Supported Input

Accepted	Rejected (validated at upload)
Digital (text-based) PDF condition reports, including reports that contain embedded photos.	Scanned / image-only PDFs (photographed or scanned paper). These are detected in the background and rejected with a clear message.

The report type – move-in, move-out, or a combined move-in & move-out report – is detected automatically.

3. What ORBAS Extracts (In Scope)

Report metadata
• Jurisdiction (auto-detected: NSW, VIC, QLD, NT and others) • Report type: move-in, move-out, or combined (auto-detected) • Property address • Tenant name(s) • Landlord / agent name and property manager • Tenancy start date and end date; date received / inspection date
Condition grid – per area and per component/item
• Area / room name, exactly as written on the report • Component / item name, exactly as written on the report • Page number the area appears on • Move-in (start of tenancy) values per item: Clean, Undamaged, Working, Tenant agrees (each Y/N), plus landlord comments and tenant comments • Move-out (end of tenancy) values per item: Clean, Undamaged, Working, Tenant agrees (each Y/N), plus comments • Full multi-line comment / observation text within a cell (not truncated)
Statutory & other sections
• Smoke alarm details (dates checked, batteries changed) • Water efficiency measures / meter readings • Maintenance dates (internal / external painting, flooring, etc.)

- Additional comments
- Landlord's guarantee / promise to undertake work
- Signature blocks (landlord and tenants, with dates)

Photos & media

- Embedded photos / images, extracted regardless of their position in the report

4. Handling of Customised Reports

Agencies customise the standard jurisdiction template. The following kinds of customisation are supported:

Supported customisation

- Add, remove, update areas and components (CRUD)
- Different table structures and layouts
- Repositioned fields – key fields are found by label / pattern, not by fixed coordinates, so they survive layout shifts
- Renamed / reworded areas and components – passed through exactly as written (e.g. "Lounge" is returned as "Lounge", not remapped to "Living Room")
- Long free-text inside cells (comments / observations)

5. Out of Scope (Not Extracted)

- Scanned / image-only PDFs (rejected at upload). OCR for scanned reports is planned as a later, clearly-labelled Beta feature.
- Password-protected or encrypted PDFs.
- Free-text / essay-style reports where the condition is written as prose paragraphs rather than a table. (Confirmed not required – reports are always tabular.)
- Handwritten entries on an otherwise digital form.
- Documents that are not tenancy condition reports.
- Name standardisation / normalisation. By design, labels are passed through as written; ORBAS does not map them to a fixed canonical set.
- Judging the correctness of values. ORBAS reports what is on the page; it does not validate whether the ticks or comments are accurate.

6. Output

A structured JSON file containing report metadata, an ordered list of areas, each with its components and their move-in / move-out values and comments, plus statutory sections, signatures and extracted images. This is the file consumed by the downstream converter/app.

7. Assumptions

- The uploaded file is a digital, text-based PDF (not scanned).
- Condition data is presented in tabular form; cells may contain long text.
- The document is an Australian residential tenancy condition report.

This scope reflects ORBAS v3.7.10 (digital-only). It will be refined as real customised sample reports are tested; any layout that does not extract cleanly will be tuned against its sample.