HORIZONX

HorizonX Product Requirements Document

Web3 Ecosystem Discovery & Launch Management Frontend

VERSION 1.0 | 4 November 2026

Document contents

1. 1. Document control
2. 2. Executive summary
3. 3. Product identity and positioning
4. 4. Product goals
5. 5. Users and access concepts
6. 6. Product scope
7. 7. Out of scope for the current implementation
8. 8. Core user journeys and requirements
9. 9. Data and trust principles
10. 10. Non-functional expectations
11. 11. Release and acceptance boundary
12. 12. Open product decisions

1. Document control

Field	Value
Document	Product Requirements Document (PRD)
Project	HorizonX (repository/project label)
Current in-app brand	HorizonX appears in page metadata, wallet metadata and sample records; branding alignment remains unresolved
Version / date	1.0 / 4 November 2026
Status	Implementation-aligned baseline; product decisions remain open

2. Executive summary

HorizonX is a frontend-first Web3 ecosystem interface that brings together discovery and prototype workflows for tokens, projects, presales, fair launches, airdrops, staking pools and market information. The uploaded implementation is a React single-page application. It provides a broad set of navigable pages, wallet connectivity on Ethereum Sepolia, catalog-driven discovery, and browser-session simulations for selected creation and management flows.

The current release is a demonstrable frontend prototype, not a production Web3 protocol. The repository contains no application backend, database, production smart contracts, market-data service, indexer, KYC provider or server-side authentication. Most token, project, campaign and market records are local illustrative catalog data. Creation flows do not submit contract transactions.

This PRD documents what is present, what is simulated, what is planned and what remains undecided. It does not convert planned capabilities into claims of implementation.

3. Product identity and positioning

Project/repository identity: HorizonX. The current application still contains HorizonX branding in the HTML title and description, wallet connector metadata, sample catalog records, storage keys and portions of the documentation. The visual theme comments and route theme configuration refer to HorizonX. A product-owner decision is required before a public brand launch; this document uses HorizonX as the project name and records the in-app HorizonX references as a known branding inconsistency.

Product intent: a unified discovery and project-launch workspace with clear separation between off-chain application records, browser-session simulations and verified blockchain facts.

4. Product goals

- Provide public discovery for tokens, projects, presales, fair launches, airdrops and staking opportunities.
- Provide consistent dashboard, listing, detail and create/manage navigation patterns across modules.
- Allow users to connect an EVM wallet and inspect the connected account and Sepolia native balance.
- Demonstrate token, presale, fair-launch and airdrop workflows without falsely claiming that a blockchain transaction occurred.
- Make data provenance visible so catalog, simulated, session-created and genuinely on-chain values are not conflated.
- Establish a replaceable frontend architecture that can later integrate trusted APIs, indexing services and audited contracts.

5. Users and access concepts

User group	Primary need	Current access reality
Public visitor	Browse public catalog and project	Public frontend routes; no account required

	information	
Wallet user	Connect a wallet and inspect wallet-gated prototype views	Real wallet connection supported on Sepolia; wallet connection is not server-side authentication
Project / token creator	Explore creation and management workflows	UI and local simulation only; no deployed contract or persistent account backend
Partner / affiliate	View partner and referral concepts	Routes/UI exist; authoritative roles, attribution and permissions are not implemented
Administrator / reviewer	Review projects and platform records	Conceptual role only; no secure admin backend or approval service is present

6. Product scope

Module	Current frontend scope	Implementation boundary
Home	Ecosystem overview, featured content and entry points	Catalog/illustrative metrics; not an operational analytics backend
Explore	Discovery hub for tokens, projects, presales, launches, airdrops and staking	Local catalog and client-side filters/navigation
Tokens	Dashboard, explorer, detail, contract/activity views, watchlist, create and My Tokens	Catalog + simulated market figures + browser state; no token deployment or live token indexing
Launchpad	Presale and fair-launch directories, detail, create and My Launches	Local/session records and simulated lifecycle; no fundraising contract or contributions
Airdrops	Campaign directory, detail, create, claim and My Campaigns	Session simulation and local Merkle utility; no on-chain distribution or claim execution
Staking	Pool directory, detail, create and My views	Frontend representation only; no staking contract, deposits or reward settlement
Exchange / Markets	Market overview, token market pages and watchlist	Illustrative market data; no exchange, swap execution or connected market-data provider
Projects	Project directory, detail and owner-facing views	Seed catalog/session experience; no server-backed ownership or review workflow
Partners	Partner and referral views	Role matrix, attribution service and payout logic unresolved
Account	Profile, wallets, preferences, security and verification views	Frontend views; no backend identity, KYC provider or durable account store
Docs / Help	Documentation and help routes	Frontend content; policy/legal approval not evidenced

7. Out of scope for the current implementation

- Production token, presale, fair-launch, airdrop or staking smart contracts.
- Mainnet deployment, contract verification, privileged contract administration or upgradeability.
- Real token transfers, fundraising contributions, airdrop claims, staking deposits/withdrawals or swap execution.
- Live market prices, volumes, liquidity, historical charts or a production indexer.
- Backend API, database persistence, server-side user authentication, role enforcement or audit logs.
- Production KYC/AML, identity-document processing, jurisdictional eligibility or compliance decisions.
- Custody, private-key storage, wallet recovery, fiat on/off-ramp or investment advice.

8. Core user journeys and requirements

ID	Requirement	Priority	Acceptance evidence
PR-01	A visitor can navigate the public	Must	Routes load and links resolve to

	discovery modules and open catalog detail pages.		canonical pages.
PR-02	A visitor can search, filter, sort or paginate supported directory views where implemented.	Must	Directory controls update the displayed local dataset and empty states are usable.
PR-03	A user can connect a compatible EVM wallet through the configured connectors on Sepolia.	Must	Wallet address and connection state reflect Wagmi provider state.
PR-04	The application can read the connected wallet's native Sepolia ETH balance.	Must	Balance is retrieved through the configured Wagmi/Viem Sepolia transport; unavailable/error states are handled.
PR-05	A user can enter a token creation flow and receive an explicitly simulated/session receipt.	Must	No UI implies that a real contract deployment or transaction occurred.
PR-06	A user can create selected presale, fair-launch or airdrop prototype records in browser session storage.	Must	Records are marked as session/simulated and disappear according to session-storage lifecycle.
PR-07	The interface distinguishes catalog, simulated, session and on-chain provenance.	Must	Market fixtures are marked simulated; catalog records are not represented as chain-verified.
PR-08	Unsupported EVM networks are identified and the supported network is constrained to Sepolia.	Must	Active chain configuration contains Sepolia only (11155111).
PR-09	The interface exposes project, partner and account concepts without implying unavailable backend guarantees.	Must	No claim of server-enforced role, KYC, or persistent account security.
PR-10	The SPA supports direct navigation to nested routes when deployed on a host configured with an index.html fallback.	Must	Host rewrite/fallback returns the SPA entry for deep links.

9. Data and trust principles

- Catalog: static seed records in frontend/src/data/catalog; not independently verified against a blockchain.
- Simulated: illustrative market metrics, charts, holder/trade examples and simulated action outcomes.
- Session: records created in the current browser session and stored through sessionStorage utilities.
- On-chain: only label a value on-chain when it is actually read from a blockchain and its source/network are known. Token-specific on-chain reads are not implemented in this baseline.
- Wallet connection and native Sepolia balance are real provider interactions; they do not authenticate a user to a platform backend or validate catalog token records.
- Verification/audit labels in seed records are metadata only and must not be treated as proof of safety or independent review.

10. Non-functional expectations

Area	Requirement / target
Usability	Consistent navigation, clear loading/empty/error/unsupported-network states and understandable provenance labels.
Responsive design	Support mobile, tablet and desktop layouts; validate at 375, 430, 768, 1280 and 1440 px.
Accessibility	Semantic controls, keyboard access, visible focus, meaningful labels and reduced-motion behavior where animation is used.
Performance	Lazy-load route pages; keep heavy 3D/canvas experiences scoped to

	pages that need them; measure rather than assume performance.
Security	Never request or store private keys/seed phrases. Treat all VITE_ variables as browser-public. No secrets in the frontend bundle.
Reliability	Handle wallet rejection, unavailable RPC, unsupported chain, browser storage failure and malformed session records without false success.
Privacy	Do not collect or expose identity information through a UI-only prototype. Define retention and consent before adding KYC.

11. Release and acceptance boundary

The current archive is accepted as a frontend prototype baseline only after the project owner reviews the live application and confirms intended branding and product scope. Production release acceptance requires, at minimum, an approved backend/authentication design, real data providers, chain-specific contract specifications, audited contracts, threat modelling, legal/compliance review, monitoring, operational recovery and end-to-end tests. None of those production gates is evidenced by this source archive.

Static source inspection was performed for this document set. npm install, build, typecheck, lint and test commands were not executed during this documentation pass. Therefore this document does not claim that the current code passes those checks.

12. Open product decisions

Decision	Why it blocks scope	Current status
Exchange scope	Analytics-only and actual trading have materially different architecture, risk and integrations.	OPEN
Market-data provider	Price/chart credibility, freshness and attribution depend on a named source.	OPEN
Token standards/features	Factory design, optional controls and token lifecycle need explicit decisions.	OPEN
Contract upgrade model and authority	Proxy/immutable choice and admin control affect security and user trust.	OPEN
KYC and jurisdictions	Privacy, provider, retention and legal basis must be defined before collection.	OPEN
Admin/partner permissions	No secure role/approval matrix currently exists.	OPEN
Fees and economics	Contracts, UI disclosures and settlement rules depend on the model.	OPEN
Terms, privacy and risk disclosures	Required before public operation; no approval evidence supplied.	OPEN