



Monsoon 2021

Inverted Index

- Preprocessing, Dictionary - Postings Lists, and Storage

Dr. Rajendra Prasath

Indian Institute of Information Technology Sri City, Chittoor



19 August 2021 (rajendra.2power3.com)

> Topics to be covered

- Recap:
 - IR systems
 - Classical Search Engines

- Keywords / User Information Needs
- Relevance / Irrelevance
- Personalization
- Words / Term Weighting

- Text Collection / Corpora
- Evaluation Strategy

- More topics to come up ... Stay tuned ...!!

Recap: Information Retrieval

- **Information Retrieval (IR)** is finding material (usually documents) of an unstructured nature (usually text) that satisfies an information need from within large collections (usually stored on computers).
- These days we frequently think first of web search, but there are many other cases:
 - E-mail search
 - Searching your laptop
 - Corporate knowledge bases
 - Legal information retrieval
 - and so on . . .

Statistics: Text Data

➤ How do we extract the term statistics?

Darjeeling is a city and a municipality
in the Indian state of West Bengal.

➔ Darjeeling – 1; is – 1; a – 1; city – 1; and – 1; a – 1; municipality – 1; in – 1; the – 1; Indian – 1; state – 1; of – 1; west – 1; Bengal – 1;

➔➔ Darjeeling – 1; is – 1; **a – 2**; city – 1; and – 1; municipality – 1; in – 1; the – 1; Indian – 1; state – 1; of – 1; west – 1; Bengal – 1;

Look at 3 documents

- d₁- Darjeeling** is a city and a municipality in the Indian state of West Bengal. It is located in the Lesser Himalayas at an elevation of 6,700 feet
- d₂- Darjeeling** is noted for its tea industry, its views of Kangchenjunga, the world's third-highest mountain, and the **Darjeeling** Himalayan Railway, a UNESCO World Heritage Site
- d₃- Darjeeling** is the headquarters of the **Darjeeling** District which has a partially autonomous status within the state of West Bengal. It is also a tourist destination in India

Unique words and Counts?

d_1

2 the
2 of
2 is
2 in
2 a
1 state
1 municipality
1 located
1 feet
1 elevation
1 city
1 at
1 and
1 an
1 West
1 Lesser
1 It
1 Indian
1 Himalayas
1 Darjeeling
1 Bengal
1 6,700

d_2

2 the
2 its
2 Darjeeling
1 world's
1 views
1 third-highest
1 tea
1 of
1 noted
1 mountain
1 is
1 industry,
1 for
1 and
1 a
1 World
1 UNESCO
1 Site
1 Railway
1 Kangchenjunga
1 Himalayan
1 Heritag

d_3

3 the
2 of
2 is
2 a
2 Darjeeling
1 within
1 which
1 tourist
1 status
1 state
1 partially
1 in
1 headquarters
1 has
1 destination
1 autonomous
1 also
1 West
1 It
1 India
1 District
1 Bengal

Documents – Words / Terms*

✧ How to construct Terms - documents

Doc ID	Terms	# Words
d ₁	6,700 (1), Bengal. (1), Darjeeling (1), Himalayas (1), Indian (1), It (1), Lesser (1), West (1), a (2), an (1), and (1), at (1), city (1), elevation (1), feet (1), in (2), is (2), located (1), municipality (1), of (2), state (1), the (2),	22
d ₂	Darjeeling (2), Heritage (1), Himalayan (1), Kangchenjunga, (1), Railway, (1), Site (1), UNESCO (1), World (1), a (1), and (1), for (1), industry, (1), is (1), its (2), mountain, (1), noted (1), of (1), tea (1), the (2), third-highest (1), views (1), world's (1),	22
d ₃	Bengal. (1), Darjeeling (2), District (1), India (1), It (1), West (1), a (2), also (1), autonomous (1), destination (1), has (1), headquarters (1), in (1), is (2), of (2), partially (1), state (1), status (1), the (3), tourist (1), which (1), within (1),	22

NOTE: “**Words**” and “**Terms**” are interchangeably used throughout the course


Terms - Documents

Terms	d_1	d_2	d_3	...	d_n
the	2	2	3	...	0
a	2	1	2	...	1
Darjeeling	1	2	2	...	0
is	2	1	2	...	0
of	2	1	2	...	0
in	2	0	0	...	1
and	1	1	0	...	0
Bengal	1	0	1	...	0
It	1	0	1	...	0
Its	0	2	0	...	2
state	1	0	1	...	0
West	1	0	1	...	1

NOTE: “Words” and “Terms” are interchangeably used throughout the course

Inverted index


- ✧ For each term t , we must store a list of all documents that contain t .
- ✧ Identify each doc by a docID, a document serial number
- ✧ Can we use fixed-size arrays for this?




What happens if the word *Darjeeling* is added to document 14?

Inverted index

- ✧ We need variable-size postings lists
 - ✧ On disk, a continuous run of postings is normal and best
 - ✧ In memory, can use linked lists or variable length arrays
 - ✧ Some tradeoffs in size/ease of insertion



Inverted index construction



Initial stages of text processing

✧ **Tokenization**

- ✧ Cut character sequence into word tokens
 - ✧ Deal with “John’s”, a state-of-the-art solution

✧ **Normalization**

- ✧ Map text and query term to same form
 - ✧ You want U.S.A. and USA to match

✧ **Stemming**

- ✧ We may wish different forms of a root to match
 - ✧ authorize, authorization

✧ **Stop words**

- ✧ We may omit very common words (or not)
 - ✧ the, a, to, of

Indexer steps: Token sequence

✧ Sequence of
(Modified token, Document ID) pairs

Doc 1

I did enact Julius
Caesar I was killed
i' the Capitol;
Brutus killed me.

Doc 2

So let it be with
Caesar. The noble
Brutus hath told you
Caesar was ambitious

Term	docID
I	1
did	1
enact	1
julius	1
caesar	1
I	1
was	1
killed	1
i'	1
the	1
capitol	1
brutus	1
killed	1
me	1
so	2
let	2
it	2
be	2
with	2
caesar	2
the	2
noble	2
brutus	2
hath	2
told	2
you	2
caesar	2
was	2
ambitious	2

Indexer steps: Sort

- Sort by terms
 - And then docID

Core indexing step

Term	docID
I	1
did	1
enact	1
julius	1
caesar	1
I	1
was	1
killed	1
i'	1
the	1
capitol	1
brutus	1
killed	1
me	1
so	2
let	2
it	2
be	2
with	2
caesar	2
the	2
noble	2
brutus	2
hath	2
told	2
you	2
caesar	2
was	2
ambitious	2



Term	docID
ambitious	2
be	2
brutus	1
brutus	2
capitol	1
caesar	1
caesar	2
caesar	2
did	1
enact	1
hath	1
I	1
I	1
i'	1
it	2
julius	1
killed	1
killed	1
let	2
me	1
noble	2
so	2
the	1
the	2
told	2
you	2
was	1
was	2
with	2

Indexer steps: Dictionary & Postings

✧ Multiple term entries in a single document are merged

✧ Split into Dictionary and Postings


✧ Doc. frequency information is added.

Term	docID
ambitious	2
be	2
brutus	1
brutus	2
capitol	1
caesar	1
caesar	2
caesar	2
did	1
enact	1
hath	1
I	1
I	1
i'	1
it	2
julius	1
killed	1
killed	1
let	2
me	1
noble	2
so	2
the	1
the	2
told	2
you	2
was	1
was	2
with	2



term	doc. freq.	→	postings lists
ambitious	1	→	2
be	1	→	2
brutus	2	→	1 → 2
capitol	1	→	1
caesar	2	→	1 → 2
did	1	→	1
enact	1	→	1
hath	1	→	2
i	1	→	1
i'	1	→	1
it	1	→	2
julius	1	→	1
killed	1	→	1
let	1	→	2
me	1	→	1
noble	1	→	2
so	1	→	2
the	2	→	1 → 2
told	1	→	2
you	1	→	2
was	2	→	1 → 2
with	1	→	2

Where do we pay in storage?



Ex: Create an Inverted Index

- d1) Turing machines can define computational processes that do not terminate. The informal definitions of algorithms generally require that the algorithm always terminates. This requirement renders the task of deciding whether a formal procedure is an algorithm impossible in the general case
- d2) Typically, when an algorithm is associated with processing information, data can be read from an input source, written to an output device and stored for further processing. Stored data are regarded as part of the internal state of the entity performing the algorithm.
- d3) For some such computational process, the algorithm must be rigorously defined: specified in the way it applies in all possible circumstances that could arise. Any conditional steps must be systematically dealt with, case-by-case

Summary

In this class, we focused on:

- (a) Words / Terms / Lexical Units
- (b) Tokenizing the terms
- (c) Preparing Term – Document matrix
- (d) Inverted Index Construction
 - i. Dictionary and Postings Lists
 - ii. Merging the Postings
 - iii. How much storage is required?



Questions It's Your Time

