




# Rank ordered weights of all modes (200 cells 35 modes) (first half trials)



node at each timebin in repeated sequence trials (as colormap) (200 cells 35 modes) (first h





o for individual modes for each timebin in repeated sequence trials (200 cells 35 modes) (;







Mode Index = 1 and  $w_\alpha = 0.2321$  (first half trials)







Mode Index = 2 and  $w_\alpha = 0.063762$  (first half trials)







Mode Index = 3 and  $w_\alpha = 0.050102$  (first half trials)







Mode Index = 4 and  $w_\alpha = 0.048677$  (first half trials)







Mode Index = 5 and  $w_\alpha = 0.037904$  (first half trials)







Mode Index = 6 and  $w_\alpha = 0.033563$  (first half trials)







Mode Index = 7 and  $w_\alpha = 0.029646$  (first half trials)







Mode Index = 8 and  $w_\alpha = 0.0295$  (first half trials)







Mode Index = 9 and  $w_\alpha = 0.029094$  (first half trials)







Mode Index = 10 and  $w_\alpha = 0.026863$  (first half trials)







Mode Index = 11 and  $w_\alpha = 0.026685$  (first half trials)







Mode Index = 12 and  $w_\alpha = 0.02565$  (first half trials)







Mode Index = 13 and  $w_\alpha = 0.02559$  (first half trials)







Mode Index = 14 and  $w_\alpha = 0.025069$  (first half trials)







Mode Index = 15 and  $w_\alpha = 0.023702$  (first half trials)






Mode Index = 16 and  $w_\alpha = 0.023285$  (first half trials)






Mode Index = 17 and  $w_\alpha = 0.021645$  (first half trials)







Mode Index = 18 and  $w_\alpha = 0.0199923$  (first half trials)







Mode Index = 19 and  $w_\alpha = 0.019871$  (first half trials)







Mode Index = 20 and  $w_\alpha = 0.019654$  (first half trials)







Mode Index = 21 and  $w_\alpha = 0.018795$  (first half trials)







Mode Index = 22 and  $w_\alpha = 0.018713$  (first half trials)







Mode Index = 23 and  $w_\alpha = 0.018062$  (first half trials)







Mode Index = 24 and  $w_\alpha = 0.016496$  (first half trials)







Mode Index = 25 and  $w_\alpha = 0.013185$  (first half trials)







Mode Index = 26 and  $w_\alpha = 0.0122217$  (first half trials)







Mode Index = 27 and  $w_\alpha = 0.01186$  (first half trials)






Mode Index = 28 and  $w_\alpha = 0.011559$  (first half trials)







Mode Index = 29 and  $w_\alpha = 0.01126$  (first half trials)






Mode Index = 30 and  $w_\alpha = 0.0111194$  (first half trials)







Mode Index = 31 and  $w_\alpha = 0.010728$  (first half trials)







Mode Index = 32 and  $w_\alpha = 0.0096895$  (first half trials)







Mode Index = 33 and  $w_\alpha = 0.0093639$  (first half trials)






Mode Index = 34 and  $w_\alpha = 0.0082129$  (first half trials)





Mode Index = 35 and  $w_\alpha = 0.006365$  (first half trials)



Firing Rate of each mode across repeated sequence trials (200 cells 35 modes) (first half tri

