د

مرجع عملي للبنية، والواجهة، والمصادر، والحسابات، والأمن، والاختبار، والإصدار
آ ا أ


ا ا د ا دع، ح ً ر ً ه.ا ا ً
ا د أ ا .

ا.ا ؤ وا ا

اء ا ا ا ا ا ، در ،
ا .ا ا ا إ ا ا **واجهة متماسكة وسريعة، حدود**
واضحة بين العرض والمنطق والبيانات، تحديثات آمنة قابلة للاختبار. ا ا ا /ا ّ ا ا ء
ا ا ، أ ر ل ار .

. ار

ا ، ،
م ، ، ا ،
. ا ا ا ا در ا ا أ ر ا
دا ا ، ا ا ا .


core/common, core/archive, core/metro, i18n, icons, presentation-core
MslTheme and MslDesignTokens
User
shared foundations
Android UI: Jetpack Compose Material 3
Voyager navigation and TabbedScreen
shared foundations
shared foundations
ViewModels and state flows
Domain: use cases, preferences, repository contracts
ExtensionManager and SourceManag
Data: SQLDelight, OkHttp, ProtoBuf, JSON
Installed source extensions and source
Local database and preferences
NetworkHelper and remote repositories
Independent manga/manhwa websit
Supabase auth, profile, social, comments
Keiyoushi index.pb and APK metadata

المنطقة	دورها	أمثلة من المشروع
ا ا	ا ، ا ، ا	`app/src/main/java/eu/kanade/presentation`، `ui/profile`، `ui/browse`
ا ل	ا ام، ا ، ا د ا د	`app/.../domain`، `domain/`
ا	، ، إ ا ل	`app/.../data`، `data/`
ا در	ا ا ر دار ا درا ا	`source-local/`، `source-api/`، `ExtensionManager` `SourceManager`
ا ا	أ د ا ، ، ا ، ا ص، ا ر ا	`presentation-core/`، `presentation-icons`، `i18n/`، `widget/`، `core/`
ا ا ر	ا د	، دع ، ا ا در،

ا ا اد د

1. ا ا ً ا م ا أ ًا دا
2. ا ا أ ًا ً. ا ل ا ا ره ً
3. ا ، ا ا ا .
4. م `ExtensionManager` `SourceManager` ل ء ر أ ٍ ص .
5. ُ ر ا إ . م ا `MaterialTheme.colorScheme` `MslTheme` `MslDesignTokens`

ا. ا ا ا و ود ا

ً `app:`، `domain:`، `data:`، `core:common:`، `core:archive:`، `core:metro:`، `source-api:`، `source-local:`، `presentation-core:`، `presentation-widget:`، `core-metadata:`، `i18n:`، ا ا ، `baseline-:`

`profile`، `telemetry:` ه ً د د ا ا. إ
د ا را ا ، أ ا `app:`

ا را د


```
Compose Screen → ViewModel → Interactor/Domain → Repository interface
                                                          ↑
                                          Data implementation → SQLDelight/HTTP
```

ا. ادروا ا ا س

ا ا دع ا أ ا را ا ام دع
ا ا. ا أ ً ر `ExtensionStoreService` أا ا إ
`NetworkExtensionStore`، ل رإ `Extension.Available.Source.lang`
ا ا ، أ ء دم.

اأ د « ← ا ا »

- ُ را ً أ ل ا ، ا .إاأا ا م ً ه ا
إدار ا د ا د.
- أ د الكل / المصادر العربية / المصادر الإنجليزية. ا ر ا ا (`ar` أ `en`)
ا `en-US` `ar-SA`
- ُ ا أ ءا در ا ا ا ا . أ ا ا ا
، أ ا ا ر ا .
- د ا ح إ را ا د أ ً `ExtensionManager`
ا م أا ا ا .
- أ ا را ا ا
`app/src/test/.../ExtensionLanguageFilterTest.kt`



ا ا ا د أ دا ا ه ا

ا ا ر ا دا **app/src/main/java**، ا دا **data/src/main/java**

- **ExtensionsScreen.kt** ا ا .
- **ExtensionsTab.kt** **ExtensionsViewModel.kt** ر ا ا ا .
- **GetExtensionsByType.kt** ا ا ام ا ادا **ar** **en**
- **SourcePreferences.kt** ا دع ا ا ا .
- **ExtensionStoreService.kt** **NetworkExtensionStore.kt** اء ا .

. ام ا وا

ا

ا ا ا ا ا أ ءً دا ، ، ، ر ، ، ، ص
ا . م ا ل ا ا د أ أ ا
ً ا ا ا ، أ ُ أ ا ا م إ

ا ا

ا **app/src/main/java/eu/kanade/tachiyomi/mslime/MslDesignTokens.kt**
MslTheme.kt، **TachiyomiTheme** ا أ إ ه
ا دا ا ل **Color(...)** ر.

ا ا ا


- ا ا د ا ل / ، ر ر ، ا ل .
- ا م إ اد ا أ ا ا ا ر .
- ا ا ا ددأ ، `rememberInfiniteTransition` .
- ا م `()animateItem` ا ا ، أ ا ً ا ا .
- را إ ا ل ا ، ا ، أ ا ر، ا ، ا ه

ا دا

ا ا ،إ اءر ا ، / ا / ح، / . ا
ا ا ا د. را ا أ ا اء ا م `produceState` أ ً ،
ّ ا ر/ اء ا ر ، ّ ا ر ّ ا إ را ا .

١٠ ا وا ا وا ا

ا ا ا ا ا د `MslSocial.kt` `MslCloudSync.kt` `MslAuth.kt`
`MslComments.kt` اءا `/supabase/migrations` أ
اء / م أ د، أ ُ إ ء ر ا .أ إ
ل ار، اء / ا ، ً ا .



ا ا ، ّ ح ا ل ، ر ، . أ
ا ١٠ م ا ا ً ل ا ، إ ءا ا
ا أ ا .

ا ا واد وا ال

. أ أ ردا أ ا ا م
أ أ ار ً، ا أ ح ً دا ً ا
ا ا ا ، ا ا دا ا دم.
ا د ا ا در ا ا /ا ، ا م آ ا ا ا ،
ا
. ص ا اء ا أ ا أ ر ا . ا ا ا م، ا ا ا ر إ ا
.
را ا ا ا ا ا ا ّ ر ً در أ رأ د .
أد . `/supabase/migrations` ا ع ا ر أ
إ .

ا داء وا

ا ه ر ا ، د، ا ا ، ، ا ا م
`Dispatchers.IO` ا ، `Dispatchers.Default` ا ، ا ا
ا م ا ا أ ا ر .

مؤشرات جودة مقترحة: ا ، أ ل إ ر، د ، ا ام ا ا ا ، ل
ا ، ح ا ل ا ا ، ا ا ا . دًا إ ء.

ا ارا وا

ا را

- **Unit tests:** ا ، ا ، ا ، ، ا .
- **Repository tests:** ا را ا ا درا .
- **Compose UI tests:** ا ا ، ا ا ر ، ا ا ، ، ا ا /ا ا .
- **Integration tests:** دع ا ر، ، ، ا د د ا
ا .
- **Regression tests:** ا ا أ ء ا ، ا ا د د، أ ء ،
.

أ ا ا ا

```
export ANDROID_HOME="$HOME/Android/Sdk"
export ANDROID_SDK_ROOT="$HOME/Android/Sdk"
./gradlew :app:assembleDebug :app:testDebugUnitTest
./gradlew :app:spotlessCheck
```

إ ُ ّ `app:testDebugUnitTest:` إ إ اد ا
، ا را ا ً.

ا اء وا ار

`github/workflows/msp.yml.` ا ء ع ا د ،
`workflow_dispatch` ء ا ع . ، `assembleDebug`
`app-arm64-v8a-debug.apk` `app-arm64-v8a-release.apk` ،`assembleRelease`

إ ار م

- ّ ا ار.
- أدِر ح ا أ ار ، أ ح ا د ح .
- أ ا را ا ص ا إ
- ا ا أ .
- ا دا ا م أ ا ع.

٠ ار ر

المرحلة	المجال	العمل المقترح	معيار الإكمال
ا	ا در	/ا ع ا ، ،ا ر ، ا دع	ا ا ،ا ا م، ا
ا ام	ا ا ا ادا	، ا ، ا ، ر ّ ،	ّ ا را ا اء
ا د	ا ا	، ا ، ،	م اء / ه، ا د
ا ا د	ا ع	ر ً إ ا ا ارا د	ا د app:، ا را
ا ار		ا ر ، أ ار، ا داء	د ا ّ ا

أ ا ع إ ا ا ا أ ا ال ا /ا ً.ا أ ا ر ا داء، ا ا دا ا ً ا .

١٠ ا

- ا ا ر → → ؟
- ص؟
- ا ا ر ؟ إ ء/ ؟
- ا ا ا ا ا ؟
- ،أ ا ، ؟
- أ ا ر ؟ `git diff .-check` ا ء ؟
- ا ا /ا ؟ ُ أ ؟
- ا أ ه ا م ا ع ا ا ؟

. ادر دا و ار

- دع ا
- را ا م دا ا
- ءإ
- را ا ا ل ا ا درأ ه.

إ ا ر

. أ ا رإ دع ا ا ، ا أ را إ ار.

. ح ا دع ا ا

. ّ **index.pb** ا دع ا إ ا .

. ا **تصفح ← الإضافات**، ا ا ا ، ا ا ر. ا ره.

. ا را ر **تصفح ← المصادر**، ا ا ا د أ أ ا م.