| Variables                   | <b>Overall</b> (N = 11818) | <b>2020</b> (N = 601) | <b>2021</b> (N = 2769) | <b>2022</b> (N = 5139) | <b>2023</b> (N = 3309) |
|-----------------------------|----------------------------|-----------------------|------------------------|------------------------|------------------------|
| Pathogen, n (%)             |                            |                       |                        |                        |                        |
| COVID-19                    | 10,106 (86)                | 600 (100)             | 2,749 (99)             | 5,011 (98)             | 1,746 (53)             |
| Influenza                   | 586 (5.0)                  | 0 (0)                 | 0 (0)                  | 28 (0.5)               | 558 (17)               |
| Respiratory syncytial virus | 467 (4.0)                  | 0 (0)                 | 4 (0.1)                | 72 (1.4)               | 391 (12)               |
| Entero/Rhinovirus           | 355 (3.0)                  | 0 (0)                 | 9 (0.3)                | 3 (<0.1)               | 343 (10)               |
| Parainfluenza               | 147 (1.2)                  | 0 (0)                 | 1 (<0.1)               | 20 (0.4)               | 126 (3.8)              |
| Metapneumovirus             | 102 (0.9)                  | 0 (0)                 | 1 (<0.1)               | 3 (<0.1)               | 98 (3.0)               |
| Adenovirus                  | 41 (0.3)                   | 0 (0)                 | 1 (<0.1)               | 0 (0)                  | 40 (1.2)               |
| Other                       | 14 (0.1)                   | 1 (0.2)               | 4 (0.1)                | 2 (<0.1)               | 7 (0.2)                |
|                             |                            |                       |                        |                        |                        |