Discretionary Note

Anish Krishna Lakkapragada

IF YOU USE THIS FILE TO CHEAT, YOU ARE NOT ONLY STUPID BUT YOU ARE CHEATING YOURSELF OUT OF THE ABILITY TO FALL IN LOVE WITH MATH. Furthermore, I am not smarter than you and my solutions did not always get a perfect score.

CONTENT STARTS ON NEXT PAGE.

To access the general instructions for this repository head **here**.

Problem set 1 Due Thursday January 23 at 11pm

Exercise 1.1 (5 points). Suppose A, B, C are sets and $f:A \to B$, $g:B \to C$ are functions. Let $h = g \circ f:A \to C$. Show that

- (1) If *h* is injective, then *f* is injective.
- (2) If h is surjective, then g is surjective.

Exercise 1.2 (5 points; Rudin 1.1). This exercise uses the real numbers \mathbb{R} , which we have not defined yet; but, for this exercise, all you need to know about \mathbb{R} is that it is a field containing the field \mathbb{Q} of rational numbers.

Suppose $r \in \mathbb{Q}$, $r \neq 0$, and $x \in \mathbb{R}$, $x \notin \mathbb{Q}$. Prove that $r + x \notin \mathbb{Q}$ and $rx \notin \mathbb{Q}$.

Exercise 1.3 (10 points; Rudin 1.3). Suppose F is a field with $x, y, z \in F$. Prove carefully from the field axioms:

- (1) If $x \neq 0$ and xy = xz, then y = z.
- (2) If $x \neq 0$ and xy = x, then y = 1.
- (3) If xy = 1, then $x \neq 0$ and $y = x^{-1}$.
- (4) If $x \neq 0$, then $(x^{-1})^{-1} = x$.

Exercise 1.4 (10 points). This exercise concerns the field $\mathbb{Q}(\sqrt{3})$.

- (1) Prove that \mathbb{Q} does not contain any x with $x^2 = 3$.
- (2) Consider the set $\mathbb{Q}(\sqrt{3})$, defined as the set of expressions " $a+b\sqrt{3}$ " with $a,b\in\mathbb{Q}$. (More formally, we could think of $\mathbb{Q}(\sqrt{3})$ as the set of ordered pairs (a,b) with $a,b\in\mathbb{Q}$.) We can equip $\mathbb{Q}(\sqrt{3})$ with addition and product laws by

$$(a+b\sqrt{3}) + (a'+b'\sqrt{3}) = (a+a') + (b+b')\sqrt{3},$$

$$(a+b\sqrt{3})(a'+b'\sqrt{3}) = (aa'+3bb') + (ab'+ba')\sqrt{3}.$$

Show that $Q(\sqrt{3})$ can be made into a field, with these addition and product laws. (This means saying carefully what are the negation law, inversion law, 0 and 1 elements, and then checking that all the axioms of a field are satisfied.)

(3) We could similarly consider the set $\mathbb{Z}(\sqrt{3})$, defined as above except that now we require $a, b \in \mathbb{Z}$, with the same addition and product laws. Show that $\mathbb{Z}(\sqrt{3})$ cannot be made into a field with these addition and product laws.

Exercise 1.5 (5 points). As we have stated, the usual order relation on Q can be expressed as:

$$p/q < p'/q' \iff pq' < p'q$$

when q and q' are positive.

We can define a different relation \prec , as follows: assume that all fractions are written in lowest terms and with positive denominators. Define

$$p/q \prec p'/q' \iff pq < p'q'.$$

Prove that the relation \prec does *not* make Q into an ordered set.

Exercise 1.6 (5 points). Let A be a nonempty subset of an ordered set S. If there exists an element $\alpha \in S$ such that $\alpha \leq x$ for all $x \in A$, then we call α a *lower bound* for A. Similarly, if there exists $\beta \in S$ such that $x \leq \beta$ for all $x \in A$, we call β an *upper bound* for A. Suppose α is a lower bound of A and β is an upper bound of A. Prove that $\alpha \leq \beta$.