
Classical vs Quantum Complexity and Approximate Degree

Understanding Computational Complexity in Classical and Quantum Computing

Presented by: [Your Name]

Course: [Your Course Name]



Introduction to Computational Complexity



Computational complexity studies the resources required to solve computational problems.



The main resources are time, memory, and the number of computational operations.



Classical and quantum computers use different computational models.



Complexity theory helps us understand the efficiency and limitations of algorithms.

Key Idea

Computational complexity measures how efficiently a problem can be solved.

Classical Computing

Classical computers process information using bits.

A bit can have a value of either 0 or 1.

Classical algorithms follow conventional computational steps.

Their efficiency is analyzed using time and space complexity.

Example: Binary Search efficiently finds an element in a sorted list.

Applications



Web development



Data processing



Database management



General-purpose computing

Quantum Computing

Quantum computers use quantum bits, called qubits.

Qubits can exist in superpositions of computational basis states.

Quantum algorithms use quantum phenomena such as superposition and interference.

Quantum computing can provide speedups for certain computational problems.

Grover's algorithm searches an unstructured database of N items using approximately O(√N) quantum queries, compared with O(N) classical queries in the standard unstructured search model.

Applications



Cryptography research



Quantum simulation



Optimization research



Scientific computing

Classical vs Quantum Complexity

Feature	Classical Computing	Quantum Computing	
Basic unit	Bit	Qubit	
Information states	0 or 1	Quantum superposition of basis states	
Algorithms	Classical algorithms	Quantum algorithms	
Computation	Classical operations	Quantum operations	
Example	Binary Search	Grover's Algorithm	
	Complexity analysis	Time and space	Time, space, and quantum queries

Conclusion: Quantum computers can outperform classical computers on certain tasks, but they are not faster for every problem.

What Is Approximate Degree?

Definition: Approximate degree is the minimum degree of a real polynomial that approximates a Boolean function within a specified error.

Boolean functions take inputs from {0, 1} and produce outputs in {0, 1}.

A polynomial can approximate the function's output.

The approximation must satisfy a chosen error bound.

Approximate degree is an important measure in computational complexity theory.

Example

Consider the OR function:

$$OR(x_1, x_2) = 1 if at least one input is 1; otherwise, it is 0.$$

We can study how well a low-degree polynomial approximates this function.

Key Idea: Lower-degree polynomials can provide simpler representations of Boolean functions.

Total Functions

Boolean functions defined on every possible input

Definition

- A **total function** is defined for every input in its domain, so no input is left without an output.
- A **total Boolean function** takes n bits and gives one bit (0 or 1) for every possible input string.
- With n bits there are 2^n inputs; every one has a defined output.

MATHEMATICAL FORM

$$f : \{0,1\}^n \rightarrow \{0,1\}$$

Link to Approximate Degree

- Exact degree: any total f is a polynomial, so $\widetilde{deg}(f) \leq deg(f) \leq n$.

$$\widetilde{deg}_{\varepsilon}(f) = \min\{\, deg(p) : |p(x) - f(x)| \leq \varepsilon \text{ , } \forall x \,\}$$

- Query bound: $Q(f) \geq \widetilde{deg}(f) / 2$, where Q = bounded-error quantum queries.
- For total f, speedups are only polynomial: $D(f) = O(\, Q(f)^4 \,)$.
- Example: $\widetilde{deg}(AND_n) = \Theta(\sqrt{n})$, matching Grover.

Example: the AND Function


AND(x_1, x_2) = 1 only if both inputs are 1, otherwise 0

Polynomial form: AND(x_1, x_2) = $x_1 \cdot x_2$

x_1	x_2	AND(x_1, x_2)
0	0	**0**
0	1	**0**
1	0	**0**
1	1	**1**

Visual: every input maps to an output

Inputs $\{0,1\}^2$ (4 total) — Outputs $\{0,1\}$



f = AND: all 4 inputs have an output

Importance and Applications of Approximate Degree

Why Is Approximate Degree Important?

- It helps analyze the complexity of Boolean functions.
- It provides lower bounds for certain computational models.
- It is closely related to quantum query complexity.
- It helps researchers understand the limitations of algorithms.

Connection to Quantum Computing

Approximate degree is closely related to quantum query complexity. For many Boolean functions, it provides useful lower bounds on the number of quantum queries required to compute them with bounded error.

Example: Researchers study the approximate degree of Boolean functions to understand the minimum computational effort required to evaluate them.

Conclusion and Thank You

Thank You!

Any Questions?

Conclusion

- Classical computers use bits, while quantum computers use qubits.
- Computational complexity measures the resources needed to solve problems.
- Quantum algorithms can offer advantages for specific computational tasks.
- Approximate degree measures how efficiently a polynomial can approximate a Boolean function.
- Both concepts are important in understanding the theoretical foundations of quantum computing.