

CORPORATE OFFICE

101-103, First Floor, Titanium One, Near Pakwan Cross Roads, S. G. Highway, Ahmedabad - 380 054. Gujarat, INDIA
T. +91-79-29704833, +91-79-61554444 | **E.** info@sunheartrt.com

MUMBAI OFFICE

301/A- 3rd Floor, Sri Krishna, Opp. Laxmi Ind. Estate,
 New Link Road, Andheri(W), Mumbai - 400 053.
T. +91-63588 77310 | **E.** mh3@sunheartrt.com

DELHI / NOIDA OFFICE

A-17, 2nd Floor, Sector 9, Noida - 201303 (NCR).
T. +91-120-4278530, +91-120-4278560
E. dl2@sunheartrt.com

BENGALURU OFFICE

Sai Arcade, Bearing Municipal No. 150, PID No. 50-70-150R.V.
 Road, Vishveshwarapuram, Bangalore - 560 004.
T. +91-95120 00141 | **E.** ka2@sunheartrt.com

CHENNAI OFFICE

2B, Plot No. 28, Jahnvi Heights, Babu Jagan Street,
 Opp. Hotel Vijay Park, 100 Ft. Road, Arumbakam, Chennai - 600 106.
T. +91-44-23633360 | **E.** tn19@sunheartrt.com

COCHIN OFFICE

30/40 A3, Pushpamangalam Estate, Near Bhima Jewellery,
 NH Bye Pass, Edappally, Ernakulam, Cochin - 682 024.
T. +91-48-44851119 | **E.** kl12@sunheartrt.com

INTERNATIONAL ENQUIRY

T. +91-95120 00351 | **E.** export.vp@sunheartrt.com

TOLL FREE: 1800 233 1012

E. info@sunheartrt.com | **www.sunheartrt.com**



ABOUT COMPANY

Path-breaking innovations with a Promise of quality!

Inspired in collection, and unmatched in design; Sunheartr, a brand by Sunshine Tiles Company Pvt. Ltd., through its novel technology and product introductions, is leading the Ceramic industry to achieve a peerless national and global reputation in becoming a single-stop

solution for any space amplification. Penetrating the industry with an ever-expanding portfolio, Sunheartr has now diversified its core strength of Ceramics, and Vitrified tiles into GVT/PVT, Porcelain, Sanitaryware, as well as a range of complete Tiling Solutions.

Company strength and achievements that defines our place in the industry.

 AMONG **TOP 10** CERAMIC BRANDS IN INDIA

 **LARGEST VITRIFIED TILES** PLANT NEAR KANDLA PORT

 **14+ SIZES** IN **5000+ DESIGNS**

 ONE OF **THE LARGEST TILE EXPORTERS**, CONSECUTIVELY FOR THE LAST 6 YEARS

 **1,00,000+ SQM.** MANUFACTURING CAPACITY / DAY

 PRESENCE IN **83+ COUNTRIES**

 **19 PRODUCTION LINES**

 THE FIRST COMPANY IN THE CERAMIC INDUSTRY WITH **3-STAR EXPORT HOUSE**

 **900+ CHANNEL PARTNERS**

 INVESTMENTS IN **RENEWABLE ENERGY**

Acing interiors by Enhancing spaces!

Fulfilling an array of myriad construction requirements, Sunheartr crafts high-end products with a keen focus on delivering the best. prioritising customer satisfaction, we create products that are unique, sustainable, durable, in addition to


being easy to install, maintain, bacteria protected, as well as resistant to fire, heat, and chemicals; making them a preferred choice for designing any space that speaks opulence.



Tiles

Flooring the extensions of your dream space, tiles from Sunheartr are a great addition to every ambience. With their simplistic elegance and finesse, our tiles introduce modernity and grandeur by manufacturing the best alternatives and replacements to natural surfaces. This collection, thence, is the perfect choice for 'architecting' the spectacular!

ATLAS
PORCELAIN TILES



Reinvent decor with
ornate and intricate details

**60x
60cm**

TILE FEATURE
DIGI PORCELAIN TILES

TILE FEATURE
DIGI
PORCELAIN TILES

FINISH
MATT



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance




Zero
Maintenance



Easy to
Clean


SPECIAL COLOR SERIES




LOVITO OFFWHITE



LOVITO GREY



LOVITO VANILLA



LOVITO GREY



Low Water
Absorption



Frost
Resistant



Chemical
Resistant



Stain
Resistance



Zero
Maintenance



Easy to
Clean




LOVITO PINK



LOVITO SOFT BLUE



LOVITO PINK



LOVITO IVORY



LOVITO COFFE



LOVITO NERO



LOVITO NERO




ASTANA BROWN



ASTANA BEIGE




ASTANA GREY



SMART BEIGE



SMART CLAY



SMART MOONSTONE




ARIZON CHOCO



ARIZON GREY




QUBA GARY



SMART BROWN



SMART BURNT




SMART SKY



QUBA GREY



SATUVARIO GREY



DAURA WENGE



CORAL BEIGE



ANNA BEIGE



ANNA BEIGE



ELISTA BEIGE




TORONTO GREY



PARIS IVORY



PARIS CHOCO




PARIS MUTLI



BAIJI BEIGE



BAIJI BEIGE



FINLAND BLUE



ASTANA BLUE



LAYLA



MOROCCAN BEIGE



MOROCCAN BLUE



MOROCCAN MIX

- Low Water Absorption
- Frost Resistant
- Chemical Resistant
- Stain Resistance
- Zero Maintenance
- Easy to Clean



LAYLA



MOROCCAN RUST



MOROCCAN WHITE



MOROCCAN RUST



TUNISIA BROWN + SAND



TUNISIA IVORY




TUNISIA SAND



TUNISIA BROWN



SWEDAN BROWN




SWEDAN BLUE




SKOTO WENGE




SWEDAN BROWN




RIVERA NERO



RIVERA CEMENTO



RIVERA GREY



RIVERA BLANCO



RIVERA CREAM



RIVERA ALMOND




RIVERA CEMENTO



RIVERA SKY



RIVERA GOLD



RIVERA SAND



RIVERA SAND



SOBRAL BEIGE + BROWN



SOBRAL CREAM



SOBRAL BEIGE



SOBRAL BROWN




CARTER BEIGE



CARTER CHOCO



CARTER COFFEE



CARTER WHITE



ZALTAN STRIP



ZALTAN STRIP



CROWDER BROWN



CROWDER BEIGE



CROWDER ANCHOR



TWIZEL WHITE




TWIZEL BLUE



TWIZEL DENIM



TWIZEL BROWN



TWIZEL BROWN



TERRA GREY



TERRA SEAL



TERRA GREY

TECHNICAL SPECIFICATION

S. No	Characteristics	IS 15622:2017 Group BIb 0.08% < E 3%	EN 14411:2016 Group BIb 0.5% < E 3%	TEST METHOD	SUNHEART VALUE
A DIMENSION & SURFACE QUALITY					
I	Length & Width	±0.1%	± 0.6%	ISO 10545-2	± 0.1%
II	Thickness	± 5.0%	± 5.0%		± 4%
III	Straightness of Side	±0.1%	± 0.5%		± 0.1%
IV	Rectengularity	±0.1%	± 0.5%		± 0.1%
V	Surface Flatness				
	a Center curvatue (%)	± 0.5 %	± 0.5%		± 0.2 %
	b Edge curvature (%)	± 0.5 %	± 0.5%		± 0.2 %
	c Corner warpage (%)	± 0.5 %	± 0.5%		± 0.2 %
VI	Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects		Min. 98 % of tiles will be free from visible defects
B PHYSICAL PROPERTIES					
I	Water Absorption	Av, 0.08% < E 3% Individual 3.3 max	Av, 0.5% < E 3% Individual 3.3 max	ISO 10545-3	Max 3.0 %
II	Modulus of Rupture [N/mm2]	Av 30, Individual 27 min	Av 30, Individual 27 min	ISO 10545-4	>30
III	Breaking Strength in N	1100 for > 7.5mm thickness	1100 for > 7.5mm thickness	ISO 10545-4	>1100
IV	Moisture Expansion in mm/m	0.02	0.06% /0.6mm/m	ISO 10545-10	0.02
V	Resistance to Abrasion of glazed tiles(Class I to V)	Min Class II	Depending on surface (As reported)	ISO 10545-7	Class III
VI	Coefficient of linear thermal expansion from embjant temperature to 100 °C	7 X 10 ⁻⁶ K ⁻¹ max		ISO 10545-8	6 X 10 ⁻⁶ K ⁻¹ max
VII	Thermal Shock Resistance	10 Cycle Passed	10 cycle min	ISO 10545-9	10 cycle min
VIII	Crazing Resistance	4 cycle	2 Cycle (@ 5 bar))	ISO 10545-11	4 cycle passed
IX	Frost resistance		Required	ISO 10545-12	Passed
X	Impact Resistance	0.55	0.55	ISO 10545-5	0.7
C CHEMICAL PROPERTIES					
I	Stain Resistance	Min Class I	Min Class 3	ISO 10545-14	Class 1
II	Resistance to household chemicals	Class AA	Min Class B	ISO 10545-13	Class AA
III	Resistance to Acid and alkalies			ISO 10545-13	Class A

PACKING DETAILS

S.No.	SIZE	PIECES / BOX	COVERAGE AREA / BOX		WEIGHT / BOX
1	60x60cm	4pcs	15.50 sq. ft.	1.44 sq. meter	28.0 kg

Note: Color shown in catalog may vary with the original tile. Slight shade & size variation is an inherent property of ceramic / Vitrified tiles.