

**SUNHEARRT**  
CERAMIK

**CORPORATE OFFICE**

101-103, First Floor, Titanium One, Near Pakwan Cross Roads, S. G. Highway, Ahmedabad – 380 054. Gujarat, INDIA  
**T.** +91-79-29704833, +91-79-61554444 | **E.** info@sunhearrt.com

**MUMBAI OFFICE**

301/A- 3rd Floor, Sri Krishna, Opp. Laxmi Ind. Estate,  
New Link Road, Andheri(W), Mumbai – 400 053.  
**T.** +91-63588 77310 | **E.** mh3@sunhearrt.com

**DELHI / NOIDA OFFICE**

A-17, 2nd Floor, Sector 9, Noida – 201303 (NCR).  
**T.** +91-120-4278530, +91-120-4278560  
**E.** dl2@sunhearrt.com

**BENGALURU OFFICE**

Sai Arcade, Bearing Municipal No. 150, PID No. 50-70-150R.V.  
Road, Vishveshwarpuram, Bangalore – 560 004.  
**T.** +91-95120 00141 | **E.** ka2@sunhearrt.com

**INTERNATIONAL ENQUIRY**

**T.** +91-95120 00351 | **E.** export.vp@sunhearrt.com

TOLL FREE: 1800 233 1012

**E.** info@sunhearrt.com | [www.sunhearrt.com](http://www.sunhearrt.com)



## ABOUT COMPANY

### Path-breaking innovations with a Promise of quality!

Inspired in collection, and unmatched in design; Sunhearrt, a brand by Sunshine Tiles Company Pvt. Ltd., through its novel technology and product introductions, is leading the Ceramic industry to achieve a peerless national and global reputation in becoming a single-stop

solution for any space amplification.

Penetrating the industry with an ever-expanding portfolio, Sunhearrt has now diversified its core strength of Ceramics, and Vitrified tiles into GVT/PVT, Porcelain, Sanitaryware, as well as a range of complete Tiling Solutions.

### Acing interiors by Enhancing spaces!

Fulfilling an array of myriad construction requirements, Sunhearrt crafts high-end products with a keen focus on delivering the best. Prioritising customer satisfaction, we create products that are unique, sustainable, durable, in addition to

being easy to install, maintain, bacteria protected, as well as resistant to fire, heat, and chemicals; making them a preferred choice for designing any space that speaks opulence.

### Company strength and achievements that defines our place in the industry.



AMONG TOP 10 CERAMIC BRANDS IN INDIA



LARGEST VITRIFIED TILES PLANT NEAR KANDLA PORT



14+ SIZES IN 5000+ DESIGNS



ONE OF THE LARGEST TILE EXPORTERS, CONSECUTIVELY FOR THE LAST 6 YEARS



1,00,000+ SQM. MANUFACTURING CAPACITY / DAY



PRESENCE IN 83+ COUNTRIES



19 PRODUCTION LINES



THE FIRST COMPANY IN THE CERAMIC INDUSTRY WITH 3-STAR EXPORT HOUSE



900+ CHANNEL PARTNERS



INVESTMENTS IN RENEWABLE ENERGY



### Tiles

Flooring the extensions of your dream space, tiles from Sunhearrt are a great addition to every ambience. With their simplistic elegance and finesse, our tiles introduce modernity and grandeur by manufacturing the best alternatives and replacements to natural surfaces. This collection, thence, is the perfect choice for 'architecting' the spectacular!

# FRESCO


40x40cm



TILE FEATURE  
DIGI PARKING

FINISH  
RUSTIC

- |                      |                 |                    |                  |                  |               |               |
|----------------------|-----------------|--------------------|------------------|------------------|---------------|---------------|
|                      |                 |                    |                  |                  |               |               |
| Low Water Absorption | Frost Resistant | Chemical Resistant | Stain Resistance | Zero Maintenance | Easy to Clean | Random Design |




AVLON MOKA



AVLON IVORY



AVLON COTTO



AVLON GREY



AVLON AZUL



AVLON MOKA



AVLON BROWN



AVLON BLACK


**FRESCO**  
40x  
40cm

TILE FEATURE  
DIGI PARKING


FINISH  
RUSTIC



FREDA BEIGE



FREDA IVORY




FREDA GREY



FREDA PISTA



FREDA COTTO



FREDA BLACK



FREDA IVORY

- |                      |                 |                    |                  |                  |               |               |
|----------------------|-----------------|--------------------|------------------|------------------|---------------|---------------|
|                      |                 |                    |                  |                  |               |               |
| Low Water Absorption | Frost Resistant | Chemical Resistant | Stain Resistance | Zero Maintenance | Easy to Clean | Random Design |



LOREN GREY



LOREN BEIGE



LOREN GREY



LOREN BLUE



LOREN WENGE



LOREN NATURAL

**FRESCO**  
40x  
40cm

TILE FEATURE  
DIGI PARKING

FINISH  
RUSTIC



SIGMA BEIGE



SIGMA COTTO



SIGMA WHITE



SIGMA BROWN



SIGMA MULTI



SIGMA GREY



SIGMA BROWN


- |                      |                 |                    |                  |                  |               |               |
|----------------------|-----------------|--------------------|------------------|------------------|---------------|---------------|
|                      |                 |                    |                  |                  |               |               |
| Low Water Absorption | Frost Resistant | Chemical Resistant | Stain Resistance | Zero Maintenance | Easy to Clean | Random Design |



SPIKE GREY



SPIKE COTTO



SPIKE GREY




SPIKE VENUE



SPIKE MARIO



SPIKE RIGEL



SPIKE NERO

**FRESCO**  
40x  
40cm

TILE FEATURE  
DIGI PARKING


FINISH  
RUSTIC



ABRIL BLUE



ABRIL SANDAL



BRINZO BLACK



ABRIL GRASS



ABRIL WENGE



BRINZO COTTO



ABRIL WENGE



CORIA NATURAL



CORIA BROWN



CORIA NATURAL



GARGIO ASH



GARGIO BEIGE



CORIA COTTO



GARGIO GRIS



GARGIO COTTO

**FRESCO**  
40x  
40cm

TILE FEATURE  
DIGI PARKING


FINISH  
RUSTIC




LINUS BEIGE



LINUS COTTO



LINUS GREY




LIMESTONE GREY



LINUS BROWN




LINUS PISTA



LINUS BLACK



PETRA BLUE



LINUS GREY + LINUS BLACK

Low Water Absorption	Frost Resistant	Chemical Resistant	Stain Resistance	Zero Maintenance	Easy to Clean	Random Design



MIST BROWN



TORENTO BLUE



TORENTO NATURAL



MIST ARENA



MIST BROWN



TORENTO COTTO



MIST NERO

**FRESCO**  
40x  
40cm

TILE FEATURE  
DIGI PARKING


FINISH  
RUSTIC



PLAZO NATURAL



PLAZO COTTO



PEVER BLUE




PEVER BROWN




PLAZO BROWN



PLAZO BLACK



PEVER GREY



PLAZO NATURAL + PLAZO COTTO + PLAZO BLACK

TILE FEATURE  
DIGI PARKING

FINISH  
MATT

TILE FEATURE  
DIGI PARKING

FINISH  
MATT



Low Water Absorption



Frost Resistant



Chemical Resistant



Stain Resistance



Zero Maintenance



Easy to Clean



Random Design



SLATE CREMA + SLATE BRONZE



SLATE CEMENTO



SLATE NERO



SLATE GREY



SLATE CREMA



SLATE BRONZE

# FRESCO

30x30cm



**FRESCO**  
30x  
30cm

TILE FEATURE  
DIGI PARKING

FINISH  
RUSTIC



STONEX PALE



STONEX GREY



STONEX BROWN




STONEX RUST



MEXICAN NATURE



STONITO BROWN



STONITO BLUE



STONELA MIX



LAPATTO CEDAR



LAPATTO NATURE




ACCRA BEIGE



ACCRA IVORY



ACCRA BROWN



ACCRA CEMENTO



ACCRA BEIGE

**FRESCO**  
30x  
30cm

TILE FEATURE  
DIGI PARKING

FINISH  
RUSTIC



ARONA COFFEE



ARONA BEIGE



ARONA COFFEE




ARONA GREY



ARONA GREEN



ARONA BROWN



ARONA CHOCO



ARONA BLACK



AZOTIC BLACK



AZOTIC BROWN



BLING BISCUIT



BLING BLANCO



BLING COFFEE



AZOTIC COFFEE



AZOTIC CHOCO



BLING GREY



BLING PISTA



AZOTIC COFFEE

**FRESCO**  
30x  
30cm

TILE FEATURE  
DIGI PARKING

FINISH  
RUSTIC




DESERT GOLD




DESERT GREY



DIAMOND MIX



DIAMOND MIX



RANGER BLUE



RANGER BROWN



PROVENZA BLUE



PROVENZA DENIM



RANGER CHOCO



PROVENZA ROBEL



PROVENZA WENGE



RANGER CHOCO

**FRESCO**  
30x  
30cm

TILE FEATURE  
DIGI PARKING


FINISH  
RUSTIC



GEMSTONE IVORY



GEMSTONE GREY



GEMSTONE BLACK



GRIDOS BRIKS



GRIDOS BROWN  
NATURE



GEMSTONE IVORY



GEMSTONE COTTO



GRIDOS GRIS



GRIDOS NATURAL



HARWEST BEIGE



HARWEST GREY



HARWEST RUST



HARWEST NATURAL



HARWEST PISTA



HARWEST GREY

**FRESCO**

30x  
30cm

TILE FEATURE  
DIGI PARKING

FINISH  
RUSTIC




NEXO BEIGE



NEXO BROWN




REVOX BROWN



REVOX BLACK



NEXO NERO




NEXO GREY



EUREKA BLUE



EUREKA BROWN



EUREKA BROWN



Low Water  
Absorption



Frost  
Resistant



Chemical  
Resistant



Stain  
Resistance



Zero  
Maintenance



Easy to  
Clean



Random  
Design



LIBERIA BLACK



LIBERIA BLACK



LIBERIA BROWN



LIBERIA SILVER



VENDITA BLACK



VENDITA GOLD

**FRESCO**  
30x  
30cm

TILE FEATURE  
DIGI PARKING

FINISH  
MATT &  
RUSTIC



SLATE CREMA



SLATE BRONZE



STEP SLATE CREMA



STEP SLATE BRONZE



SLATE CREMA + SLATE BRONZE + STEP SLATE CREMA



SLATE CEMENTO + SLATE NERO + STEP SLATE NERO



SLATE CEMENTO



SLATE GREY




SLATE NERO



STEP SLATE CEMENTO



STEP SLATE GREY



STEP SLATE NERO

**FRESCO**  
30x  
30cm

TILE FEATURE  
DIGI PARKING

FINISH  
RUSTIC




TAB IVORY + TAB TERACOTTA




SOLID IVORY



DIAMANTE IVORY



TAB IVORY




AGRIPA IVORY




SOLID TERACOTTA



DIAMANTE  
TERACOTTA




TAB TERACOTTA



AGRIPA TERACOTTA

TILE FEATURE  
S.P.SERIES &  
IVORY SERIES

FINISH  
RUSTIC



MASS WHITE



MASS GREY



MASS NERO



MASS BLUE



MASS JAISALMER



MASS BEIGE



MASS PINK



MASS BROWN



MASS TERACOTTA



MASS PINK

## TECHNICAL SPECIFICATION

S.No.	Characteristics	IS 15622:2017 Group Blb	EN 14411:2016 Group Blb	Test method	SUNHEARRT VALUE
<b>A DIMENSION &amp; SURFACE QUALITY</b>					
I	Length & Width	±0.1%	± 0.6%	ISO 10545-2	± 0.1%
II	Thickness	± 5.0%	± 5.0%		± 4%
III	Straightness of Side	±0.1%	± 0.5%		± 0.1%
IV	Rectangularity	±0.1%	± 0.5%		± 0.1%
V	Surface Flatness				
a	Center curvature (%)	± 0.5 %	± 0.5%		± 0.2 %
b	Edge curvature (%)	± 0.5 %	± 0.5%		± 0.2 %
c	Corner warpage (%)	± 0.5 %	± 0.5%		± 0.2 %
VI	Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects		Min. 98 % of tiles will be free from visible defects
<b>B PHYSICAL PROPERTIES</b>					
I	Water Absorption	Av. <3.0% Individual 3.3 Max	Av. <3.0% Individual 3.3 Max	ISO 10545-3	Max 2.0%
II	Modulus of Rupture [N/mm <sup>2</sup> ]	Av 30, Individual 27 min	Av 30, Individual 27 min	ISO 10545-4	>32
III	Breaking Strength in N	700 for < 7.5mm thickness 1100 for ≥ 7.5mm thickness	700 for < 7.5mm thickness 1100 for ≥ 7.5mm thickness	ISO 10545-4	>1500
IV	Moisture Expansion in mm/m	0.02	0.06% /0.6mm/m	ISO 10545-10	0.02
V	Resistance to Abrasion of glazed tiles( Class I to V )	Depending on surface	Depending on surface ( As reported)	ISO 10545-7	Class 4
VI	Coefficient of linear thermal expansion from ambient temperature to 100 °C	7 X 10 -6 K-1	9 X 10 -6 K-1 max	ISO 10545-8	7 X 10 -6 K-1 max
VII	Thermal Shock Resistance	10 Cycle Passed	10 cycle min	ISO 10545-9	10 cycle min
VIII	Crazing Resistance	4 cycle	2 Cycle ( @ 5 bar))	ISO 10545-11	4 cycle passed
IX	Frost resistance		Required	ISO 10545-12	Passed
X	Impact Resistance	0.55	0.55	ISO 10545-5	0.7
<b>C CHEMICAL PROPERTIES</b>					
I	Stain Resistance	Min Class I	Min Class 3	ISO 10545-14	Class 1
II	Resistance to household chemicals	Class AA	Min Class B	ISO 10545-13	Class A
III	Resistance to Acid and alkalies			ISO 10545-13	Class A

## PACKING DETAILS

S.No.	SIZE	PIECES / BOX	COVERAGE AREA / BOX	WEIGHT / BOX
1	40X40cm	5pcs	8.61 sq. ft.	0.80 sq. meter

Note: Color shown in catalog may vary with the original tile. Slight shade & size variation is an inherent property of ceramic / Vitrified tiles.

## TECHNICAL SPECIFICATION

S.No.	Characteristics	IS 15622:2017 Group Blb	EN 14411:2016 Group Blb	Test method	SUNHEARRT VALUE
<b>A DIMENSION &amp; SURFACE QUALITY</b>					
I	Length & Width	±0.1%	± 0.6%	ISO 10545-2	± 0.1%
II	Thickness	± 5.0%	± 5.0%		± 4%
III	Straightness of Side	±0.1%	± 0.5%		± 0.1%
IV	Rectangularity	±0.1%	± 0.5%		± 0.1%
V	Surface Flatness				
a	Center curvature (%)	± 0.5 %	± 0.5%		± 0.2 %
b	Edge curvature (%)	± 0.5 %	± 0.5%		± 0.2 %
c	Corner warpage (%)	± 0.5 %	± 0.5%		± 0.2 %
VI	Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects		Min. 98 % of tiles will be free from visible defects
<b>B PHYSICAL PROPERTIES</b>					
I	Water Absorption	Av. <3.0% Individual 3.3 Max	Av. <3.0% Individual 3.3 Max	ISO 10545-3	<3%
II	Modulus of Rupture [N/mm <sup>2</sup> ]	Av 30, Individual 27 min	Av 30, Individual 27 min	ISO 10545-4	>30
III	Breaking Strength in N	700 for < 7.5mm thickness 1100 for ≥ 7.5mm thickness	700 for < 7.5mm thickness 1100 for ≥ 7.5mm thickness	ISO 10545-4	>1200
IV	Moisture Expansion in mm/m	0.02	0.06% /0.6mm/m	ISO 10545-10	0.02
V	Resistance to Abrasion of glazed tiles( Class I to V )	Depending on surface	Depending on surface ( As reported)	ISO 10545-7	Class 4
VI	Coefficient of linear thermal expansion from ambient temperature to 100 °C	7 X 10 -6 K-1	9 X 10 -6 K-1 max	ISO 10545-8	7 X 10 -6 K-1 max
VII	Thermal Shock Resistance	10 Cycle Passed	10 cycle min	ISO 10545-9	10 cycle min
VIII	Crazing Resistance	4 cycle	2 Cycle ( @ 5 bar))	ISO 10545-11	4 cycle passed
IX	Frost resistance		Required	ISO 10545-12	Passed
X	Impact Resistance	0.55	0.55	ISO 10545-5	0.7
<b>C CHEMICAL PROPERTIES</b>					
I	Stain Resistance	Min Class I	Min Class 3	ISO 10545-14	Class 1
II	Resistance to household chemicals	Class AA	Min Class B	ISO 10545-13	Class A
III	Resistance to Acid and alkalies			ISO 10545-13	Class A

## PACKING DETAILS

S.No.	SIZE	PIECES / BOX	COVERAGE AREA / BOX	WEIGHT / BOX
1	30X30cm	8pcs	7.75 sq. ft.	0.72 sq. meter

Note: Color shown in catalog may vary with the original tile. Slight shade & size variation is an inherent property of ceramic / Vitrified tiles.