# **IMDb Movie Reviews Sentiment Analysis**

## **Project Overview:**

This project analyzes IMDb movie reviews to extract meaningful insights.

The dataset contains 2 columns - **movie reviews** and their corresponding sentiment **labels** (**positive or negative**).

### **Key Objectives:**

- Exploring the distribution of sentiments in the dataset.
- Identifying common words in positive vs. negative reviews.
- · Analyzing and reviewing length impact on sentiment.
- Determining if length impacts how extreme reviews are.
- · Assessing the polarity and subjectivity of reviews.
- · Extracting reviews that are most helpful or extreme.

```
Name - Anish Rao
```

Student Number - 20066423

Course - B9DA108: Programming for Data Analysis

Group - C

Dataset Link

Colab Notebook Link

## **Imports and Setup**

```
In [24]:
```

```
# Import necessary libraries
import os
import re
import warnings
import kagglehub
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
import nltk
from bokeh.plotting import figure, show, output_notebook
from bokeh.models import ColumnDataSource, HoverTool
from collections import Counter
from wordcloud import WordCloud
from textblob import TextBlob
from nltk.corpus import stopwords
warnings.filterwarnings("ignore")
# Enable Bokeh output in the notebook
output_notebook()
# Download stopwords
nltk.download('stopwords')
stop_words = set(stopwords.words('english'))
# Set visualization style
sns.set_style("whitegrid")
```

```
dataset_filename = "IMDB Dataset.csv"
kaggle_dataset = kagglehub.dataset_download("lakshmi25npathi/imdb-dataset-of-50k-movie-reviews"

[nltk_data] Downloading package stopwords to /root/nltk_data...
[nltk data] Package stopwords is already up-to-date!
```

## **Dataset Loading and Overview**

```
In [25]:
          def load_dataset():
              Load the IMDb dataset from a local file or download it from Kaggle.
              Returns:
              pd.DataFrame: Loaded dataset as a DataFrame.
              if os.path.exists(dataset_filename):
                  print("File found locally. Loading dataset.")
                  return pd.read_csv(dataset_filename)
              print("File not found. Fetching from Kaggle.")
              dataset_path = os.path.join(kaggle_dataset, "IMDB Dataset.csv")
              df = pd.read csv(dataset path)
              df.to_csv(dataset_filename, index=False)
              print("Dataset downloaded and saved locally.")
              return df
          df = load dataset()
          # Display first 10 rows
          df.head(10)
```

review sentiment

File not found. Fetching from Kaggle. Dataset downloaded and saved locally.

Out[25]:

7

```
0
     One of the other reviewers has mentioned that ...
                                                              positive
1
       A wonderful little production. <br /><br />The...
                                                              positive
2
      I thought this was a wonderful way to spend ti...
                                                              positive
3
          Basically there's a family where a little boy ...
                                                             negative
4
      Petter Mattei's "Love in the Time of Money" is...
                                                              positive
5
       Probably my all-time favorite movie, a story o...
                                                              positive
6
         I sure would like to see a resurrection of a u...
                                                              positive
```

```
8 Encouraged by the positive comments about this... negative9 If you like original gut wrenching laughter yo... positive
```

This show was an amazing, fresh & innovative i...

```
In [26]:
          # Dataset overview
          print("Dataset Overview")
          print(f"Rows: {df.shape[0]}")
          print(f"Columns: {df.shape[1]}")
          print("="*70)
          # Dataset information
          print("\nDataset Information")
          print(df.info())
          print("="*70)
          # Dataset summary
          print("\nDataset Summary")
          print(df.describe(include="all"))
          print("="*70)
          # Missing values
          print("\nMissing values")
          print(df.isnull().sum())
```

negative

```
print("="*70)
# Duplicate reviews
duplicate_count = df.duplicated().sum()
print(f"\nNumber of duplicate reviews: {duplicate count}")
Dataset Overview
Rows: 50000
Columns: 2
Dataset Information
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 50000 entries, 0 to 49999
Data columns (total 2 columns):
# Column
               Non-Null Count Dtype
   review 50000 non-null object sentiment 50000 non-null object
0
1
dtypes: object(2)
memory usage: 781.4+ KB
None
Dataset Summary
                                                      review sentiment
                                                       50000
                                                                 50000
count
unique
                                                       49582
        Loved today's show!!! It was a variety and not...
top
                                                              positive
                                                                 25000
freq
Missing values
review
sentiment
dtype: int64
```

Number of duplicate reviews: 418

## **Data Cleaning and Preprocessing**

```
In [27]:
          def clean_text(text):
              Clean review text by removing HTML tags, punctuation, and extra spaces.
                  text (str): The input review text.
              Returns:
              str: Cleaned text.
              # lowercase
              text = text.lower()
              # html tags (e.g., <br />)
              text = re.sub(r'<.*?>', '', text)
              # punctuation
              text = re.sub(r'[^\w\s]', '', text)
              # extra whitespace
              text = re.sub(r'\s+', ' ', text).strip()
              return text
          def preprocess_reviews(df):
              Remove duplicates and clean review text.
              Args:
                  df (pd.DataFrame): Raw dataset containing movie reviews.
                  pd.DataFrame: Cleaned dataset.
              df_cleaned = df.drop_duplicates(subset=['review'], keep='first').reset_index(drop=True)
              df_cleaned['cleaned_review'] = df_cleaned['review'].apply(clean_text)
```

probably my alltime favorite movie a story of ...

i sure would like to see a resurrection of a u...

5

6

```
print(f"{len(df) - len(df cleaned)} duplicate reviews removed.")
                 print(f"Dataset shape after cleaning: {df_cleaned.shape}\n")
                 return df cleaned
            df_cleaned = preprocess_reviews(df)
            df_cleaned[['review', 'cleaned_review']].head(8)
           418 duplicate reviews removed.
           Dataset shape after cleaning: (49582, 3)
Out[27]:
                                                    review
                                                                                        cleaned review
           0 One of the other reviewers has mentioned that ... one of the other reviewers has mentioned that ...
           1 A wonderful little production. <br /><br />The...
                                                              a wonderful little production the filming tech...
           2 I thought this was a wonderful way to spend ti...
                                                            i thought this was a wonderful way to spend ti...
           3
                  Basically there's a family where a little boy ...
                                                               basically theres a family where a little boy j...
           4
              Petter Mattei's "Love in the Time of Money" is...
                                                              petter matteis love in the time of money is a ...
```

## **Exploratory Data Analysis (EDA)**

Probably my all-time favorite movie, a story o...

I sure would like to see a resurrection of a u...

### 1. Sentiment Distribution in Positive vs. Negative Reviews

7 This show was an amazing, fresh & innovative i... this show was an amazing fresh innovative idea...


In this section, we are analyzing the distribution of sentiment labels (positive vs. negative) in the dataset. We will create a bar chart to show the count of reviews for each sentiment.

```
In [28]:
          # Calculate counts and percentage for both sentiment
          sentiment_counts = df_cleaned['sentiment'].value_counts()
          sentiments = sentiment_counts.index.tolist()
          counts = sentiment_counts.values.tolist()
          percentages = ((sentiment_counts / len(df_cleaned)) * 100).round(2)
          print("Sentiment Distribution:\n", sentiment_counts)
          print("\nPercentage Distribution:\n", (percentages.astype(str) + "%"))
          print("\n\n")
          # Create ColumnDataSource
          source = ColumnDataSource(data=dict(
              sentiment=sentiments,
              count=counts,
              percentage=percentages.tolist(),
              color=['#B0FC38' if s == 'positive' else '#E3242B' for s in sentiments]
          # Create interactive Bokeh figure
          p = figure(x_range=sentiments, height=400, width=600,
                     title="Sentiment Distribution in IMDb Reviews",
                     toolbar_location=None, tools="")
          p.vbar(x='sentiment', top='count', width=0.5, source=source, fill_color="color")
          # Add hover tool
          hover = HoverTool(tooltips=[("Sentiment", "@sentiment"),
                                       ("Count", "@count"),
                                       ("Percentage", "@percentage%")])
          p.add_tools(hover)
          # Customize plot
          p.xgrid.grid_line_color = None
          p.y_range.start = 0
          p.xaxis.axis_label = "Sentiment"
          p.yaxis.axis_label = "Count"
          p.title.text_font_size = "16pt"
          p.xaxis.major_label_text_font_size = "14pt"
          p.yaxis.major_label_text_font_size = "14pt"
```

```
# Display plot
show(p)
Sentiment Distribution:
```

```
Sentiment Distribution:
sentiment
positive 24884
negative 24698
Name: count, dtype: int64

Percentage Distribution:
sentiment
positive 50.19%
negative 49.81%
Name: count, dtype: object
```



#### **Sentiment Distribution Insights**

- The dataset has a nearly balanced sentiment distribution, with positive reviews (50.19%) slightly outnumbering negative ones (49.81%).
- This balance ensures equal representation of both viewpoints.

### 2. Most Common Words in Positive vs. Negative Reviews

This section generates word clouds to visualize the most frequent words used in positive and negative reviews.

```
In [29]:
# Combine all reviews
positive_reviews = " ".join(df_cleaned[df_cleaned['sentiment'] == "positive"]['cleaned_review']
negative_reviews = " ".join(df_cleaned[df_cleaned['sentiment'] == "negative"]['cleaned_review']
print("Total number of words in positive reviews:", len(positive_reviews.split()))
print("Total number of words in negative reviews:", len(negative_reviews.split()))
print("\n" + "="*50)

def top_words(reviews):
    """
    Returns the top 10 most common words from reviews, excluding stopwords.

Args:
    reviews (str): Combined text of all reviews.

Returns:
    list: Top words and their counts.
    """
    words = [word for word in reviews.split() if word not in stop_words]
    return Counter(words).most_common(10)
```

```
# Top words for both sentiments
          top_words = {
              "Positive": top_words(positive_reviews),
              "Negative": top words(negative reviews)
          for sentiment, words in top_words.items():
              print(f"\nTop 10 Most Common Words in {sentiment} Reviews:")
              for word, count in words:
                  print(f"{word}: {count}")
         Total number of words in positive reviews: 5681185
         Total number of words in negative reviews: 5543979
         Top 10 Most Common Words in Positive Reviews:
         film: 39285
         movie: 35836
         one: 25621
         like: 16999
         good: 14286
         great: 12570
         story: 12338
         see: 11814
         time: 11724
         well: 10933
         Top 10 Most Common Words in Negative Reviews:
         movie: 47010
         film: 34651
         one: 24364
         like: 21509
         even: 14761
good: 13997
         bad: 13906
         would: 13483
         really: 12084
         time: 11350
In [30]:
          def create_wordcloud(reviews, title):
              Displays a word cloud for the given review.
                  reviews (str): Combined text of all reviews for a sentiment.
                  title (str): Title of the word cloud plot.
              Returns:
                  None
              wordcloud = WordCloud(width=800, height=400, background_color='white',
                                     collocations=False).generate(reviews)
              plt.figure(figsize=(10, 6))
              plt.imshow(wordcloud, interpolation='bilinear')
              plt.axis('off')
              plt.title(title, fontsize=16)
              plt.show()
          # Create word clouds for both sentiments
          create_wordcloud(positive_reviews, "Word Cloud for Positive Reviews")
          print("\n\n")
          create_wordcloud(negative_reviews, "Word Cloud for Negative Reviews")
```





#### **Most Common Words Insights**

- Positive reviews include the words "film," "movie," "great," "story," and "time," suggesting that reviewers focus on the quality of the story and overall enjoyment.
- Negative reviews also highlight "film" and "movie," but words like "bad," "even," and "really," indicating stronger dissatisfaction are also used a lot.
- The common words suggests that although both sentiments discuss similar aspects, their tone and context significantly differ.


#### 3. Review Length Analysis: Short vs. Long Reviews

In this section, we analyzed the review length to see if longer reviews tend to be of a specific sentiment by calculating word counts and visualizing trends.

```
# Calculate review length
df_cleaned['review_length'] = df_cleaned['cleaned_review'].apply(lambda x: len(x.split()))
print("Review Length Statistics:")
print(df_cleaned['review_length'].describe())
```

show(p\_hist)

```
print("\n" + "="*80)
          print(df_cleaned.groupby('sentiment')['review_length'].describe())
         Review Length Statistics:
                  49582.000000
                   226.395950
         mean
                    167.728067
         std
         min
                     4.000000
                    124,000000
         25%
         50%
                   170.000000
         75%
                   275.000000
                   2450.000000
         max
         Name: review_length, dtype: float64
         _____
                     count
                                  mean
                                                            25%
                                                                   50%
                                                                          75%
         sentiment
         negative
                    24698.0 224.470767 161.154345
                                                     4.0 125.0 171.0 272.0 1473.0
                    24884.0 228.306743 173.989442 10.0 123.0
                                                                 169.0 277.0
         positive
                                                                              2450.0
In [32]:
         # Plot histogram of review lengths
          hist, edges = np.histogram(df_cleaned['review_length'], bins=50)
          source_hist = ColumnDataSource(data=dict(
             top=hist,
              left=edges[:-1],
              right=edges[1:]
          # Create interactive Bokeh figure
          p_hist = figure(title="Distribution of Review Lengths",
                         x_axis_label="Review Length",
                         y_axis_label="Frequency",
                         width=800, height=400)
          p_hist.quad(top='top', bottom=0, left='left', right='right', source=source_hist,
                     fill_color="limegreen", line_color="black", alpha=0.7)
          # Add hover tool
          hover_hist = HoverTool(tooltips=[("Range")
                                           "@left{0} to @right{0}"),
                                            ("Count", "@top")])
          p_hist.add_tools(hover_hist)
          # Display histogram
```



```
In [33]: # Count reviews with lengths between 100-150 words
    reviews_100_150 = df_cleaned[(df_cleaned['review_length'] >= 100) & (df_cleaned['review_length']
```

```
# Count reviews with lengths more than 1000 words
reviews_above_1000 = df_cleaned[df_cleaned['review_length'] > 1000].shape[0]

print(f"Number of reviews between 100-150 words: {reviews_100_150}")
print(f"Number of reviews more than 1000 words: {reviews_above_1000}")
Number of reviews between 100-150 words: 14140
```

Number of reviews between 100-150 words: 14140 Number of reviews more than 1000 words: 41


#### **Review Length Insights**

- Review length is similar across sentiments, negative reviews averaging 224 words and positive reviews averaging 228 words.
- Most reviews are short, with 14,140 reviews (28.5%) having between 100-150 words.
- Very long reviews are rare, with only 41 reviews exceeding 1,000 words.
- Positive reviews show slightly higher variance, with a maximum length of 2,450 words compared to 1,473 words for negative reviews.
- Overall, sentiment does not have strong influence review length, as both positive and negative reviews follow a similar pattern.

### 4. Sentiment Intensity in Short vs. Long Reviews

We analyzed whether shorter reviews expressed more extreme sentiments or not by comparing sentiment polarity with the review length.

```
In [34]:
          # Calculate polarity
           df cleaned['polarity'] = df cleaned['cleaned review'].apply(lambda x: TextBlob(x).sentiment.pol
           print("Sentiment Polarity Statistics:")
           print(df cleaned['polarity'].describe())
           print("\n")
           # correlation between review length and polarity
           correlation = df_cleaned[['review_length', 'polarity']].corr()
           print("Correlation between Review Length and Sentiment Polarity:\n", correlation)
           print("\n")
           # Scatter plot
           plt.figure(figsize=(10, 6))
          sns.scatterplot(x='review_length', y='polarity', data=df_cleaned, alpha=0.5, color='#EC9006')
plt.title("Review Length vs. Sentiment Polarity", fontsize=16)
           plt.xlabel("Review Length", fontsize=14)
           plt.ylabel("Sentiment Polarity", fontsize=14)
           plt.show()
          Sentiment Polarity Statistics:
                  49582.000000
          count
          mean
                        0.101630
          std
                       0.161207
                       -1.000000
          min
                        0.003490
          25%
          50%
                        0.102806
          75%
                        0.200885
                        1.000000
          max
          Name: polarity, dtype: float64
          Correlation between Review Length and Sentiment Polarity:
                           review_length polarity
          review_length
                              1.000000 -0.049594
          polarity
                              -0.049594 1.000000
```



#### **Sentiment Intensity in Short vs. Long Reviews Insights**

- The weak negative correlation (-0.049) means that as review length increases, sentiment polarity slightly decreases, which means longer reviews have less extreme opinions.
- Short reviews (<200 words) frequently have very high or very low polarity, showing stronger emotions.</li>
- Long reviews (>500 words) cluster around neutral sentiment, meaning they focus more on detailed analysis of the movie rather than emotional extremes.

Review Length

• Overall, this indicates that users who write brief reviews tend to express stronger emotions, while longer reviews are more balanced.

### 5. Polarity & Subjectivity of Reviews


We examine the overall sentiment polarity and subjectivity of reviews and visualize their distributions with histograms.


```
In [35]:
          # Calculate subjectivity
          df_cleaned['subjectivity'] = df_cleaned['cleaned_review'].apply(lambda x: TextBlob(x).sentiment
          print("Review Subjectivity Statistics:")
          print(df_cleaned['subjectivity'].describe())
          print("\n")
          # Count reviews based on polarity ranges
          polarity ranges = {
              "Highly Negative (-1 \text{ to } -0.5)": df_{cleaned}[(df_{cleaned}['polarity'] <= -0.5)].shape[0],
              "Moderately Negative (-0.5 to 0)": df_cleaned[(df_cleaned['polarity'] > -0.5) & (df_cleaned
              "Neutral (0)": df_cleaned[df_cleaned['polarity'] == 0].shape[0],
              "Moderately Positive (0 to 0.5)": df_cleaned[(df_cleaned['polarity'] > 0) & (df_cleaned['po
              "Highly Positive (0.5 to 1)": df_cleaned[(df_cleaned['polarity'] > 0.5)].shape[0]
          }
          # Count reviews based on subjectivity ranges
          subjectivity_ranges = {
               "Highly Objective (0 to 0.3)": df_cleaned[(df_cleaned['subjectivity'] <= 0.3)].shape[0],
              "Moderately Objective (0.3 to 0.5)": df_cleaned[(df_cleaned['subjectivity'] > 0.3) & (df_cl
              "Moderately Subjective (0.5 to 0.7)": df_cleaned[(df_cleaned['subjectivity'] > 0.5) & (df_c
              "Highly Subjective (0.7 to 1)": df_cleaned[(df_cleaned['subjectivity'] > 0.7)].shape[0]
          }
          print("Polarity Distribution:")
          for key, value in polarity_ranges.items():
              print(f"{key}: {value} reviews")
```


print("\nSubjectivity Distribution:")

for key, value in subjectivity\_ranges.items():

```
print(f"{key}: {value} reviews")
         Review Subjectivity Statistics:
                  49582.000000
         count
                      0.530600
         mean
                      0.092784
         std
         min
                      0.000000
         25%
                      0.472421
         50%
                      0.528820
         75%
                      0.587449
                      1.000000
         max
         Name: subjectivity, dtype: float64
         Polarity Distribution:
         Highly Negative (-1 \text{ to } -0.5): 57 reviews
         Moderately Negative (-0.5 to 0): 11954 reviews
         Neutral (0): 33 reviews
         Moderately Positive (0 to 0.5): 37067 reviews
         Highly Positive (0.5 to 1): 471 reviews
         Subjectivity Distribution:
         Highly Objective (0 to 0.3): 439 reviews
         Moderately Objective (0.3 to 0.5): 17672 reviews
         Moderately Subjective (0.5 to 0.7): 29653 reviews
         Highly Subjective (0.7 to 1): 1818 reviews
In [36]:
          def plot_histogram(data, title, x_label, color):
              Generates an interactive histogram.
                  data (pd.Series): The data to plot.
                  title (str): The title of the plot.
                  x label (str): Label for the x-axis.
                  color (str): Fill color for the histogram.
              Returns:
                  None
              hist, edges = np.histogram(data, bins=50)
              source = ColumnDataSource(data=dict(top=hist, left=edges[:-1], right=edges[1:]))
              p = figure(title=title, x_axis_label=x_label, y_axis_label="Frequency",
                         width=800, height=400, x_range=(edges[0], edges[-1])
              p.quad(top='top', bottom=0, left='left', right='right', source=source,
                     fill_color=color, line_color="white", alpha=0.7)
              hover = HoverTool(tooltips=[("Range", "@left{0.00} to @right{0.00}"), ("Count", "@top")])
              p.add_tools(hover)
              show(p)
          # histograms for polarity and subjectivity
          plot_histogram(df_cleaned['polarity'], "Distribution of Sentiment Polarity", "Polarity", "green
          print("\n")
          plot_histogram(df_cleaned['subjectivity'], "Distribution of Review Subjectivity", "Subjectivity
```







#### **Sentiment Polarity & Subjectivity Insights**

Polarity Distribution:

- Most reviews (74.7%) are moderately positive (0 to 0.5), showing a general bias toward positive sentiment.
- Moderately negative reviews (-0.5 to 0) make up 24.1%, meaning negative reviews exist but are less extreme.
- Highly polarized reviews are rare, with only **57** highly negative and **471** highly positive reviews.

Subjectivity Distribution:

- Most reviews (59.8%) are moderately subjective (0.5 to 0.7), meaning reviews have opinions but are not
  exaggerated.
- Only 0.88% of reviews are extremely objective, meaning that purely factual reviews are rare.
- Extremely subjective reviews (3.6%) are also uncommon, suggesting that most users provide a mix of opinion and fact.

Final Insight: Reviews tend to be opinionated but not overly extreme.

#### 6. Most Helpful Reviews Based on Length & Sentiment Strength

Since the dataset does not have helpfulness ratings, we considered reviews with extreme sentiment or longer length as likely to be more detailed and helpful.

```
In [37]: # Absolute polarity to identify extreme sentiments
    df_cleaned['abs_polarity'] = df_cleaned['polarity'].abs()

# Top 5 most extreme sentiment
    top_extreme = df_cleaned.sort_values(by='abs_polarity', ascending=False).head(5)
    print("Top 5 Reviews with Extreme Sentiment:\n")
    display(top_extreme[['review', 'cleaned_review', 'polarity', 'review_length']])
    print("="*120)
```

```
# Top 5 longest reviews
top_long = df_cleaned.sort_values(by='review_length', ascending=False).head(5)
print("\n\nTop 5 Longest Reviews:\n")
display(top_long[['review', 'cleaned_review', 'review_length', 'polarity']])
```

Top 5 Reviews with Extreme Sentiment:

	review	cleaned_review	polarity	review_length
11973	This movie had me smiling from beginning to en	this movie had me smiling from beginning to en	1.0000	44
21532	Farley and Spade's best work ever. It's one of	farley and spades best work ever its one of th	1.0000	35
13865	This movie was horrible and corny. James Agee	this movie was horrible and corny james agee i	-1.0000	38
18342	Brilliant and moving performances by Tom Court	brilliant and moving performances by tom court	0.9000	10
12484	I felt a great joy, after seeing this film, no	i felt a great joy after seeing this film not	0.8775	41

Top 5 Longest Reviews:

	review	cleaned_review	review_length	polarity
31309	Match 1: Tag Team Table Match Bubba Ray and Sp	match 1 tag team table match bubba ray and spi	2450	0.089456
40247	There's a sign on The Lost Highway that says:<	theres a sign on the lost highway that saysmaj	2186	0.075269
31265	Back in the mid/late 80s, an OAV anime by titl	back in the midlate 80s an oav anime by title	2094	0.102263
31072	(Some spoilers included:)  Although,	some spoilers includedalthough many commentato	2068	0.047715
12622	Titanic directed by James Cameron presents a f	titanic directed by james cameron presents a f	1827	0.199990

#### **Extreme and Detailed Reviews Insights**

- Extreme sentiment reviews are short (10-44 words), with highly positive reviews (polarity = 1.0) being enthusiastic and highly negative reviews (polarity = -1.0) being strongly critical.
- Longest reviews (2,000+ words) are more neutral (0.04 0.19), suggesting that detailed reviews focus on discussion rather than strong emotions.
- Final Insight: Short reviews tend to be emotionally intense, while long reviews prioritize details of the movie.

#### Conclusion

This analysis of IMDb reviews provided key insights into sentiment trends, word usage, review lengths, and intensity of sentiments.

The dataset showed a balanced sentiment distribution, with moderately positive reviews being most common. Short reviews were more emotionally intense, while longer reviews tended to be neutral and analytical.

The existence of highly subjective reviews indicates that discussions were mostly shaped by personal opinions, with extreme reviews being brief and to the point.