



Creating a Static Website for the Café



The screenshot shows the AWS Management Console interface for the 'Buckets' section. The 'General purpose buckets' tab is active, displaying a list of buckets. A red arrow points to the bucket named 'suman-s3-bucket-99'.

Name	AWS Region	Creation date
anishabucket09	US East (N. Virginia) us-east-1	January 7, 2026, 20:36:44 (UTC+05:30)
c185155a4793252112705130t1w730335328858-htmlbucket-pueragpvizad	US East (N. Virginia) us-east-1	January 7, 2026, 20:15:33 (UTC+05:30)
suman-s3-bucket-99	US East (N. Virginia) us-east-1	January 7, 2026, 20:39:00 (UTC+05:30)



The screenshot shows the AWS Management Console interface for the 'suman-s3-bucket-99' page. The 'Objects' tab is active, displaying a list of objects. The only object listed is 'index.html'.

Name	Type	Last modified	Size	Storage class
index.html	html	January 7, 2026, 20:47:36 (UTC+05:30)	1.5 KB	Standard

aws

Search

[Alt+S]

United States (N. Virginia)

Account ID: 7303-3532-8858
voclabs/user3790785=anishakumari23@lpu.in

Amazon S3

Buckets

suman-s3-bucket-99

Bucket Versioning

Edit

Versioning is a means of keeping multiple variants of an object in the same bucket. You can use versioning to preserve, retrieve, and restore every version of every object stored in your Amazon S3 bucket. With versioning, you can easily recover from both unintended user actions and application failures. [Learn more](#)

Bucket Versioning

Disabled

Multi-factor authentication (MFA) delete

An additional layer of security that requires multi-factor authentication for changing Bucket Versioning settings and permanently deleting object versions. To modify MFA delete settings, use the AWS CLI, AWS SDK, or the Amazon S3 REST API. [Learn more](#)

Disabled

Bucket ABAC

Edit

Attribute-based access control (ABAC) is an authorization strategy that defines permissions based on attributes. With ABAC, you can attach tags to your general purpose buckets and AWS Identity and Access Management (IAM) entities (users or roles), then scale access to objects in your S3 general purpose buckets using tag-based policies. [Learn more](#)

ABAC status

Disabled

Tags

You can use tags to track storage costs, organize general purpose buckets, and specify permissions for a general purpose bucket. AWS-generated tags are created by AWS and are read-only. [Learn more](#)

CloudShell

Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

aws

Search

[Alt+S]

United States (N. Virginia)

Account ID: 7303-3532-8858
voclabs/user3790785=anishakumari23@lpu.in

Amazon S3

Buckets

suman-s3-bucket-99

Permissions overview

Access finding

Access findings are provided by IAM external access analyzers. Learn more about [How IAM analyzer findings work](#)

[View analyzer for us-east-1](#)

Block public access (bucket settings)

Edit

Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to all your S3 buckets and objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to your buckets or objects within, you can customize the individual settings below to suit your specific storage use cases. [Learn more](#)

Block all public access

Off

► Individual Block Public Access settings for this bucket

Bucket policy

Edit

Delete

The bucket policy, written in JSON, provides access to the objects stored in the bucket. Bucket policies don't apply to objects owned by other accounts. [Learn more](#)

{

"Version": "2012-10-17",

}

Copy

CloudShell

Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

aws

Search

[Alt+S]

United States (N. Virginia)

Account ID: 7303-3532-8858
voclabs/user3790785=anishakumari23@lpu.in

Amazon S3

Buckets

suman-s3-bucket-99

Bucket policy

EditDelete

The bucket policy, written in JSON, provides access to the objects stored in the bucket. Bucket policies don't apply to objects owned by other accounts. [Learn more](#)

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "PublicReadGetObject",
      "Effect": "Allow",
      "Principal": "*",
      "Action": "s3:GetObject",
      "Resource": "arn:aws:s3:::suman-s3-bucket-99/*"
    }
  ]
}
```

Copy

CloudShell

Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

aws

Search

[Alt+S]

United States (N. Virginia)

Account ID: 7303-3532-8858
voclabs/user3790785=anishakumari23@lpu.in

Amazon S3

Buckets

suman-s3-bucket-99

Object Ownership

Edit

Control ownership of objects written to this bucket from other AWS accounts and the use of access control lists (ACLs). Object ownership determines who can specify access to objects.

Object Ownership

Object writer

ACLs are enabled and can be used to grant access to this bucket and its objects. The object writer remains the object owner.

Access control list (ACL)

Edit

Grant basic read/write permissions to other AWS accounts. [Learn more](#)

The console displays combined access grants for duplicate grantees

To see the full list of ACLs, use the Amazon S3 REST API, AWS CLI, or AWS SDKs.

Grantee	Objects	Bucket ACL
Bucket owner (your AWS account) Canonical ID: e8cd834fe640337d4a1f9e7ba7c8d22fb13b3c12a6c688814a55b1dea2e7547b	List, Write	Read, Write
Everyone (public access) Group: http://acs.amazonaws.com/groups/global/AllUsers	-	-
Authenticated users group (anyone with an AWS account) Group: http://acs.amazonaws.com/groups/global/AuthenticatedUsers	-	-

CloudShell

Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

aws

Search

[Alt+S]

United States (N. Virginia)

Account ID: 7303-3532-8858
voclabs/user3790785=anishakumari23@lpu.in

Amazon S3 > Buckets > suman-s3-bucket-99

requester pays

When enabled, the requester pays for requests and data transfer costs, and anonymous access to this bucket is disabled. [Learn more](#)

Requester pays

Disabled

Static website hosting

Use this bucket to host a website or redirect requests. [Learn more](#)

We recommend using AWS Amplify Hosting for static website hosting

Deploy a fast, secure, and reliable website quickly with AWS Amplify Hosting. Learn more about [Amplify Hosting](#) or [View your existing Amplify apps](#)

Create Amplify app

S3 static website hosting

Enabled

Hosting type

Bucket hosting

Bucket website endpoint

When you configure your bucket as a static website, the website is available at the AWS Region-specific website endpoint of the bucket. [Learn more](#)

<http://suman-s3-bucket-99.s3-website-us-east-1.amazonaws.com>

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

← → ↻ ⚠ Not secure suman-s3-bucket-99.s3-website-us-east-1.amazonaws.com ☆ 📱 🌐 ⋮

Welcome to CafÃ© Delight ☕🍰

Fresh Coffee & Delicious Desserts

About Our CafÃ©

CafÃ© Delight is a family-owned cafÃ© located in the heart of the city. We serve freshly brewed coffee and handmade desserts every day.

Our Special Items

-
-
-
-

Chocolate Cake
Blueberry Muffin
Espresso Coffee
Cappuccino

Visit Us

☕🍰 Location: Main Street, City Center
🕒 Timings: 9:00 AM â€“ 9:00 PM
☎ Phone: +91 98765 43210

Ã© 2026 CafÃ© Delight. All Rights Reserved.

Personalized

