Status	Finished
Started	Monday, 28 September 2026, 12:52 PM
Completed	Monday, 28 September 2026, 12:57 PM
Duration	4 mins 46 secs
Grade	**13.00** out of 15.00 (**86.67**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
my_t1 = (1, 2, 3, 4)
my_t1.append( (5, 6, 7) )
print(len(my_t1))
```

a. 1

b. Error ✓

c. 2

d. 5

Question **2**

Correct

Mark 1.00 out of 1.00

Select which is true for Python tuple?

a. We can change the tuple once created

b. A tuple is unordered

c. A tuple maintains the order of items ✓

d. None of these

Question **3**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={2,5,3}

set2={3,1}

set3={}

set3=set1&set2

print(set3)
```

a. {3} ✓

b. {}

c. {2,5,1}

d. {2,5,3,1}

Question **4**

Correct

Mark 1.00 out of 1.00

If a=(15,16,17,18,19,25), then a[1:-1] will be

Note :

a=(15,16,17,18,19,25)

print((a[1:-1]))

a. (25,19,18,17)

b. (16,17,18,19) ✓

c. Error

d. (16,17,18)

Question **5**

Correct

Mark 1.00 out of 1.00

What will the below Python code do?

```
set1={2,3}

set2={3,2}

set3={2,1}

if(set1==set2):

    print("yes")

else:

    print("no")

if(set1==set3):

    print("yes")

else:

    print("no")
```

a. No, No

b. Yes, Yes

c. "==" is not supported for set in Python

d. Yes, No ✓

Question **6**

Correct

Mark 1.00 out of 1.00

What is printed when the following code is run?

```
tup = ('30', '3', '2', '8')
print(sorted(tup,reverse = True))
```

a. ['2', '3', '30', '8']

b. ['2', '3', '8', '30']

c. ['8', '30', '3', '2'] ✓

d. ['30', '8', '3', '2']

Question **7**

Correct

Mark 1.00 out of 1.00

Select all the correct options to remove “ECE” from the set.

```
sampleSet = {"ECE", "R&A", "MCT"}
```

a. sampleSet.delete("ECE")

b. remove.sampleSet("ECE")

c. sampleSet.discard("ECE") ✓

d. del.sampleSet("ECE")

Question **8**

Correct

Mark 1.00 out of 1.00

What is the output of the following code

```
aSet = {1, 'rec', ('cse', 'ece'), True}
print(aSet)
```

a. Error

b. {‘rec’, 1, (‘cse’, ‘ece’)} ✓

c. {‘rec’, True, (‘cse’, ‘ece’)}

d. {‘rec’, 1, (‘cse’, ‘ece’),True}

Question **9**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t = (11, 3)
x = 3 * t
print(x)
```

a. (11, 3, 11, 3, 11, 3) ✓

b. (11,3,11,11,3,11,11,11,3)

c. [11,11,11,3,3,3]

d. (11,3)(11,3)(11,3)

Question **10**

Correct

Mark 1.00 out of 1.00

Choose the correct option.

a. In Python, a tuple can contain only strings as its elements.

b. In Python, a tuple can contain either string or integer but not both at a time.

c. In Python, a tuple can contain only integers as its elements.

d. In Python, a tuple can contain both integers and strings as its elements. ✓

Question **11**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
list1=[1,3,4,2]

x=list1.pop(2)

print(set([x]))
```

a. {1,3,2}

b. {1,3,4}

c. {4} ✓

d. {2}

Question **12**

Incorrect

Mark 0.00 out of 1.00

Find the output of the given Python program?

```
t1 = (1,2,3,(4,5))
t2 = (3,2,1,(4,5))
print(t1>t2)
```

a. Error

b. False

c. True ✗

d. Error

Question **13**

Incorrect

Mark 0.00 out of 1.00

What will set1|set2 do?

```
If set1={"a","b",3}
set2={3,7}
```

a. Elements of set1 will get appended to set2

b. Elements of set2 will get appended to set1

c. A new set will be created with the elements of both set1 and set2

d. A new set will be created with the unique elements of set1 and set2. ✗

Question **14**

Correct

Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {1, 2, 3, 4, 5}
set2 = {6, 7, 1, 3, 4, 8, 2, 5}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. False
False

b. True ✓
True

c. False
True

d. True
False

Question **15**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t1 = (55, 44, 33, 22, 11)
x = [t1[i] for i in range(0, len(t1), 2)]
print(x)
```

a. [(55,33,11)]

b. (55,33,11)

c. [55, 33, 11] ✓

d. ([55,33,11])