

1. Decimal to binary

```
1 #include <stdio.h>
2
3 int main() {
4     int n;
5     int binary[32];
6     int i = 0;
7
8     scanf("%d", &n);
9
10    if (n == 0) {
11        printf("0");
12        return 0;
13    }
14
15    while (n > 0) {
16        binary[i] = n % 2;
17        n = n / 2;
18        i++;
19    }
20
21    for (int j = i - 1; j >= 0; j--) {
22        printf("%d", binary[j]);
23    }
24
25    return 0;
26 }
```

10

Output

Status : Successfully executed

Time: 0.0000 secs Memory: 1.636 Mb

Sample Input

10

Your Output

1010

2. Decimal to Octal

```
1 #include <stdio.h>
2
3 int main() {
4     int n;
5     int octal[32];
6     int i = 0;
7
8     scanf("%d", &n);
9
10    if (n == 0) {
11        printf("0");
12        return 0;
13    }
14
15    while (n > 0) {
16        octal[i] = n % 8;
17        n = n / 8;
18        i++;
19    }
20
21    for (int j = i - 1; j >= 0; j--) {
22        printf("%d", octal[j]);
23    }
24
25    return 0;
26 }
```

9

Output

Status : Successfully executed

Time: 0.0000 secs Memory: 1.784 Mb

Sample Input

9

Your Output

11

3. Decimal to Hexadecimal

```
1 #include <stdio.h>
2
3 int main() {
4     int n, i = 0, j;
5     char hex[32];
6
7     scanf("%d", &n);
8
9     if (n == 0) {
10        printf("0");
11    }
12
13    while (n > 0) {
14        int remainder = n % 16;
15
16        if (remainder < 10)
17            hex[i] = remainder + '0'; // Convert 0-9
18        else
19            hex[i] = remainder - 10 + 'A'; // Convert 10-15 to A-F
20
21        n = n / 16;
22        i++;
23    }
24
25    for (j = i - 1; j >= 0; j--) {
26        printf("%c", hex[j]);
27    }
28
29    return 0;
30 }
```

154

Output

Status : Successfully executed

Time: 0.0000 secs Memory: 1.648 Mb

Sample Input

154

Your Output

9A

4. Binary to Decimal

```
1 #include <stdio.h>
2
3 int main(){
4     long long b;
5     int decimal = 0, base = 1;
6     scanf("%lld", &b);
7
8     while (b > 0) {
9         int last_digit = b % 10;
10        decimal += last_digit * base;
11        base *= 2;
12        b /= 10;
13    }
14
15    printf("%d", decimal);
16
17    return 0;
18 }
19 }
```

1010

Output

Status : Successfully executed

Time: 0.0000 secs Memory: 1.764 Mb

Sample Input

1010

Your Output

10

5. Octal to Decimal

```
1 #include <stdio.h>
2
3
4 int main() {
5     int b,d;
6     scanf("%o", &b);
7     printf("%d",b);
8     return 0;
9 }
```

10

Output

Status : Successfully executed

Time: 0.0000 secs Memory: 1.784 Mb

Sample Input

10

Your Output

8

6. Hexadecimal to decimal

```
1 #include <stdio.h>
2
3
4 int main() {
5     int h;
6     scanf("%x", &h);
7     printf("%d", h);
8     return 0;
9 }
```

F

Output

Status : Successfully executed

Time: 0.0000 secs Memory: 1.672 Mb

Sample Input

F

Your Output

15

7. Binary to Octal

```
1 #include <stdio.h>
2
3 int main() {
4     long long binary;
5     int octal[32];
6     int i = 0;
7
8     scanf("%lld", &binary);
9
10    if (binary == 0) {
11        printf("0");
12        return 0;
13    }
14
15    while (binary > 0) {
16        int decimal = 0, base = 1;
17
18        for (int j = 0; j < 3 && binary > 0; j++) {
19            int last_digit = binary % 10;
20            decimal += last_digit * base;
21            base *= 2;
22            binary /= 10;
23        }
24
25        octal[i++] = decimal;
26    }
27
28    for (int j = i - 1; j >= 0; j--) {
29        printf("%d", octal[j]);
30    }
31
32    return 0;
33 }
```

1010

Output

Status : Successfully executed

Time: 0.0000 secs Memory: 1.852 Mb

Sample Input

1010

Your Output

12

8. Binary to Hexadecimal

```
1 #include <stdio.h>
2
3 int main() {
4     long long binary;
5     char hex[32];
6     int i = 0;
7
8     scanf("%lld", &binary);
9
10    if (binary == 0) {
11        printf("0");
12        return 0;
13    }
14
15    while (binary > 0) {
16        int decimal = 0, base = 1;
17
18        for (int j = 0; j < 4 && binary > 0; j++) {
19            int last_digit = binary % 10;
20            decimal += last_digit * base;
21            base *= 2;
22            binary /= 10;
23        }
24
25        if (decimal < 10) {
26            hex[i++] = decimal + '0';
27        }
28        else {
29            hex[i++] = decimal - 10 + 'A';
30        }
31    }
32
33    for (int j = i - 1; j >= 0; j--) {
34        printf("%c", hex[j]);
35    }
36
37    return 0;
38 }
```

10101010

Output

Status : Successfully executed

Time: 0.0000 secs Memory: 1.716 Mb

Sample Input

10101010

Your Output

AA