

VEHICLE RENTAL SYSTEM



- ANISH RAMCHANDRA GAWDE
BATCH – T361 / DS

VEHICLE RENTAL SYSTEM

Vehicle Rental System

A Vehicle Rental System is designed to automate and manage the process of renting vehicles efficiently. This system helps in maintaining records of vehicles, customers, employees, rentals, and returns. It ensures smooth operation, better tracking, and accurate billing.

Project Aim

- **Vehicle Management:** Manage vehicle details including type, rental price, availability status, and branch.
- **Customer Management:** Maintain customer information such as license details and registration dates.
- **Employee Management:** Handle employee records, positions, salaries, and branch allocation.
- **Rental & Return Management:** Track vehicle rentals, returns, and total billing.
- **Branch Management:** Maintain branch addresses and contact information.

OBJECTIVES

1. Set up the Vehicle Rental System Database:

Design and create a Vehicle Rental System database using MySQL.

2. CRUD Operation:

Perform CRUD operations on all tables.

3. Advanced SQL Queries:

Implement advanced SQL queries including joins and subqueries.

ER Diagram For Library Management System




Table Description:

1. Branch

Result Grid  Filter Rows: Export:  Wrap Cell Content: 						
	Field	Type	Null	Key	Default	Extra
▶	branch_id	varchar(10)	NO	PRI	NULL	
	branch_address	varchar(50)	YES		NULL	
	contact_no	varchar(15)	YES		NULL	

2. Customer

Result Grid  Filter Rows: Export:  Wrap Cell Content: 						
	Field	Type	Null	Key	Default	Extra
▶	customer_id	varchar(10)	NO	PRI	NULL	
	customer_name	varchar(30)	YES		NULL	
	address	varchar(50)	YES		NULL	
	license_no	varchar(20)	YES		NULL	
	reg_date	date	YES		NULL	

3. Employees

Result Grid  Filter Rows: Export:  Wrap Cell Content: 						
	Field	Type	Null	Key	Default	Extra
▶	emp_id	varchar(10)	NO	PRI	NULL	
	emp_name	varchar(30)	YES		NULL	
	position	varchar(30)	YES		NULL	
	salary	decimal(10,2)	YES		NULL	
	branch_id	varchar(10)	YES	MUL	NULL	

4. Rental

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	Field	Type	Null	Key	Default	Extra
▶	rental_id	varchar(10)	NO	PRI	NULL	
	customer_id	varchar(10)	YES	MUL	NULL	
	vehicle_id	varchar(10)	YES	MUL	NULL	
	rental_date	date	YES		NULL	
	emp_id	varchar(10)	YES	MUL	NULL	

5. Return details

Result Grid

 Filter Rows:

Export: 

Wrap Cell Content: 

	Field	Type	Null	Key	Default	Extra
▶	return_id	varchar(10)	NO	PRI	NULL	
	rental_id	varchar(10)	YES	MUL	NULL	
	return_date	date	YES		NULL	
	total_amount	decimal(10,2)	YES		NULL	

6. Vehicles

Result Grid

 Filter Rows:

Export: 

Wrap Cell Content: 

	Field	Type	Null	Key	Default	Extra
▶	vehicle_id	varchar(10)	NO	PRI	NULL	
	vehicle_name	varchar(30)	YES		NULL	
	vehicle_type	varchar(20)	YES		NULL	
	rental_price	decimal(10,2)	YES		NULL	
	status	varchar(10)	YES		NULL	
	branch_id	varchar(10)	YES	MUL	NULL	

CREATING DATABASE:

```
CREATE DATABASE vehicle_rental_system;  
USE vehicle_rental_system;
```

Table Creation & Insertion Commands:

1. Create Table Branch

```
CREATE TABLE Branch (  
    branch_id VARCHAR(10) PRIMARY KEY,  
    branch_address VARCHAR(50),  
    contact_no VARCHAR(15)  
);
```

Inserting Values into Branch:

```
INSERT INTO Branch VALUES  
( 'B001', 'Andheri East, Mumbai', '9876543210'),  
( 'B002', 'Thane West, Mumbai', '9876543211'),  
( 'B003', 'Dadar West, Mumbai', '9876543212'),  
( 'B004', 'Borivali West, Mumbai', '9876543213'),  
( 'B005', 'Navi Mumbai', '9876543214');
```

SELECT * FROM Branch;

OUTPUT:

Result Grid  Filter Rows:			
	branch_id	branch_address	contact_no
▶	B001	Andheri East, Mumbai	9876543210
	B002	Thane West, Mumbai	9876543211
	B003	Dadar West, Mumbai	9876543212
	B004	Borivali West, Mumbai	9876543213
	B005	Navi Mumbai	9876543214
✱	NULL	NULL	NULL

2. Create Table Employees

```
CREATE TABLE Employees (  
  emp_id VARCHAR(10) PRIMARY KEY,  
  emp_name VARCHAR(30),  
  position VARCHAR(30),  
  salary DECIMAL(10,2),  
  branch_id VARCHAR(10),  
  FOREIGN KEY (branch_id) REFERENCES Branch(branch_id)  
);
```

Inserting Values into Employees:

```
INSERT INTO Employees VALUES  
( 'E101','Rahul Patil','Manager',60000,'B001'),  
( 'E102','Amit Shah','Clerk',35000,'B002'),  
( 'E103','Neha Singh','Clerk',32000,'B003'),
```

.

.

```
SELECT * FROM Employees;
```

OUTPUT:

Result Grid

Filter Rows:

Edit:

	emp_id	emp_name	position	salary	branch_id
▶	E101	Rahul Patil	Manager	60000.00	B001
	E102	Amit Shah	Clerk	35000.00	B002
	E103	Neha Singh	Clerk	32000.00	B003
	E104	Pooja Mehta	Clerk	34000.00	B004
	E105	Sanjay Kulkarni	Manager	65000.00	B005
	E106	Ritika Jain	Clerk	36000.00	B001
	E107	Akash Verma	Supervisor	42000.00	B002
	E108	Kiran Joshi	Clerk	33000.00	B003
	E109	Manish Yadav	Supervisor	45000.00	B004
	E110	Snehal Patil	Clerk	34000.00	B005
	E111	Nikhil Desai	Clerk	35500.00	B001
	E112	Anita Rao	Supervisor	47000.00	B002
	E113	Prasad Kulkarni	Clerk	36000.00	B003
	E114	Ramesh Gupta	Clerk	32500.00	B004
	E115	Komal Shah	Supervisor	48000.00	B005
•	NULL	NULL	NULL	NULL	NULL

3. Create table Customers

```
CREATE TABLE Customers (  
    customer_id VARCHAR(10) PRIMARY KEY,  
    customer_name VARCHAR(30),  
    address VARCHAR(50),  
    license_no VARCHAR(20),  
    reg_date DATE  
);
```

Inserting Values into Customers:

```
INSERT INTO Customers VALUES  
( 'C101','Anish Gawde','Mumbai','MH01AB1234','2024-01-10'),  
( 'C102','Rohit Sharma','Thane','MH02CD5678','2024-02-15'),  
( 'C103','Sneha Joshi','Dadar','MH03EF9012','2024-03-20'),  
.  
.
```

```
SELECT * FROM Customers;
```

OUTPUT:

Result Grid					
Filter Rows:					
Edit: Export/Import:					
	customer_id	customer_name	address	license_no	reg_date
▶	C101	Anish Gawde	Mumbai	MH01AB1234	2024-01-10
	C102	Rohit Sharma	Thane	MH02CD5678	2024-02-15
	C103	Sneha Joshi	Dadar	MH03EF9012	2024-03-20
	C104	Amit Kulkarni	Borivali	MH04GH3344	2024-04-01
	C105	Pooja Shah	Navi Mumbai	MH05JK7788	2024-04-10
	C106	Kunal Verma	Andheri	MH06LM9900	2024-04-18
	C107	Saurabh Patil	Thane	MH07AA1122	2024-05-01
	C108	Neel Mehta	Mumbai	MH08BB2233	2024-05-05
	C109	Riya Nair	Dadar	MH09CC3344	2024-05-10
	C110	Harsh Jain	Borivali	MH10DD4455	2024-05-15
	C111	Vikas Singh	Mumbai	MH11EE5566	2024-05-20
	C112	Prachi Desai	Thane	MH12FF6677	2024-05-25
	C113	Yogesh Pawar	Navi Mumbai	MH13GG7788	2024-06-01
	C114	Meenal Joshi	Andheri	MH14HH8899	2024-06-05
	C115	Aditya More	Dadar	MH15II9900	2024-06-10
✱	NULL	NULL	NULL	NULL	NULL

4. Create table Vehicles

```
CREATE TABLE Vehicles (  
    vehicle_id VARCHAR(10) PRIMARY KEY,  
    vehicle_name VARCHAR(30),  
    vehicle_type VARCHAR(20),  
    rental_price DECIMAL(10,2),  
    status VARCHAR(10),  
    branch_id VARCHAR(10),  
    FOREIGN KEY (branch_id) REFERENCES Branch(branch_id)  
);
```

Inserting Values into Vehicles:

```
INSERT INTO Vehicles VALUES  
('V101','Honda City','Car',2000,'Available','B001'),  
('V102','Swift Dzire','Car',1800,'Available','B002'),  
('V103','Royal Enfield','Bike',800,'Available','B003'),
```

.

.

```
SELECT * FROM Vehicles;
```

OUTPUT:

Result Grid						
Filter Rows:						
Edit:						
Export/Import:						
	vehicle_id	vehicle_name	vehicle_type	rental_price	status	branch_id
▶	V101	Honda City	Car	2000.00	Available	B001
	V102	Swift Dzire	Car	1800.00	Available	B002
	V103	Royal Enfield	Bike	800.00	Available	B003
	V104	Hyundai i20	Car	1700.00	Available	B004
	V105	TVS Apache	Bike	700.00	Available	B005
	V106	Maruti Baleno	Car	1900.00	Available	B001
	V107	Activa 6G	Bike	600.00	Available	B002
	V108	Creta	Car	2500.00	Available	B003
	V109	Pulsar 220	Bike	750.00	Available	B004
	V110	XUV 300	Car	2300.00	Available	B005
	V111	Tata Nexon	Car	2100.00	Available	B001
	V112	KTM Duke	Bike	900.00	Available	B002
	V113	Ertiga	Car	2200.00	Available	B003
	V114	R15	Bike	850.00	Available	B004
	V115	Venue	Car	2000.00	Available	B005
	V116	Toyota Fort...	Car	3000.00	Available	B001
✱	NULL	NULL	NULL	NULL	NULL	NULL

5. Create table Rental

```
CREATE TABLE Rental (  
    rental_id VARCHAR(10) PRIMARY KEY,  
    customer_id VARCHAR(10),  
    vehicle_id VARCHAR(10),  
    rental_date DATE,  
    emp_id VARCHAR(10),  
    FOREIGN KEY (customer_id) REFERENCES Customers(customer_id),  
    FOREIGN KEY (vehicle_id) REFERENCES Vehicles(vehicle_id),  
    FOREIGN KEY (emp_id) REFERENCES Employees(emp_id)  
);
```

Inserting Values into Rental:

```
INSERT INTO Rental VALUES  
('R001','C101','V101','2024-04-01','E101'),  
('R002','C102','V102','2024-04-03','E102'),  
('R003','C103','V103','2024-04-05','E103'),  
('R004','C104','V104','2024-04-07','E104'),  
.  
.
```

```
SELECT * FROM Rental;
```

OUTPUT:

Result Grid					
Filter Rows:					
	rental_id	customer_id	vehicle_id	rental_date	emp_id
▶	R001	C101	V101	2024-04-01	E101
	R002	C102	V102	2024-04-03	E102
	R003	C103	V103	2024-04-05	E103
	R004	C104	V104	2024-04-07	E104
	R005	C105	V105	2024-04-09	E105
	R006	C106	V106	2024-04-11	E106
	R007	C107	V107	2024-04-13	E107
	R008	C108	V108	2024-04-15	E108
	R009	C109	V109	2024-04-17	E109
	R010	C110	V110	2024-04-19	E110
	R011	C111	V111	2024-04-21	E111
	R012	C112	V112	2024-04-23	E112
	R013	C113	V113	2024-04-25	E113
	R014	C114	V114	2024-04-27	E114
	R015	C115	V115	2024-04-29	E115
	R016	C101	V102	2024-05-05	E102
★	NULL	NULL	NULL	NULL	NULL

6. Create table Return_Details

```
CREATE TABLE Return_Details (  
    return_id VARCHAR(10) PRIMARY KEY,  
    rental_id VARCHAR(10),  
    return_date DATE,  
    total_amount DECIMAL(10,2),  
    FOREIGN KEY (rental_id) REFERENCES Rental(rental_id)  
);
```

Inserting Values into Rental_Details:

```
INSERT INTO Return_Details VALUES  
( 'RT001','R001','2024-04-03',6000),  
( 'RT002','R002','2024-04-05',3600),  
( 'RT003','R003','2024-04-07',1600),  
( 'RT004','R004','2024-04-09',3400),  
.  
.
```

```
SELECT * FROM Return_Details;
```

OUTPUT:

Result Grid

Filter Rows:

Edit:

	return_id	rental_id	return_date	total_amount
▶	RT001	R001	2024-04-03	6000.00
	RT002	R002	2024-04-05	3600.00
	RT003	R003	2024-04-07	1600.00
	RT004	R004	2024-04-09	3400.00
	RT005	R005	2024-04-11	1400.00
	RT006	R006	2024-04-13	3800.00
	RT007	R007	2024-04-15	1200.00
	RT008	R008	2024-04-17	5000.00
	RT009	R009	2024-04-19	1500.00
	RT010	R010	2024-04-21	4600.00
	RT011	R011	2024-04-23	4200.00
	RT012	R012	2024-04-25	1800.00
	RT013	R013	2024-04-27	4400.00
	RT014	R014	2024-04-29	1700.00
	RT015	R015	2024-05-01	4000.00
	RT016	R016	2024-05-07	3600.00
⬅	NULL	NULL	NULL	NULL

BASIC QUESTIONS

1. Create a new Vehicle record - ('V116', 'Toyota Fortuner', 'Car', 3000, 'Available', 'B001')

INSERT INTO Vehicles

VALUES ('V116', 'Toyota Fortuner', 'Car', 3000, 'Available', 'B001');

SELECT * FROM Vehicles;

OUTPUT:

Result Grid

Filter Rows:

Edit:

Export/Import:

	vehide_id	vehide_name	vehide_type	rental_price	status	branch_id
	V110	XUV 300	Car	2300.00	Available	B005
	V111	Tata Nexon	Car	2100.00	Available	B001
	V112	KTM Duke	Bike	900.00	Available	B002
	V113	Ertiga	Car	2200.00	Available	B003
	V114	R15	Bike	850.00	Available	B004
	V115	Venue	Car	2000.00	Available	B005
▶	V116	Toyota Fort...	Car	3000.00	Available	B001
✱	NULL	NULL	NULL	NULL	NULL	NULL

2. Create a new Rental record - ('R016', 'C101', 'V102', '2024-05-05', 'E102')

INSERT INTO Rental

VALUES ('R016', 'C101', 'V102', '2024-05-05', 'E102');

select * FROM Rental;

OUTPUT:

Result Grid			 Filter Rows:	Edit: 	
	rental_id	customer_id	vehicle_id	rental_date	emp_id
	R010	C110	V110	2024-04-19	E110
	R011	C111	V111	2024-04-21	E111
	R012	C112	V112	2024-04-23	E112
	R013	C113	V113	2024-04-25	E113
	R014	C114	V114	2024-04-27	E114
	R015	C115	V115	2024-04-29	E115
	R016	C101	V102	2024-05-05	E102
	NULL	NULL	NULL	NULL	NULL

3. Create a new Rental Details record - ('RT016', 'R016', '2024-05-07', 3600)

```
INSERT INTO Return_Details
```

```
VALUES ('RT016', 'R016', '2024-05-07', 3600);
```

```
select * from Return_Details;
```

OUTPUT:

Result Grid			Filter Rows:	Edit:
	return_id	rental_id	return_date	total_amount
	RT010	R010	2024-04-21	4600.00
	RT011	R011	2024-04-23	4200.00
	RT012	R012	2024-04-25	1800.00
	RT013	R013	2024-04-27	4400.00
	RT014	R014	2024-04-29	1700.00
	RT015	R015	2024-05-01	4000.00
	RT016	R016	2024-05-07	3600.00
	NULL	NULL	NULL	NULL

4. Retrieve all rentals processed by employee E101.

```
SELECT *
```

```
FROM Rental
```

```
WHERE emp_id = 'E101';
```

OUTPUT:

Result Grid				Filter Rows:		Edit:	
	rental_id	customer_id	vehicle_id	rental_date	emp_id		
▶	R001	C101	V101	2024-04-01	E101		
*	NULL	NULL	NULL	NULL	NULL		

5. List Customers Who Registered in the Last 730 Days (2yrs)

```
SELECT *
```

```
FROM Customers
```

```
WHERE reg_date >= DATE_SUB(CURDATE(), INTERVAL 730 DAY);
```

OUTPUT:

Result Grid		Filter Rows:	Edit:	Exp	
	customer_id	customer_name	address	license_no	reg_date
▶	C102	Rohit Sharma	Thane	MH02CD5678	2024-02-15
	C103	Sneha Joshi	Dadar	MH03EF9012	2024-03-20
	C104	Amit Kulkarni	Borivali	MH04GH3344	2024-04-01
	C105	Pooja Shah	Navi Mumbai	MH05JK7788	2024-04-10
	C106	Kunal Verma	Andheri	MH06LM9900	2024-04-18
	C107	Saurabh Patil	Thane	MH07AA1122	2024-05-01
	C108	Neel Mehta	Mumbai	MH08BB2233	2024-05-05
	C109	Riya Nair	Dadar	MH09CC3344	2024-05-10
	C110	Harsh Jain	Borivali	MH10DD4455	2024-05-15
	C111	Vikas Singh	Mumbai	MH11EE5566	2024-05-20
	C112	Prachi Desai	Thane	MH12FF6677	2024-05-25
	C113	Yogesh Pawar	Navi Mumbai	MH13GG7788	2024-06-01
	C114	Meenal Joshi	Andheri	MH14HH8899	2024-06-05
	C115	Aditya More	Dadar	MH15II9900	2024-06-10
	NULL	NULL	NULL	NULL	NULL

6. List Customers Who Have Rented More Than One Vehicle

```
SELECT customer_id, COUNT(*) AS Total_Rentals
FROM Rental
GROUP BY customer_id
HAVING COUNT(*) > 1;
```

OUTPUT:

Result Grid			Filter Rows:
	customer_id	Total_Rentals	
▶	C101	2	

7. List Employees with Salary Status

```
SELECT emp_name, salary,
CASE
    WHEN salary > 60000 THEN 'Good Salary'
    WHEN salary > 45000 THEN 'Average Salary'
    ELSE 'Low Salary'
END AS Salary_Status
FROM Employees;
```

OUTPUT:

Result Grid				Filter Rows:
	emp_name	salary	Salary_Status	
▶	Rahul Patil	60000.00	Average Salary	
	Amit Shah	35000.00	Low Salary	
	Neha Singh	32000.00	Low Salary	
	Pooja Mehta	34000.00	Low Salary	
	Sanjay Kulkarni	65000.00	Good Salary	
	Ritika Jain	36000.00	Low Salary	
	Akash Verma	42000.00	Low Salary	
	Kiran Joshi	33000.00	Low Salary	
	Manish Yadav	45000.00	Low Salary	
	Snehal Patil	34000.00	Low Salary	
	Nikhil Desai	35500.00	Low Salary	
	Anita Rao	47000.00	Average Salary	
	Prasad Kulkarni	36000.00	Low Salary	
	Ramesh Gupta	32500.00	Low Salary	
	Komal Shah	48000.00	Average Salary	

8. Display Employees Whose Salary Is Between 50,000 and 70,000

```
SELECT *
```

```
FROM Employees
```

```
WHERE salary BETWEEN 50000 AND 70000;
```

OUTPUT:

Result Grid

  Filter Rows:

Edit: 

	emp_id	emp_name	position	salary	branch_id
▶	E101	Rahul Patil	Manager	60000.00	B001
	E105	Sanjay Kulkarni	Manager	65000.00	B005
✱	NULL	NULL	NULL	NULL	NULL

9. Skip First 5 Vehicles and Display Next 5 (LIMIT + OFFSET)

```
SELECT vehicle_id, vehicle_name, rental_price
```

```
FROM Vehicles
```

```
ORDER BY vehicle_id
```

```
LIMIT 5 OFFSET 5;
```

OUTPUT:

Result Grid





Filter Rows:

	vehicle_id	vehicle_name	rental_price
▶	V106	Maruti Baleno	1900.00
	V107	Activa 6G	600.00
	V108	Creta	2500.00
	V109	Pulsar 220	750.00
	V110	XUV 300	2300.00
●	NULL	NULL	NULL

SUB-QUERIES

1. Second Highest Salary of an Employee

```
SELECT MAX(salary)
FROM Employees
WHERE salary < (SELECT MAX(salary) FROM Employees);
```

OUTPUT:

Result Grid	
	MAX(salary)
▶	60000.00

2. Employee Earning the Highest Salary

```
SELECT emp_name, salary
FROM Employees
WHERE salary = (SELECT MAX(salary) FROM Employees);
```

OUTPUT:

Result Grid		Filter Rows:
	emp_name	salary
▶	Sanjay Kulkarni	65000.00

3. Display Vehicles Having Same Type as “Honda City”

```
SELECT *  
FROM Vehicles  
WHERE vehicle_type = ( SELECT vehicle_type FROM Vehicles WHERE  
vehicle_name = 'Honda City');
```

OUTPUT:

Result Grid

 Filter Rows:

 Edit:

  Export/Import:

	vehicle_id	vehicle_name	vehicle_type	rental_price	status	branch_id
▶	V101	Honda City	Car	2000.00	Available	B001
	V102	Swift Dzire	Car	1800.00	Available	B002
	V104	Hyundai i20	Car	1700.00	Available	B004
	V106	Maruti Baleno	Car	1900.00	Available	B001
	V108	Creta	Car	2500.00	Available	B003
	V110	XUV 300	Car	2300.00	Available	B005
	V111	Tata Nexon	Car	2100.00	Available	B001
	V113	Ertiga	Car	2200.00	Available	B003
	V115	Venue	Car	2000.00	Available	B005
	V116	Toyota Fortuner	Car	3000.00	Available	B001
•	NULL	NULL	NULL	NULL	NULL	NULL

4. Employees Whose Salary Is Greater Than Employee E102

```
SELECT emp_id, emp_name, salary  
FROM Employees  
WHERE salary > ANY (  
    SELECT salary  
    FROM Employees  
    WHERE emp_id = 'E102'  
);
```

OUTPUT:

Result Grid			Filter Rows:
	emp_id	emp_name	salary
▶	E101	Rahul Patil	60000.00
	E105	Sanjay Kulkarni	65000.00
	E106	Ritika Jain	36000.00
	E107	Akash Verma	42000.00
	E109	Manish Yadav	45000.00
	E111	Nikhil Desai	35500.00
	E112	Anita Rao	47000.00
	E113	Prasad Kulkarni	36000.00
	E115	Komal Shah	48000.00
	NULL	NULL	NULL

JOINS

1. Employees with Branch Address (Using inner join)

```
SELECT e.emp_name, b.branch_address  
FROM Employees e  
JOIN Branch b ON e.branch_id = b.branch_id;
```

OUTPUT:

Result Grid   Filter Rows:		
	emp_name	branch_address
▶	Rahul Patil	Andheri East, Mumbai
	Ritika Jain	Andheri East, Mumbai
	Nikhil Desai	Andheri East, Mumbai
	Amit Shah	Thane West, Mumbai
	Akash Verma	Thane West, Mumbai
	Anita Rao	Thane West, Mumbai
	Neha Singh	Dadar West, Mumbai
	Kiran Joshi	Dadar West, Mumbai
	Prasad Kulkarni	Dadar West, Mumbai
	Pooja Mehta	Borivali West, Mumbai
	Manish Yadav	Borivali West, Mumbai
	Ramesh Gupta	Borivali West, Mumbai
	Sanjay Kulkarni	Navi Mumbai
	Snehal Patil	Navi Mumbai
	Komal Shah	Navi Mumbai

2. Number of Vehicles Rented by Each Customer (Using Left join)

```
SELECT c.customer_name, COUNT(r.rental_id) AS No_of_Rentals
FROM Customers c
LEFT JOIN Rental r ON c.customer_id = r.customer_id
GROUP BY c.customer_name;
```

OUTPUT:

Result Grid   Filter Rows:		
	customer_name	No_of_Rentals
▶	Anish Gawde	2
	Rohit Sharma	1
	Sneha Joshi	1
	Amit Kulkarni	1
	Pooja Shah	1
	Kunal Verma	1
	Saurabh Patil	1
	Neel Mehta	1
	Riya Nair	1
	Harsh Jain	1
	Vikas Singh	1
	Prachi Desai	1
	Yogesh Pawar	1
	Meenal Joshi	1
	Aditya More	1

3. RIGHT JOIN : Show ALL Vehicles and Their Rental Details (if any)

```
SELECT r.rental_id,  
       r.rental_date,  
       v.vehicle_name,  
       v.status  
FROM Rental r  
RIGHT JOIN Vehicles v  
ON r.vehicle_id = v.vehicle_id;
```

OUTPUT:

Result Grid			 Filter Rows:		Export: 
	rental_id	rental_date	vehicle_name	status	
	R002	2024-04-03	Swift Dzire	Available	
	R016	2024-05-05	Swift Dzire	Available	
	R003	2024-04-05	Royal Enfield	Available	
	R004	2024-04-07	Hyundai i20	Available	
	R005	2024-04-09	TVS Apache	Available	
	R006	2024-04-11	Maruti Baleno	Available	
	R007	2024-04-13	Activa 6G	Available	
	R008	2024-04-15	Creta	Available	
	R009	2024-04-17	Pulsar 220	Available	
	R010	2024-04-19	XUV 300	Available	
	R011	2024-04-21	Tata Nexon	Available	
	R012	2024-04-23	KTM Duke	Available	
	R013	2024-04-25	Ertiga	Available	
	R014	2024-04-27	R 15	Available	
	R015	2024-04-29	Venue	Available	

CONCLUSION

The Vehicle Rental System project has successfully designed and implemented a structured and efficient database to manage vehicle rental operations. The system effectively handles vehicle details, customer information, employee management, rental transactions, and return records while maintaining data accuracy and integrity. By implementing relational tables, constraints, joins, and subqueries, the project demonstrates practical application of SQL concepts in a real-world scenario. This system improves operational efficiency, simplifies data retrieval, and provides a scalable foundation for future enhancements such as online bookings, payment integration, and reporting features.