



Foodly

Backend Development & Database Connectivity :-

screenshots :-



The screenshot shows the Foodly website's user login interface. The header includes the Foodly logo and navigation links: Home, Menu, Cart, **Login**, and Admin. The main content area features a 'User Login' form with fields for Email (containing 'anish19@foodly.com') and Password (masked with dots). A red 'Login' button is at the bottom of the form. Below the form, a dark footer bar contains the copyright notice '© 2026 Foodly. Built with Love' and a red error message: 'Invalid email or password'.



This screenshot shows the same Foodly user login interface after a successful login. The header navigation links are now Home, Menu, Cart, **Anish**, Orders, and Logout. The 'User Login' form remains visible. The footer bar now displays a green success message: 'Login successful!'.

The image shows two screenshots of the MongoDB Compass interface. The top screenshot displays the 'menus' collection, and the bottom screenshot displays the 'orders' collection.

Top Screenshot: MongoDB Compass - localhost:27017/foodly/menus

- Left Panel (Connections):** Shows a tree view with 'localhost:27017' expanded, containing 'admin', 'config', 'foodly', 'menus', 'orders', 'users', and 'local'.
- Right Panel (Documents):** Displays three documents from the 'menus' collection.
 - Document 1:**

```
{
  "_id": "ObjectId('69d3a28fe9ceb880a1d3191f')",
  "name": "Veg Spring Roll",
  "description": "A crispy, deep-fried pastry shell filled with sautéed, finely shredded...",
  "price": 18,
  "imageUrl": "data:image/jpeg;base64,/9j/4AAQSkZ3RgABAQAAQABAAD/2wCEAAkGBwgHBgkIBwg...",
  "category": "Starters / Appetizers",
  "isVegetarian": false,
  "createdAt": "2026-04-06T12:09:51.952+00:00",
  "updatedAt": "2026-04-06T12:09:51.952+00:00",
  "__v": 0
}
```
 - Document 2:**

```
{
  "_id": "ObjectId('69d3a31fe9ceb880a1d31938')",
  "name": "Paneer Tikka",
  "description": "Paneer Tikka is a popular Indian appetizer featuring marinated, grille...",
  "price": 12,
  "imageUrl": "data:image/jpeg;base64,/9j/4AAQSkZ3RgABAQAAQABAAD/2wCEAAkGBwgHBgkIBwg...",
  "category": "Starters / Appetizers",
  "isVegetarian": false,
  "createdAt": "2026-04-06T12:12:15.877+00:00",
  "updatedAt": "2026-04-06T12:12:15.877+00:00",
  "__v": 0
}
```
 - Document 3:**

```
{
  "_id": "ObjectId('69d3a361e9ceb880a1d3193b')",
  "name": "Veg Manchurian",
  "description": "Veg Manchurian is a popular Indo-Chinese dish featuring crispy, deep-f..."
}
```

Bottom Screenshot: MongoDB Compass - localhost:27017/foodly/orders

- Left Panel (Connections):** Similar to the top screenshot, but 'orders' is selected under the 'foodly' database.
- Right Panel (Documents):** Displays two documents from the 'orders' collection.
 - Document 1:**

```
{
  "_id": "ObjectId('69ce453fd5927481c8be62ac')",
  "user": "ObjectId('69ce3a46a85c7ef9621841d0')",
  "items": Array (2),
  "totalAmount": 20,
  "deliveryAddress": "Marwadi University",
  "phone": "12345678910",
  "status": "Delivered",
  "createdAt": "2026-04-02T10:30:23.637+00:00",
  "updatedAt": "2026-04-02T10:42:29.771+00:00",
  "__v": 0
}
```
 - Document 2:**

```
{
  "_id": "ObjectId('69d3a99ae9ceb880a1d31998')",
  "user": "ObjectId('69ce3a46a85c7ef9621841d0')",
  "items": Array (9),
  "totalAmount": 136,
  "deliveryAddress": "Rajkot",
  "phone": "12345678910",
  "status": "Pending",
  "createdAt": "2026-04-06T12:39:54.139+00:00",
  "updatedAt": "2026-04-06T12:39:54.139+00:00",
  "__v": 0
}
```

The screenshot shows the MongoDB Compass application interface. The left sidebar displays the 'Compass' menu with options like 'My Queries' and 'Data Modeling'. Below this, the 'CONNECTIONS' section shows a list of connections, including 'localhost:27017' and 'local'. The main panel shows the 'users' collection in the 'foodly' database. The 'Documents' tab is active, displaying a list of three user documents. Each document contains fields for '_id', 'username', 'email', 'password', 'role', 'createdAt', and 'updatedAt'. The documents are sorted by '_id' in ascending order. The first document is for 'adminUser', the second for 'Anish', and the third for 'SuperAdmin'.

_id	username	email	password	role	createdAt	updatedAt
ObjectId('69ce2efba85c7ef0621841bc')	adminUser	admin@example.com	\$2b\$10\$p9HsBpcw8R0rKbTKoLxR.XxVMSgkED50p86WG.Ms1PCoKX13sdV6	admin	2026-04-02T08:55:23.211+00:00	2026-04-02T08:55:23.211+00:00
ObjectId('69ce3a46a85c7ef0621841d0')	Anish	anish@foodly.com	\$2b\$10\$02p879zHMybcshFGZx2F8.knsRLVGivLEeushT0dvnZoJXbcxhYC	user	2026-04-02T09:43:34.910+00:00	2026-04-02T09:43:34.910+00:00
ObjectId('69ce3c0da85c7ef0621841f7')	SuperAdmin	admin@foodly.com	\$2b\$10\$5pZqF4jffqCwhc.Pv5JH.4zF2uJ1jevL8mpNvGpsrXVI895QcpVG	admin	2026-04-02T09:51:09.946+00:00	2026-04-02T09:51:09.946+00:00