Level: Bachelor

. Semester - Fall

+2013Year-

Programme: BE

Full Marks: 100

Course: Probability and Statistics

Pass Marks: 45

 3hrs. Time

8

7

8

Candidates are required to give their answers in their own words as far as practicable.

The figures in the margin indicate full marks.

Attempt all the questions.

a) Following information shows the daily wage of workers of certain 1. hydropower company, prepare suitable ogive that helps to give the answers of following questions

80-100 60-80 40-60 Daily Wages 0-2020-40 41 51 64 38 No. of workers

About what wage above that 50% worker earn?

What would be the daily wage limit of middle 30% workers? ii.

b) The following information shows the income distribution.

o) The following information shows the meetine distribution									
Income (\$'000)	0-10	10-20	20-30	30-40	40-50	50-60			
No. of Person	5	10	18	23	7	6			

Construct less than ogive. Also use it to find (i) the number of persons having income less than \$35,000 and (ii) percentage of persons having income between \$20,000 and \$50,000.

- a) In an organization, there are 2 Civil engineers, 4 IT officers and 2 2. accountants. A committee of four members has to be formed. What is the probability that a committee contains i) one Civil engineer and 3 IT officers? ii) no Civil engineer? iii) at least one IT officers?
 - b) A Company has two plants to manufacture the screws. Out of 10000 screws, plant I manufactures 80% of the screws and plant II manufactures 20%. At plant I, 85% screws are rated standard quality. At plant II, only 65% screws are rated standard quality.
 - One screw is selected at random from the whole consignment and was found standard quality, What is the probability that the selected screw was manufactured by

- i. What is the probability that the selected screw being defective?
- 3. a) The diameter of an electric cable say "X", is assumed to be a continuous random variable with

$$f(x) = \begin{cases} 6x(1-x) & ; 0 \le x \le 1 \\ 0 & ; otherwise \end{cases}$$

- i. Check whether about function is p.d.f or not
- ii. Find E(x) and v(x)
- b) At a certain examination 10% of the student who appeared for the paper of statistics got less than 30 marks and 97% of the students got less than 80 marks. Assuning that the distribution of mark is Normal. Find

5

5

- i. mean and variance of marks of student
- ii. Find the probability tat randomly selected student get more than 70 marks
- 4. a) In a city, the daily consumption of electric power (in million of kilowatt-hours) can be treated as a random variable having a gamma distribution with α =3 and β =2. If the power plant of this city has a daily capacity of 12 million kilowatt hours. What is the probability that this power supply will be inadequate on any given day?
 - b) The Joint Probability density function of two dimensional randon variable (x,y) is given by

$$f(x,y) = \begin{cases} \frac{1}{8}(6-x-y) & \text{; } 0 < x < 2, 2 < y < 4 \\ 0 & \text{; Otherwise} \end{cases}$$

- 1. Find the marginal probability density function of X and Y
- 2. Find conditional probability density of X given Y = y

- 3. Examine that X and Y are independent
- c) In a random sample 136 of 400 persons given a flue vaccine experienced some discomfort; construct a 98% confidence interval for true proportion of persons who will experiences some discomfort from the vaccine.

5

5

5

5. a) A company claims that its light bulbs are superior to those of a competitor. A study showed that a sample of 40 bulbs had an average life time of 628 hours of continuous use with a standard deviation of 27 hours. While a sample of 30 bulbs made by competitor has an average life of 619 hours of continuous use with a standard deviation of 25 hours. Test at the 5% level of significance, whether this claim is justified?

Or

A television producer of a farming show believes that the show is more popular with rural viewers than urban viewers. To test claim, a TV station showed the program to 300 rural viewers and 100 urban viewers. It was noted that 65 of the rural viewer and 18 of the urban viewers enjoyed the program. Test the producer's belief at 5% level of significance.

- b) Mr. A claims that TU graduates have a higher IQ score than the PU graduates. A sample of 15 TU graduates taken at random revealed an average IQ score 130 with standard deviation of 10. A similar random sample of 12 PU graduates revealed an IQ of 115 with the standard deviation of 7. At 99% confidence level, can you conclude that on average, TU graduates are more intelligent than PU graduates as measured by IQ scores?
- c) The following are the weights in pounds before and after, of 16 persons who stayed on certain weight reducing diet for four weeks:

Before	After
147:0	137.9
. 183:5	176.2
232:1	219.0
161:6	163.8
196:5	193.5
206:3	201.4
177:0	180.6

215:4	203.2
147:7	149.0
208:1	195.4

Test at the 0.05 level of significance, whether the diet is effective in term of reducing weight?

6. a) The following table gives age (x) in years of cars and annual maintenance cost (y) in hundred rupees.

	X	1	3	5	7	9
i	Y	15	18	21	23	22

Estimate the maintenance cost for a 4 years old car after finding the regression equation.

- 1. Find coefficient of determination and interpret it.
- 2. Standard error
- b) A random sample of 100 articles selected from a batch of 2000 article shows that the average diameter of the article is 0.354 with a standard deviation 0.048. Find the 95% confidence interval for the average of this batch of articles.
- 7. Write Short notes on any two:
 - a) Errors in hypothesis testing
 - b) Coefficient of determination
 - c) Central Limit theorem

13-F- prob

10

5

 2×5

Level: Bachelor

Semester: Spring

Year : 2013

Programme: BE

Full Marks: 100
Pass Marks: 45

Course: Probability and Statistics

Time : 3hrs.

Candidates are required to give their answers in their own words as far as practicable.

The figures in the margin indicate full marks.

Attempt all the questions.

(a) The weight (in lbs)of 40 boys in a class are as follows:

-

. 8

138	172	145	147	150	119	158	152	168	142
157	147	102	[44	165	136	164	163	128	135.
126	150	146	148	145	125	146	153	138	156
173	140	135	149	140	144	137	154	142	135

- i. Construct a frequency distribution
- ii. Draw less than ogive and find no. Of Boy whose weight is less than 165 lbd..
- b) From the following distribution of mark of 500 students of a college, find the minimum pass mark if only 20% of student had failed and also the minimum mark obtained by the top 25% of the students. Represent the data by histogram.

marks	0-20	20-40	40-50	50-60	60-80	80-100
No. of	50	100	150	9()	60	50
students						

- 2. a) State bayes theorem. In a class of 75 students, 15 students were considered to be very intelligent, 45 as medium and rest below the average. The probability that a very intelligent student fails in examination is 0.005, the medium student failing has probability 0.05 and corresponding probability for a below average is 0.15. If a student is known to have passed the examination, what is the probability that he is below the average?
 - b) A coin is tossed until a head appears. What is expectation of number

7

3. a) Customers arrive at complaint department of a store at the rate of 5 per hour. If arrivals follow a Poisson distribution, calculate the probability that

8

7

8

5

5

5

- i. No customer will arrive in a hour
- ii. At least two customers will arrive in a hour
- iii. At most two customers will arrive in 30 minutes period.
- b) Of a large group of men, 5% are under 60 inches in height and 10% are 72 inches in height. If height of men is normally distributed, find the mean height and standard deviation.
- 4. a) In a certain city, the daily consumption of electric power (in Millions of kilowatt hours) can be treated as a random variable having a gamma distribution with $\alpha = 3$ and $\beta = 2$. If the power plant of this city has a daily capacity of 12 million kilowatt hours. What is inadequate on any given day?
 - b) Suppose that the joint probability function of random variables x and y is given by:

$$f(x, y) = 4 xy$$
, $0 \le x \le 1$, $0 \le y \le 1$
0 otherwise

- Verify that about function is joint.
- ii. Find marginal probability density function of X and Y.
- iii. Check whether X and Y are independent or not.
- 5. a) A certain Cinema hall sampled 55 people who viewed "DHOOM 3" and asked them whether they planned to see it again. Only 10 of them believed the film was worthy of second look.
 - Estimate the standard error of the proportion of moviegoer who will viewed the film a second time
 - ii. Construct a 90% C.I for this proportion.
 - b) The National Bureau of standard has previously reported the value of Se(Selenium) in NBS orchard leaves to be 0.080. A random sample of size n=6 gives the following determinations:

0.072	0.073	0.080	0.078	0.088	0.080

Does the data contradict the previously reported value?

c) The average weekly wages of a sample of 200 workers in industry A was Rs. 1150 with standard deviation of Rs. 100. The weekly wages of a sample of 300 workers in industry B was Rs. 1000 with standard

deviation of Rs. 50.Can we consider the weekly wages paid by industry A is higher than those paid by industry B?

6. a) The sales figure of an item in eight shops before and after

advertisement is given as:

č	auveruse.	mem	is Binoi	Las.					
į	Befor	70	65	48	72	80	92	98	100
	e								
	After	72	70	53 -	75	84	95	105	104

Test whether advertisement was effective at 5% level of significance.

b) The following table gives the age X and blood pressure Y of 10

 X
 56
 42
 36
 47
 49
 42
 60
 72
 63
 55

 Y
 14
 12
 11
 12
 14
 14
 15
 16
 14
 15

 7
 5
 8
 8
 5
 0
 5
 0
 9
 0

i. Find correlation coefficient between age and pressure. Also find coefficient of determination and interpret it.

ii. Fit a regression equation that best describe the above data.

7. Write short notes on: (Any two)

- a) Types of errors in hypothesis testing
- b) Coefficient of determination
- e) Criteria of good estimator.

 2×5

सुमाम स्टेसनची सप्तायमं एण्ड फोटोकपी सिन्ता बालकुमारी, जिल्हापुर १८४२५४९५९२ भटार टेटाइक्स

Level: Bachelor

Semester: Fall

Year : 2014

8

8

7

Programme: BE

.

Full Marks: 100

Course: Probability and Statistics

Pass Marks: 45 Time : 3hrs.

Candidates are required to give their answers in their own words as far as practicable.

The figures in the margin indicate full marks.

Attempt all the questions.

a) Represent the following data by means of histogram, frequency curve and polygon.

| Salaries | 300-310 | 310-320 | 320-330 | 330-350 | 350-370 | 370-400 | No. of Workers | 7 | 19 | 28 | 15 | 12 | 12

- b) The first two groups have 100 items with mean 45 and variance 49. If the combined group has 250 items with mean 51 and variance 130, find the mean and standard deviation of the second group.
- a) A problem of statistics is given to three students A, B and C where chance of solving it is $\frac{1}{2}$, $\frac{3}{4}$ and $\frac{2}{3}$ respectively. If they independently solve it, what is the probability that
 - i. All can solve the problem
 - ii. None can solve the problem
 - iii. Problem can be solved
 - iv. Exactly one can solve the problem.
- b) State and prove Baye's theorem for conditional probability.
- a) A random variable X has the following probability function.

 X: 2 3 4 5 6 7

F(X): 0.1 K 0.2 2k 0.3 K Find the value of K and calculate mean and variance.

- b) Customers arrive at complaint department of a store at the rate of 3 per hour. If arrivals follow a Poisson distribution, calculate the probability that
 - i. No customer will arrive in an hour.

- ii. Two or three customers will arrive in an hour.
- iii. At least three customers will arrive in an hour.
- 4. a) In a normal distribution 31% of the items are under 45 and 8% are over 64. Find the mean and standard deviation of the distribution.
 - b) 400 orange are taken from a large consignment and 50 are found to be bad. Estimate the percentage bad orange in the consignment and assign 95% confidence limits.

- 5. a) A sample poll of 100 voters chosen at random from all voters in a given district indicated that 55% of them were in favor of a particular candidate. Find the 95% confidence limits for the proportion of all the voters in favour of this candidate.
 - b) The average weekly wages of a sample of 200 workers in industry A was Rs. 1150 with standard deviation of Rs. 100. The weekly wages of a sample of 300 workers in industry B was Rs. 1000 with standard deviation of Rs. 50. Can we consider the weekly wages paid by industry A is higher than those paid by industry B? (Use level of significance $\alpha = 0.05$).
- 6. a) The sales figure of an item in eight shops before and after advertisement is given as:

		55110	11 110.	·				
Before	70	65	48	72	80	92	98	100
After	72	70	53	75	84	95	105	104

Test whether advertisement was effective at 5% level of significance.

b) The following table gives the age X and blood pressure Y of 10 women.

X	56	42	36	47	49	42	60	72	63	55
Y	147	125	118	128	145	140	155	160	149	150

- i. Find correlation coefficient between age and pressure.
- ii. Fit a regression equation of X on Y.
- 7. Write short notes on: (Any two)
 - a) Binomial distribution and condition required for binomial distribution.
 - b) P-value and Critical value.
 - c) Central limit theorem and joint probability distribution.
 - d) Coefficient of determination.

Level: Bachelor

Semester: Spring

Year : 2014

Programme: BE

Course: Probability and Statistics

Full Marks: 100 Pass Marks: 45

Time : 3hrs.

Candidates are required to give their answers in their own words as far as practicable.

The figures in the margin indicate full marks.

Attempt all the questions.

. a) The daily wages of workers of a factory are given below:

7

8

7

Wages	300-310	310-320	320-330	330-350	350-370	370-410
(Rs.)				<u></u>		
No. of	8	10	20	18	16	- 12
workers						

- i. Construct a histogram and frequency polygon for the data.
- ii. Draw an ogive for the data and estimate the median age.
- b) The lives of two models(A and B) of refrigerators in a recent survey are shown below:

Life(No. of years)	No. of refrigerators			
	Model A	Model B		
0-2	5	2		
2-4	16	7		
4-6	13	12		
6-8	7	19		
8-10	. 5	9		
10-12	4	1		

- i. What is the average life of each model of these refrigerators?
- ii. Which model has greater uniformity?
- 2. a) The following are the numbers of minutes that a person had to wait for the bus to work on 15 working days,

Draw a box plot and interpret the result.

b) A student knew only 60% of the questions in a test each with 5 answers. He simply guessed while answering the test. What is

- 3. a) Suppose the time it takes a data collection operator to fill out an electronic form for a database is uniformly distributed between 1.5 and 2.2 minutes.
 - i. What is the mean and variance of the time it takes an operator to fill out the form?
 - ii. What is the probability that it will take less than two minutes to fill out the form?
 - iii. Determine the cumulative distribution function of the time it takes to fill out the form.

7

- b) In an examination, 30% of the candidates obtained marks below 40 and 10% of candidates got above 75 marks. Assuming that the marks are normally distributed, find mean and standard deviation of the distribution.
- In a certain city, the daily consumption of electric power (in millions of kilowatt-hours) can be treated as a random variable having a gamma distribution with $\alpha = 3$ and $\beta = 2$. If the power plant of this city has a daily capacity of 12 millions kilowatt hours. What is the mean of this gamma distribution? What is the probability that this power supply will be inadequate on any given day?
 - b) The probability density function of two random variables X & Y is given by:

$$f(x, y) = \frac{1}{8}(4 - x - y), \ 0 < x < 2, \ 0 < y < 2$$

= 0, otherwise

Find:

- i. The marginal distribution of X and Y.
- ii. $P(X \ge 1, Y \ge 1)$
- iii. Are X and Y dependent or independent?
- 5. a) A manufacturer of electronic calculators takes a random sample of 1200 calculators and finds that there are eight defective units.
 - i. Construct a 95% confidence interval on the population proportion.
 - ii. Is there evidence to support a claim that the fraction of

defective units produced is 1% or less?

The following random samples are measurements of the heat b) producing capacity (in millions of calories per 100kg) of specimens of coal from two mines.

Mine 1:

a)

82

81

83

83 80

78

Mine 2:

72

78

79

81 79

Use the 0.01 level of significance to test whether the difference between the means of these two mines is significant.

The quantity demanded of a certain product before advertisement and

after adver	tisem	ent is	giver	r pero	₩,			,	· · · · · · · · · · · · · · · · · · ·	
Before	50	40	45	50	60	70	35	38	60	70
advertisement	l		<u> </u>		ļ	<u></u>		ļ	 	
After	55	41	51	51	55	75	50	-54	70	78
advertisement		<u> </u>		<u>L</u>			<u> </u>	<u></u>	<u></u>	<u></u>

Is the advertisement effective? Test at 5% level of significance.

An instructor is interested in finding out the relationship between the b) number of students absent in school (y) and the day temperature (x). A random sample of 10 days was used for the study. The following table gives the record of the study.

Temperature(x)	10	20	25	30	40	45	50	55	59	60
No. of absent students(y)	8	7	5	4	2	3	5	6	8	9

Find the regression equation to estimate the no. of students absent in the school when the temperature is 65. Also fund the standard error of estimate.

- Write short notes on: (Any two) 7.
 - P-value and critical value. a)
 - Characteristics of normal distribution. b)
 - Probability Sampling. c)

7

8

8

2×5

Level: Bachelor

Semester: Fall

Year : 2015

Programme: BE

Full Marks: 100

Course: Probability and Statistics

Pass Marks: 45 Time : 3hrs.

Candidates are required to give their answers in their own words as far as practicable.

The figures in the margin indicate full marks.

Attempt all the questions.

1. a) The test scores of the students in probability and statistics are listed below. Construct a stem-and leaf plot of the scores.

7

92	78	73	89	98	89	.83	75	83	. 94
			96						
			82						

Also, find the lowest score of the best 25% of the students.

b) Lives of two models A & B of objects in a recent survey are:

8

Life	0 -2	2-4	4-6	6-8	8-10	10-12
Model A	5	16	13	7	5	4
Model B	2	7	12	19	9	11

Which model has greater uniformity?

- 2. a) In a company, there are 4 Civil engineers, 5 IT officers and 6 finance officers. A committee of 3 members has to be formed from random selection. What is the probability that committee consists of
 - i. All civil engineers.
 - ii. One civil engineer.
 - iii. At least one civil engineers.
 - b) State Bayes' Theorem. In a certain recruitment test, there are multiple choice questions. There are 4 possible answers to each question and of which one is correct. An intelligent student knows 80% of the answer. If intelligent student gets the correct answer, what is probability that he is guessing?
- 3. a) A marksman firing bullets at a target and probability of hitting the target at any trial is 0.7. Find probability that his seventh shot is his fourth hit.

- b) The time (in hours) required to repair a machine is exponentially distributed with parameter $\lambda = \frac{1}{3}$. What is the probability that the repair time exceeds 3 hours. Also find the probability that machine will required within 3 hours.
- c) Batteries last an average of 60 days with standard deviation of 10 days. Sixty batteries are bought. What is the probability that

7

8

7

8

- i. Mean life of all 60 batteries exceeds 61 days.
- ii. Mean life differs from 60 days by more than 3 days.
- 4. a) The length of time (in minutes) that a certain lady speaks on the telephone is found to be random phenomenon, with a probability function specified by the probability density function f(x) as:

$$f(x) = \begin{cases} Ae^{-\frac{x}{5}}, & x \ge 0 \\ 0, & otherwise \end{cases}$$

- i. Find the value of A.
- ii. What is the probability that the number of minutes that she will talk over the phone is more than 10 minutes?
- iii. Find the mean and variance of talk time on the telephone.
- b) The joint probability density function of two dimensional random variable (X,Y) is given by

$$f(x,y) = \begin{cases} \frac{1}{8}(6-x-y); & 0 < x < 2, 2 < y < 4 \\ 0; & otherwise \end{cases}$$

Determine:

- i. Marginal probability density function of X and Y.
- ii. Find conditional probability density of Y given X=x.
- iii. Examine whether X and Y are independent.
- 5. a) A population consists of the value 7, 6, 8, 4, 10. Prove that sample mean of size 3 is unbiased estimator of the population mean.
 - b) An IQ test was administered to 7 persons before and after they were trained. The results are given below:

Candidates	Ī	II	III	IV	V	VI	VII
IQ before training	130	135	120	133	142	137	126
IQ after training	138	131	130	135	146	146	138

Test whether the training is designed properly.

- 6. a) A social study group wants to determine views expressed by people that there is too much violence on television in these days. It is noted that 70% of 2000 men selected at random believed so, 60% of 4000 women selected at random also believed that there is too much violence on television. The group wants to test whether there is a significant difference in the viewers of men as compared to views expressed by women.
 - b) The following table given the age x and blood pressure y of 10 women.

X	56	42	36	47	49	42	60	72	63	55
Y	147	125	118	128	145	140	155	160	149	150

i. Find correlation coefficient between age and pressure. Also find coefficient of determination and interpret it.

 2×5

- ii. Fit a regression equation that best describe the above data.
- 7. Write short notes on: (Any two)
 - a) Criteria of good estimator.
 - b) Box and Whisker Plot.
 - c) Properties of normal distribution.

Level: Bachelor

Semester: Spring

: 2015 Year

Programme: BE

Full Marks: 100 Pass Marks: 45

Course: Probability and Statistics

Time : 3his.

Candidates are required to give their answers in their own words as far as practicable.

The figures in the margin indicate full marks.

Attempt all the questions.

67°

The following table shows length of eighty bally bridge: 1.

ofe	ighty b	ally bri	age:	
90	62	88	76	93
93	71	59	85	75
62	95	78	63	72
77	69	74	68	60
95	60	79	83	71
85	-76	65	71_	75
78.	62	-76	53	74
63	76	75	85	77

With the reference of above table.

- Construct the grouped frequency distribution having class width 10.
- ii. Draw less than ogive and more than ogive in same graph and hence locate median.
- iii. By the help of less than ogive find the number of bridge having length less than 65 meter.
- The lives of two models (A and B) of refrigerators in a recent survey b) are shown below:

Life (No. of	No. of 1	re frigerators
Years)	Model A	Model B
0-2	5	2
2-4	16	7 .
4-6	13	12
6-8	7	19
8-10	5	9 .
10-12	4	1

7

5

- ii. Which model has greater uniformity?
- 2. a) Two production plants, A and B, make wire cables that are sent to a common distributor. 40% of the cables sent to the distributor come from Plant A, and the remaining 60% from Plant B. Among the cables produced at Plant A, 95% meet the strength specifications; among the cables produced at Plant B, 98% meet the strength specification.
 - i. The distributor selects one cable at random from among all cables in stock. If the cable selected is found to meet the strength specifications, what is the probability that the cable was produced at Plant A?
 - ii. Let A be the event that a cable is manufactured at Plant A; similarly, B be the event that a cable is manufactured at Plant B. Let Y be the event that a cable meets the strength specifications; and let N be the event that a cable does not meet the strength specifications. (i) Are events A and Y independent? Give reasons.
 - b) The HAL Corporation wishes to improve the resistance of its personal computer to disk driver and key board failures. At present, the design of computer is such that disk-drive failures occurs only one third as often as keyboard failures. The probability of simultaneous disk-drive and key board failures is 0.05.
 - i. If the computer is 80% resistant to disk-drive and/or keyboard failure, how low must the disk-drive failure.
 - ii. If the keyboard is improved so that it fails only twice as often as the disk-drive(and the simultaneous failure probability is still 0.05), Will the disk drive failure probability from part (I) yield a resistance to disk-drive and /or keyboard failure higher or lower than 90%.
- 3. a) On the average how many time must a dice thrown until one get a 6?
 - b) Harley Davidson, director of quality control for the Kyoto Motor company, is conducting his monthly spot check of automatic transmission. In this procedure, 10 transmissions are removed from the pool of components and are checked for manufacturing defects. Historically, only 2% of the transmissions have such flaws. (Assume that flaws occur independently in different transmission)

- i. What is the probability that Harley's sample contains more than two transmissions with manufacturing flaws?
- ii. What is the probability that none of the selected transmission has any manufacturing flaws?

7

8

5

5.

5:

- c) Busses arrive at a specified stop at 15-minute intervals starting at 7A.M. That is, they arrive at 7, 7:15, 7:30, 7:45, and so on. If a passenger arrives at the stop at a time that is uniformly distributed between 7 and 7:30, find the probability that he waits.
 - i. Less than 5 minutes for a bus
 - ii. At least 12 minutes for a bus
- 4. a) Unisys.com is one of the most frequented business to business websites; assume that the length of a visit on the Unisys websites is distributed as a normal random variable with a mean of 65.7 minutes and a standard deviation of 15 minutes.
 - i. What is the probability that a randomly selected visit will last more than 90 minutes?
 - ii. Only 20% of the visits will last less than how many minutes?
 - b) f(x,y)= 4xy, 0 < x < 1, 0 < y < 1

= 0 otherwise

- i. Verify that f(x,y) is a p.d.f.
- ii. Find the marginal probability density function of X and Y.
- iii. Find whether X and Y are independent or not.
- 5. a) In a certain factory there are two independent processes manufacturing the same item. The average weight in a sample of 250 items produced from one process is found to be 120grams with standard deviation of 12 grams, while the corresponding figures in a sample of 400 items from the other process are 124 and 14. Test whether two mean weights differ significantly or not at 10% level of significance.
 - b) From a population of 540, a sample of 60 individuals is taken. From this sample, the mean is found to be 6.2 and standard deviation 1.368.
 - i. Find the estimated standard error of the mean.
 - ii. Construct 96% confidence interval for mean.
 - c) A machine is used to cut wheels of cheese into blocks of specified weight. On the basis of long experience it has been observed that the wt. of the blocks is normally distributed with a standard deviation of

0.3 kg. The machine is currently set to cut the block of wt. 12kg. A sample of 9 blocks is found to have an average block of wt. 12.25 kg. Set- up the null hypothesis and determine whether it is a one tailed or two tailed test. Use the critical value approach to determine whether the cutting machine needs to be recalibrated?

6. a) A study reported in the article "The Effects of Water Vapour Concentrations on the Rate of Combustion of an Artificial in Humid Air Flow" (Combustion and Flame) give data on

x = temperature of nitrogen oxygen mixture(1000 degree \hat{F}) under the specified conditions

y = oxygen diffusivity.

Summary quantities are:

$$n = 9$$
,

$$\Sigma x = 12.6$$

$$\Sigma y = 27.68$$

$$\Sigma x^2 = 18.24$$

$$\nabla \sqrt{2} = 93.344$$

$$\Sigma xy = 40.968$$
.

- i. Calculate correlation coefficient between x and y, and interpret you answer
- ii. Fit a regression equation of y on x.
- iii. Find coefficient of determination and interpret it
- b) ABC Physical Fitness claims that completion of their weight loss programme will result in a weight loss. To test this claim, SIX persons were selected of random and they were put through the weight loss programme and weights before and after the programme recorded. Test the claim of fitness center at α=0.05. The weights in pounds in six persons recorded before and after the programme are as follows.

Person	1	2	3	4	5	6
Weight (before)	145	200	160	185	164	175
Weight (after)	143	190	165	183	160	176

- 7. Write short notes on: (Any two)
 - a) Criteria of good estimator
 - b) Error in hypothesis testing
 - c) Application of Probability and statistics in engineering

2×5

Level: Bachelor

Semester: Fall

Year : 2016 Full Marks: 100

Programme: BE

as practicable.

Course: Probability and Statistics

Pass Marks: 45 Time : 3hrs.

Candidates are required to give their answers in their own words as far

The figures in the margin indicate full marks.

Attempt all the questions.

1. a) For a computer controlled lathe whose performance was below par, workers record the following causes and their frequencies:

1

Power fluctuation 6
Controller not stable 22
Operator error 13
Worn tool not replaced 2
Other 5

Construct Pareto chart.

i. What percentage of the cases are due to an unstable controller?

ii. What percentage of the cause is due to either unstable controller or operator error?

b) A random sample was taken of the thickness of insulation in transformer windings, and the following thicknesses (in millimeters) were recorded:

41 39 38 29 25 31 37 21 22 18 35 36 38 54 56 56 57 47 48 44 37 48 36 37 42 43 40 32 29 37

i. Prepare a stem-and leaf display for these data.

ii. Prepare a box plot for these data.

2. a) An oil exploration company currently has two active projects, one in Asia and the other in Europe. Let A be the event that the Asian project is successful and B be the event that the European project is successful. Suppose that A and B are independent events with P(A) = 0.4 and P(B) = 0.7.

- i. If the Asian project is not successful, what is the probability that the European project is also not successful? Explain your reasoning.
- ii. What is the probability that at least one of the two projects will be successful?
- iii. Given that at least one of the two projects is successful, what is the probability that only the Asian project is successful?

7

8

5

- b) Three road construction firms, X, Y and Z, bid for a certain contract. From past experience, it is estimated that the probability that X will be awarded the contract is 0.40, while for Y and Z the probabilities are 0.35 and 0.25. If X does receive the contract, the probability that the work will be satisfactorily completed on time is 0.75. For Y and Z these probabilities are 0.80 and 0.70.
 - i. What is the probability that the work will be completed satisfactorily?
 - ii. It turns out that the work was done satisfactorily. What is the probability that Y was awarded the contract?
- 3. a) Suppose that X is a random variable, whose probability density function is given by,

$$f(x) = C(4x-2x^2),$$
 0

- = 0. otherwise
- i. Determine the value of C.
- ii. Determine the cumulative distribution function of X.
- iii. Find P(X>1).
- In an examination 15% of the candidates got first class (60% marks or above), while 40% failed (securing below 40% marks). Assuming the marks to be normally distributed, estimate the mean and standard deviation.
- 4. a) Six dice are thrown 729 times. How many times do you expected at least three dice to shown a five or six?
 - b) The magnitude of earthquakes recorded in *Sindhupalchowk* of Nepal during the year 2072 can be modeled as having an exponential distribution with mean 4.5, as measured on the Richter scale. Suppose that the magnitude of earthquakes striking the region has a gamma distribution with $\alpha = 1.5$ and $\beta = 3$
 - i. What is the mean magnitude of earthquakes striking the

region?

ii. What is the probability that the magnitude an earthquake striking the region will exceed 5.0 on the Richter scale?

iii. What is the probability that an earthquake striking the regions will fall between 5.0 and 6.0 on the Richter scale?

c) The life time of semiconductor laser has a log-normal distribution with $\mu=10$ hrs and $\sigma=1.5$ hrs.

. What is the probability that the life time exceeds 10,000 hrs?

- ii. What life time is exceeded by 99% of laser?
- 5. a) In a certain factory there are two independent processes manufacturing the same item. The average weight in a sample of 250 items produced from one process is found to be 120grams with standard deviation of 12 grams, while the corresponding figures in a sample of 400 items from the other process are 124 and 14. Test whether two mean weights differ significantly or not at 10% level of significance.

From a population of 540, a sample of 60 individuals is taken. From this sample, the mean is found to be 6.2 and standard deviation 1.368.

- i. Find the estimated standard error of the mean.
- ii. Construct 96% confidence interval for mean.

c) ABC Physical Fitness claims that completion of their weight loss programme will result in a weight loss, to test this claim, 6 persons were selected of random and they were put through the weight loss programme and weights before and after the programme recorded. Test the claim of fitness centre at 0.05 level of significance. The weights in pounds in six persons recorded before and after the programme are as follows.

5 6 Persons 164 175 160 185 Weight (before) 145 200 160 176 165 183 143 190 Weight (after)

6. a) In the United States, during the fall harvest season Pumpkin are sold in the large quantities at the farm stands. Often instead of weighing the Pumpkin prior to sale, the farm stand operators will just places the

10

5

5

Pumpkin in the appropriate circular cutout on the counter. When asked why this was done one farmer replied, `` I can tell the weight of the pumpkin from its circumference``. To determine whether this was really true; a sample of 8 Pumpkin's circumference and weights were measured:

Circumference (cm)	50	55	54	52	37	52	53	47
Weight (gram)00	12	20	15	17	50	10	15 ⁻	14

- i. Develop the estimating linear regression equation to predict the weight of the pumpkin that is 60 cm in circumference.
- ii. Calculate correlation coefficient between circumference and weight of the pumpkin and interpret it.
- b) It is known that 5% of the screws manufactured by an automatic machine are defective. If a sample of 20 screw is selected at random, find the probability that the sample contains:
 - i. exactly two defective screws
 - ii. at least two defective screws.
- 7. Write short notes on: (Any two)
 - a) Characteristics of good estimator
 - b) Error in hypothesis testing
 - c) Application of statistics in engineering.

सुगम स्टेसनरी सप्तायसं एवड फोटोकपी सर्विस बालकमारी स्टिक्स १ - १०००

Worr College

5

 2×5

Level: Bachelor

Semester: Spring

. 2016

Programme: BE

Full Marks: 100

Year

Course: Probability and Statistics

Pass Marks: 45

· 3hrs. Time

Candidates are required to give their answers in their own words as far as practicable.

The figures in the margin indicate full marks. Attempt all the questions.

सुगम स्टेसनरी सप्लायर्स एण्ड फो बालक्सारी, ललितपुर ९६४९५ MCIT College

From the following frequency distribution, 1. a)

Income (Rs 000)

40-50 50-60 30-40

18 10 No. of Persons Conduct on ogive that will help you the answer to find the number of persons having income:

20-30

10-20

Less than Rs. 35000

Between Rs. 20000 and Rs. 50000 ii

0-10

More than Rs. 25000 iii.

An analysis of monthly wages paid to the workers in two firms A and B belonging to the same industry gives the following results:

(use population) Firm B Firm A 600 500 No. of workers 175 186 Average monthly wages (Rs) 100 Variance of distribution of wages (Rs)

Which firm, A or B has a larger wage bill? i.

In which firm, A or B is there greater variability in individual ii. wages?

Calculate (a) the average monthly wages (b) the variance of iii. the distribution of wages, of all the workers in the firm A and B taken together.

State and prove Bayes Theorem of probability. a)

From a group of 3 Nepalese, 4 Indian and 5 Americans, a b) subcommittee of four persons are selected randomly. Find the probability that the subcommittee will consists of

- i. 3 Nepalese and 1 Indian
- ii. 1 Nepalese, 1 Indian and 2 Americans
- iii. 4 Americans
- c) A manufacturing firm produces steel pipes in three plants with daily production volume of 500, 1000 and 2000 units respectively. According to the past experience, it is known that the fraction of defective outputs produced by the three plants are respectively 0.005,0.008 and 0.010. If pipe is selected from a day's total production and found to be defective. From which plant the defective pipe is expected to have been produced?

7

5.

3. a) An appliance dealer sells different models of freezers having 13.5, 15.9 and 19.1 cu.ft. of storage space purchased by the next customer to buy a freezer and p(x) be the p.m.f. given below as:

	1 ()		
X;x	13.5	15.9	19.1
P(x)	0.2	0.5	0.3

- i. Compute E(X) and V(X)
- ii. If the price of a freezer having capacity x cubic feet is 25x 8.5, what is the expected price paid by the next customer to buy a freezer?
- iii. What is the variance of the price 25x 8.5 paid by the next customer?
- b) The joint probability density function of two continuous random variables

$$f(x, y) = Axy;$$
 $0 < x < 1,$ $0 < y < x$

- i. Find A
- ii. Find marginal density function of X and Y
- iii. Find conditional density function of Y given X=x and conditional density function of X given Y=y
- iv. Check for independence of X and Y
- 4. a) From a lot of 10 times containing 3 defectives a sample of 4 items is drawn at random. Let the random variable X denote the number of defective items in the sample. Answer the following:
 - i. E (X)
 - ii. V(X)
 - iii. The probability distribution of X.

- b) In a certain examination test 2000 students appeared in statistics. The average deviation was 5%. How many students do you expect to obtain more than 60% marks? What are the minimum marks of the top 100 students? Assume that the markets are normally distributed.
- The length of time (in seconds) that a user views a page on webside before moving to another page is log-normal random variable with parameters $\mu = 0.5$ and $\sigma^2 = 1$.
 - i. What is the probability that a page is viewed for more than 10 second?
 - ii. What is the length of time 50% of user view the page?
 - iii. What is the mean and standard deviation of the time until a user moves from the page?
- 5. a) The accompanying data on cube compressive strength (MPa) of concrete specimens appeared in the article "Experimental Study of Recycled Rubber-Filled High- Strength Concrete"
 112.3, 97.0, 92.7, 86.0, 102.0, 99.2, 95.8, 103.5, 89.0, 86.7
 Suppose the concrete will be used for a particular application unless there is strong evidence that true average strength is less than 100 MPa. Should the concrete be used?
 - b) Hotel's manager in Kathmandu wants to know the hotels average daily registration. The following table presents the numbers of guest registered each of 27 randomly selected days. Calculate the sample mean, standard errors of mean and 95% confidence limits of population mean.

61	57	53	60	64	57	54	58	63
61.	50	59	50	60	57	58	62	63
60	54	54	61	51	53	62	57	60

- 6. a) A social study group wants to determine if people think that there is too much violence on television in these days. 70% of 2000 men selected at random believed so 60% of 4000 women selected at random also believed that there is too much violence on television. The group wants to test if there is a significant difference in the viewers of men as compared to views expressed by women. Test the hypothesis at α=0.05.
 - b) Shear stress (y) and rate of shear (x) can be measured for a liquid in a viscometer. For 12 pairs of values the data can be summarized as

P25-165

Level: Bachelor

Semester: Fall

-2017Year

Programme: BE

Course: Probability and Statistics

Full Marks: 100 Pass Marks: 45

: 3hrs. Time

7

8

Candidates are required to give their answers in their own words as far as practicable.

The figures in the margin indicate full marks.

Attempt all the questions.

data represents the tensile strength of steel-rod 1.

manufactured by company A located at Biratnagar.

	manufactured by company 11 located to 21 to 3										
	65	36	49	84	79	56	28	43	67.	36	
-	43	78	37	40	68	72	70	55	62	82	
	88	50	60	56	57	46	39	57	22	65	
Ì	59	48	76	74	80	69	51	40	56	45	
-	35	21	62	52	63	32	86	64	53	34	

Construct a frequency distribution and represent the data by means of Cumulative frequency curve. Identify the median and first quartile from the curve. Also interpret the result of 1st quartile.

b) From the following distribution of mark of 500 students of a college, find the minimum pass marks, if only 20% of student had failed and also the minimum marks obtained by the top 25% of the students.

80-100 50-60 60-80 20-40 40-50 marks 0 - 2060 50 150 90 50 100 No. of students

State bayes theorem. In a class of 75 students, 15 students were 2. considered to be very intelligent, 45 as medium and rest below the average. The probability that a very intelligent student fails in examination is 0.005, the medium student failing has probability 0.05 and corresponding probability for a below average is 0.15. If a student is known to have passed the examination, what is the probability that

he is below the average?

- b) A coin is tossed until a head appears. What is expectation of number of tosses required?
- . a) A sample of 600 mobile of a certain Brand is tested to find the length of Battery. After each full charge, produced result of average 12 hours and standard deviation of 4.5 hours. Assuming the data to be Normally distributed, find the number of mobiles that are expected to have life after each full charge:
 - i. More than 15 hours
 - ii. Between 10 and 14 hours
 - iii. Top 10% performer (on the bases of battery life)
 - b) The quality control manager at a light bulb factory needs to estimate the mean life of a large shipment of life bulbs. The process standard deviation is known to be 100 hours. A random sample of 64 light bulbs indicated a sample mean life of 350 hours.
 - i. Obtain the standard error of the mean and interpret its meaning
 - ii. Set up 95% confidence interval of the true population mean life of bulbs in this shipment
 - iii. Do you think that manufacturer has the right to state the light bulbs last an average of 390 hours?
- 4. a) The length of time (in minutes) that a certain lady speaks on the telephone is found to be random phenomenon, with a probability function specified by the probability density function f(x) as:

$$f(x) = Ae^{x/5}$$
 for $x \ge 0$

= 0 otherwise

- i. Find the value of A
- ii. What is the probability that she will talk over the phone is:
 - a. More than 10 minutes
 - b. Less than 5 minutes
 - Between 5 and 10 minutes
- b) Joint probability distribution of random variables X and Y is given by

$$f(x,y) = k(6-x-y), 0 < x < 2, 2 < y < 4$$

=0 otherwise

Find:

- i. the constant k
- ii. Marginal density function of X and Y
- iii. E(X) and V(X)
- iv. Are X and Y independent?
- 5. a) The National Bureau of standard has previously reported the value of Selenium (Se) in NBS orchard leaves to be 0.080. A random sample of size n=6 gives the following determinations:

OI SIZE II-O	51,00 min				
0.072	0.073	0.080	0.078	0.088	0.080
0.072				- ortoil vulu	ω'7

8

5

10

2x5

Does the data contradict the previously reported value?

- b) In a factory, 2% fans were found defective in a lot of 2000 fans and in another factory, 2.5% fans were found defective in a lot of 3000 fans. Do you find that the fans in the second factory are significantly inferior compared to the fans in the first factory (use a =5%).
- 6. a) Suppose that the service life of a semiconductor is a random variable having exponential distribution with $\lambda = \frac{1}{50}$ hours. Find the probability that such a semiconductor will still be operating condition after 100 hours.
 - b) The following are the heights in centimeter and the weights in kilogram of 10 men:

	KHOŁ	gram o	1 10 11	.1011.								Į
1	Height	162	168	174	176	180	180	182	184	186	186	
	Weight	65	65	84	63 ·	75	76	82	65	80	81	

- i. Develop the estimating regression equation of weight on height.
- ii. Find the coefficient of determination and interpret it. Also find standard error of the estimate.
- 7. Write short notes on: (Any two)
 - a) Coefficient of determination
 - b) Probability and non probability sampling
 - c) Errors in hypothesis testing

PAS

Level: Bachelor

Semester: Spring

: 2017

Programme: BE

Course: Probability and Statistics

Full Marks: 100 Pass Marks: 45

Year

Time 3hrs.

Candidates are required to give their answers in their own words as far as practicable.

The figures in the margin indicate full marks.

Attempt all the questions.

1. a) Over a period of 40 days the percentage relative humidity in a vegetable storage building was measured. Mean daily values were recorded as shown below:

- i. Prepare a stem-and leaf display for these data. Show the leaves sorted in order of increasing magnitude on each stem.
- ii. Draw a box plot for these data and interpret the data in practical manner.
- b) The temperature in a chemical reactor was measured every half hour under the same conditions. The results were 78.1°C, 79.2°C, 78.9°C, 80.2°C, 78.3°C, 78.8°C, 79.4°C. Calculate the mean, median, lower quartile, upper quartile standard deviation and coefficient of variation.
- 2. a) A problem of statistics is given to three students A, B and C where chance of solving it is ½, ¾ and ⅔ respectively. If they independently solve it, what is the probability that
 - i. All can solve the problem
 - ii. None can solve the problem
 - iii. Problem can be solved
 - iv. Exactly one can solve the problem
 - b) State and Prove Baye's theorem for conditional probability.
- 3. a) A random variable X has the following probability function.

X: 2 3 4 5 6 7 F(X): 0.1 K 0.2 2 k 0.3 K

Find the value of K and calculate mean and variance.

b) Customers arrive at complaint department of a store at the rate of 3 per hour. If arrivals follow a Poisson distribution, calculate the

o

probability that

- i. No customer will arrive in a hour
- ii. Two or three customers will arrive in an hour
- iii. At least three customers will arrive in an hour
- 4. a) In an examination 15% of the candidates got first class (60% marks or above), while 40% failed (securing below 40% marks). Assuming the marks to be normally distributed, estimate the mean and standard deviation.

8

7

7

8

8

7

 2×5

- b) If two random variables have the joint probability density function. $F(x,y)=^2/_3(x+2y)$; 0 < x < 1, 0 < y < 1
 - i. Find marginal density function of X& Y
 - ii. Find the conditional density of X given that Y=v
 - iii. Are X and Y independent
- 5. a) A random sample of 8 envelopes is taken from letter box of a post office and their weights in gms are found to be 12.1, 11.9, 12.3, 11.9, 12.1, 12.4, 12.1 and 11.5. Find 99% fiducial limits for the mean weight of envelopes received at that post office.
 - b) What is P-value? In a factory 2% fans were found to be defective in a lot of 3000 fans, and in another factory 3% fans were found to be defective in a lot of 2500 fans. Do you find that the fans in secondary factory are significantly inferior compared to the fans in the first factory? ($Use \propto = 0.05$)
- 6. a) An I.Q. test was administered to 5 persons before and after they were trained. The results are given below

Candidates	1	2	3	4	5
IQ Before Training	110	120	123	132	125
IQ After Training	120	118	125	136	121

Is training effective at 5% level of significance?

b) The following table gives the age X and blood pressure Y of 10 women.

* *	OHIOH										
	X	56	42	36	47	49	42	60	72	63	55
	Y	147	125	118	128	145	140	155	160	149	150

- i. Find correlation coefficient between age and pressure
- ii. Fit a regression equation of X on Y
- 7. Write short notes on: (Any two)
 - a) Characteristics of good estimator
 - b) Error in hypothesis testing
 - c) Confidence Interval

Level: Bachelor

Semester: Fall

Year : 2018

Programme: BE

Course: Probability and Statistics

Full Marks: 100 Pass Marks: 45

Time : 3hrs.

Candidates are required to give their answers in their own words as far as practicable.

The figures in the margin indicate full marks.

Attempt all the questions.

1. a) An investigator wants to study the speed of cars at Araniko highway and he collected the speed of 30 vehicles and speed were,

ひょょししい	ou ure sp	cou or s	0 ,0,,,,,,,,	·	,	•	
35.	37.	42,	45,	47,	48,	50	55;
67	70.	75.	80,	90,	95,	94,	48,
55	60.	71	63,	70,	65,	80,	55,
40.	35,	36,	85,	79,	30		

i. Present the above data in stem and leaf display.

ii. Construct continuous frequency distribution using Struge's rule and construct the cumulative curve and find median speed, speed of first 25% vehicles, speed of first 75% vehicles and also compute the percentage of vehicles whose speed lies between 40 to 70 km.

b) The lives of two models (A and B) of refrigerators in a recent survey

are shown below

Are shown below	No. of refrigerators					
Life (No. of years)	Model A	Model B				
0-2	5	2				
2-4	16	7				
4-6	13	12				
6-8	7	19				
8-10	5	9				
10-12	4 :	. 1				

- i. What is the average of each model of these refrigerators?
- ii. Which model has greater uniformity?
- 2. a) The contents of urns 1, II and III are as follows:

 1 white, 2 black and 3 red balls; 2 white balls, 1 black and 1 red balls
 and 4 white, 5 black and 3 red balls. One urn is chosen at random and
 two balls are drawn. They happen to be white and red. What is the
 probability that they come from urns, I, II or III?

5

8.

- b) Define axiomatic approach of probability. In a certain locality of town, a survey of 600 women about the fuels for cooking revealed that 230 use kerosene oil, 175 women use electricity and 40 women use both. Find the probability that a women selected use;
 - i. At least one of the fuel
 - ii. Neither of the fuel
 - iii. Kerosene oil only
 - iv. Electricity only
 - v. Exactly one
- In Bharatpur city, the daily consumption of electric power can be treated as a random variable having a gamma distribution with $\propto = 3$ and $\beta = 2$. If the power plant of this city has daily capacity of 12 million kilowatt hours, what is the probability that this power supply will be inadequate on any given day?
- 3: a) The number of accident in a year attributed to taxi driver in a city is Poisson distribution with mean 3. Out of 1000 taxi driver, find approximately the number of driver with: i) More than 3 accidents in a year and ii) Less than 2 accident
 - b) Diameters of bolts produced by a particular machine are normally distributed with mean 0.760 cm and standard deviation 0.012 cm. Specifications call for diameters from 0.720 cm to 0.780 cm.
 - i) What percentage of bolts will meet these specifications?
 - ii) What percentage of bolts will be smaller than 0.730 cm?
- 4. a) f(x,y) = 4xy, if 0 < x < 1, 0 < y < 1= 0, otherwise
 - i) Verify that f(x,y) is a p.d.f.
 - ii) Find the marginal probability density function of X and Y.
 - iii) Find whether X and Y are independent or not.

b) How do you distinguish point estimation from interval estimation? What are the characteristics of good estimator, explain it.

7

 2×5

- 5. a) The quality control Engineer at a light bulb factory needs to estimate the average life of a large shipment of light bulbs. The process standard deviation is known to be 100 hours. A random sample of 64 light bulbs indicated a sample average life of 350 hours.
 - i) Calculate the standard error of mean.
 - ii) Set up a 95% confidence limits for the true average life of light bulbs in this shipment.
 - b) A study shows that 16 of 200 tractors produced on one assembly line required extensive adjustment before likely they could be shipped, while same was true for 14 of 400 tractors produced on another assembly line. At the 0.05 level of significance, does this support claim that the second production line does superior work?
- 6. a) A random sample of 10 boys had the following I.Q. Scores. 70, 120, 110, 101, 88, 83, 95, 107, 100, 98. Do these data support the assumption of a population mean I.Q. scores of 100?
 - b) An engineering student has a summer job with the forestry service. He measured the tree trunk diameters (x in inches) and related them to the age of the tree (y in years). The following information was obtained:
 - n = 6, $\sum x=21$, $\sum x^2 = 91$, $\sum y=26$, $\sum y^2 = 142.52$, $\sum xy=113.8$
 - Find the regression equation of y on x and estimate the age of the tree whose diameter is 4 inches.
 - ii) Find the correlation coefficient between x and y and interpret the result in practical manner.
 - iii) Determine coefficient of determination and interpret the result.
 - iv) Compute the standard error of the estimate.
- 7. Write short notes on: (Any two)
 - a) Types of errors in hypothesis testing and procedure of testing of hypothesis
 - b) Central limit theorem
 - c) Probability mass function and probability density function

Level: Bachelor

Semester: Spring

Year : 2018

Programme: BE

Full Marks: 100

Course: Probability Statistics

Pass Marks: 45 Time : 3hrs.

Candidates are required to give their answers in their own words as far as practicable.

The figures in the margin indicate full marks.

Attempt all the questions.

1. a) The following data set represents the number of new computer accounts registered during ten consecutive days. 43, 37, 50, 51, 58, 105, 52, 45, 45, 10.

7

8

- i. Compute the mean, median and standard deviation.
- ii. Draw a box and whisker plot and and identify whether it is skewed or not.

b) After the implementation of an economic program to uplift the economic condition of a community following information were found.

14-16 16-18 4-6 6-8 8-10 10-12 12-14 Monthly income (Rs 000) 5 37 15 15 5 8 65 After the plan (no of families)

Construct an ogive to find

- i. Find the number of families whose monthly income is between Rs. 8,000 to Rs. 14, 000.
- ii. Find the number of families whose monthly income is above Rs. 12.000.
- 2. a) A firm has 80% of its service calls made by a contractor and 10% of these calls result in customer complaints. The other 20% of the service calls are made by their own employees, and these calls have a 5% complaint rate. Find the probability of a complaint. Also, using Bayes theorem to find the probability that a complaint was from a customer whose service was provided by the contractor.
 - b) Three bags contain 3 video cards and 2 network cards, 5 video cards and 6 network cards, 2 video cards and 4 network cards respectively.

7

One card is drawn from each urn. Find the expected number of video cards.

- 3. a) Messages arrive at an electronic message center at random times, with 3×5 an average of 9 messages per hour.
 - i. What is the probability of receiving at least five messages during the next hour?
 - ii. What is the probability of receiving exactly five messages during the next hour?
 - b) The average diameter of a sample of 1000 pipes is 2.6 inches and standard deviation is 0.55. Assuming that the diameter of pipes is normally distributed. Find the number of pipes of diameter
 - i. Greater than 2 inches.
 - ii. Between 2 and 3.1 inches
 - c) A continuous random variable X has the following density function.

$$f(x) = kx^2 \quad for \ 0 < x < 1$$

0 otherwise

7

8

7

8

- i. Find the value of k
- ii. $P(0 \le X \le 0.7)$
- iii. E(X)
- 4. a) In a random sample of 300 households in a city 223 have computer. Set an approximate 95% and 99% limits to the true value of proportion of households with computer in the whole city.
 - b) A random sample of 200 bolts manufactured by machine A and of 100 bolts manufactured by machine B showed 19 and 5 defective bolts respectively. Test the hypothesis that machine B is performing better than A at 5% level of significance.
- 5. a) The sales data of steel for a steel factory in six shops before and after a special promotional campaign are as under:

Shops	Α .	В	С	D	Е	F
Before campaign	53	28	3-1	48	50	42
After campaign	58	29	30	55	56	45

Can the campaign be judged to be a success? Test at 5% level of significance.

b) Describe the importance of sampling. Two types of drugs were used on 5 and 7 patients for reducing their weight. Drug A was imported

and drug B indigenous. The decrease in the weight after using the drugs for six months was as follows:

0						1	
Drug A	12	13	11	14	10		
Drug B	9	12	14	15	10	9	8

Is there a significant different in the efficiency of two drugs?

6. a) A firm administers a test to sales trainees before they go into the field. The management of the firm is interested in determining the relationship between the test scores and the sales made by the trainees at the end of one year in the field. The following data were collected for 14 sales personnel who have been in the field one year.

hersomier A	1 110													
Salesperson	1	2	3	4	5	6	7	8	9	10	11	12	13	14
	26	27	24	15	.26	50	28	30	40	34	29	30	43	38
Test Scores	20	37	24	45	. 20	30								
(X)									17	1.0	12	16	20	17
Number of	9	14	8	18	10	19	11	13	17	15	13	10	20	17
unit sold (y)										Ì				
(in thousand										ľ				
(l •		l		i		J		<u> </u>	L	i		L	

Calculation shows that

$$\sum X = 480 \qquad \sum X^2 = 17296$$

$$\sum Y = 200 \qquad \sum Y^2 = 3044$$

$$\sum XY = 7215$$

- i. Find the correlation coefficient between the test scores and number of units sold.
- ii. Assuming a linear relationship, use the least squares method to find the regression equation and interpret the meaning of y-intercept and slope.
- iii. Compute the residual for salesperson 9.
- iv. Compute coefficient of determination.

b) Represent by means of histogram.

o) recording of							
Wage	10-15	15-20	20-25	25-30	30-40	40-60	60-80
No of workers	7	19	28	15	12	12	8
4	1	1	1	1	1		1,,,,

- 7. Write short notes on: (Any two)
 - a) Characteristics of good estimator.
 - b) Error in hypothesis testing
 - c) Correlation and regression analysis

2×5

5

Level: Bachelor

Semester: Fall

Year : 2019

Programme: BE

Course: Probability and Statistics

Full Marks: 100 Pass Marks: 45

· 3hrs.

Time

Candidates are required to give their answers in their own words as far as practicable.

The figures in the margin indicate full marks.

Attempt all the questions.

1. a) The weight of (in lbs) of 40 students in a class are follows.

138	172	145	147	150	119	158	152
				102			
164	163	128	135	126	150	146	148
145	125	146	153	138	156	173	140
135	149	140	144	132	154	142	135

i) Construct a frequency distribution with suitable class interval

ii) Construct a less than Ogive.

b) The lives of two models(A and B) of refrigerators in a recent survey are shown below:

No. of Model A	No. of Model B
5	2
16	7
13	12
7	19
5.	9
4	1
	No. of Model A 5 16 13 7 5 4

i) What is the average life of each model of these refrigeration's?

ii) Which model has greater uniformity?

- 2. a) Define axiomatic approach of probability. A problem in statistics is given to three students A, B and C whose chances of solving it are 1/3, ½ and 1/5 respectively. Find the probability that,
 - i. The problem will be solved.
 - ii. Only one of them can solve the problem.
 - iii. None of them will solve the problem.
 - iv. A solves it but B and C cannot.

ĭ

- v. All three students A, B and C can solve the problem.
- b) Customers are used to evaluate preliminary product designs. In the past, 95% of highly successful products received good reviews, 60% of moderately successful products received good reviews, and 10% of poor products received good reviews. In addition, 40% of products have been highly successful, 35% have been moderately successful, and 25% have been poor products.
 - i. What is the probability that a product attains a good review?
 - ii. If a new design attains a good review, what is the probability that it will be a highly successful product?

7

7

8

3. a) A r.v. X has following probability distribution:

ſ	X	2	3	4	5	6	7
-	P(x)	0.1	K	0.2	2k	0.3	K

- i. Find the value of k
- ii. Find E(x) and V(x).
- iii. Find the distribution function of X.
- b) A two dimensional r.v. (XY) have following probability density function:

$$f(x,y) = \frac{2}{3}(x+y)$$
 0

- i. Find marginal p.d.fs of X and Y individually.
- ii. Find Conditional pdf of X given Y=y
- iii. Check whether X and Y are independent or not.
- 4. a) The number of accident in a year attributed to taxi driver in a city is poisson distribution with mean 3. Out of 1000 taxi driver, find approximately the number of taxi drivers with i)more than 3 accidents in a year) less than 2 accidents in a year.
 - b) In an examination, 15% of the student got marks more than 60 and 40% of the students got marks less than 40. Assuming the marks to be normally distributed, find mean and standard deviation of the marks of the students.

- 5. a) The manufacturer of the Energy-saver furnace claims a mean energy efficiency of at least 0.83. A sample of 21 Energy-saver furnaces gives a sample mean of 0.81 and sample standard deviation of 0.060. Data show approximately a normal distribution. Test whether the manufacturer's claim can be rejected at the 5% level of significance.
 - b) The strength of steel wire made by an existing process is normally distributed with a mean of 1250 and a standard deviation of 150. A batch of wire is made by a new process, and a random sample consisting of 25 measurements gives an average strength of 1312. Assume that the standard deviation does not change. Is there evidence at the 1% level of significance that the new process gives a larger mean strength than the old?

8

8

7

 2×5

6. a) Scraps of iron were selected on the basis of their densities, X, and their ironcontents, Y, were measured. The results were as follows:

X:2.8 2.9 3.0 3.1 3.2 3.2 3.2 3.3 3.4 *Y*: 27 2330 28 30 32 34 33 30

- i) Find the relationship between their densities and their iron content.
- ii) Find the regression equation of y on x by the method of least squares.
- b) A population consists of five members 2,3,6,8 and 11.
 - i. Draw all possible sample of size 2 that can be drawn from the population without replacement.
 - ii. Find mean and variance of population.
 - iii. Find the mean of sampling distribution of means and show that it is equal to the population mean.
- 7. Write short notes on: (Any two)
 - a) Source of data and its types.
 - b) Normal distribution and its characterises.
 - c) Criteria of good estimator.

Level: Bachelor

Semester: Spring

: 2019 Year Full Marks: 100

Programme: BE

Course: Probability and Statistics

Pass Marks: 45 Time : 3hrs.

Candidates are required to give their answers in their own words as far as practicable.

The figures in the margin indicate full marks.

Attempt all the questions.

From the following frequency distribution, 40-50 50-60 Obtained marks 0-10 10-20 20-30 30-40 17 24 6 10 No. of students 5

Construct an ogive that will help you the answer to find the number of students securing marks:

i) Less than 35 marks

ii) Between 20 and 50 marks

iii) More than 25 marks

The life of two model A and B of refrigerators in a recent survey shown below:

Life (No. of	Model	Model
years)	Α	В
0-2	5	2
2-4	16	7
4-6	13	12
6-8	7	19
8-10	5	9
10-12	4	1

What is the average life of each model of these refrigerators?

Which model has greater uniformity and why?

From a group of 3 Nepalese, 4 Indians and 5 Americans a sub-committee 2 a) of 4 persons are selected at randomly. Find the probability that the subcommittee will consists i) 3 Nepalese and 1 Indian ii) 1 Nepalese, 1 Indian and 2 American iii) 4 American

In a certain factory machines I, II and III are all producing springs of the same length, of their production machines I, II and III produces 2%, 1% and 3% defective springs respectively. of the total production of springs in

the factory, machines I produces 35%, machines II produces 25% and machine III produces 40%. if one spring is selected at random from the total springs produced in a day, find

- i. the probability that it is defective
- ii. the conditional probability that it was produced by machine III.
- 3 a) The following table presents a discrete probability distribution associated with the daily demand for a product.

Number demand per day (X)		20	30	40	50	Total
P(X)	0.08	0.24	0.28	0.3	0.1	1

- i. Determine the mean daily demand
- ii. What is the standard deviation of daily demand?
- b) Suppose that the random variables X and Y have the joint p.d.f.

$$f(x,y) = \begin{cases} kx (x - y) & 0 < x < 2 & -x < y < x \\ 0 & otherwise \end{cases}$$

8

8

7

8

- i) Evaluate the constant k
- ii) Find the marginal probability density function X and Y
- iii) Find the conditional probability distribution of Y given X=x.
- 4 a) In an examination 15% of the candidates got first class (60% marks or above), while 40% failed (securing below 40% marks). Assuming the marks to be normally distributed, estimate the mean and standard deviation.
 - b) An experiment succeeds twice as often as it fails. Find the chance that in the next six trials there will be at least 4 successes. (Binomial distribution)
- 5 a) A random sample of 100 articles selected from a batch of 2000 article shows that the average diameter of the article is 0.354 with standard deviation 0.048. Find the 95% confidence interval for the average of batch of 2000 articles.
- b) In a certain factory there are two independent processes manufacturing the same item. The average weight in a sample of 250 items produced from one process is found to be 120grams with standard deviation of 12 grams, while the corresponding figures in a sample of 400 items from the other process are 124 and 14. Test whether two mean weights differ significantly or not at 10% level of significance.
- 6 a) ABC Physical Fitness claims that completion of their weight loss programme will result in a weight loss. To test this claim, SIX persons were selected of random and they were put through the weight loss programme and weights before and after the programme recorded. Test the claim of fitness centre at α=0.05. The weights in pounds in six persons recorded before and after the programme are as follows.

Person	1.	2	3	4	5 .	6
Weight (before)	145	200	160	185	164	175
Weight (after)	143	190	165	183	160	176
Weight (arter)	(1.)	1,70				

b) An engineering student has a summer job with the forestry service. He measured the tree trunk diameters (x in inches) and related them to the age of the tree (y in years). The following information was obtained:

 $n=6, \Sigma X=21, \Sigma Y=26, \Sigma X^2=91, \Sigma Y^2=142.52, \Sigma XY=113.8$

- i. Find the regression equation of y on x and estimate the age of the tree whose diameter is 4 inches.
- ii. Find the correlation coefficient between x and y and interpret its meaning.
- iii. Determine coefficient of determination and interpret it.
- iv. Compute standard error of the estimate.
- 7 Write short notes on: (Any two)
 - a) Criteria of a good estimator
 - b) Application of statistics in engineering
 - c) Assumptions for binomial distribution

 2×5

Level: Bachelor

Semester:Fall

Year : 2020

Programme:BE

Full Marks: 100 Pass Marks: 45

Course:Probability and Sataistics

Time : 3hrs.

7

Candidates are required to give their answers in their own words as far as practicable.

The figures in the margin indicate full marks.

Attempt all the questions.

 a) From the following distribution of 500 students of a college find the marks if only 20% students had failed and also minimum marks obtained by the top 25% of the students.

Marks	0-20	20-40	40-50	50-60	60-80	80-100
No. of students	50	100	150	90	60	50

Also represent the data by histogram so locate the mode.

- b) The nine measurements that follow are furnace temperatures recorded on successive batches in a semiconductor manufacturing process (units are): 953, 950, 948, 955, 951, 949, 957, 954, 955.
- i. Calculate the sample mean, sample variance, and standard deviation.
- ii. Construct a box plot of the data.
- 2. a) The contents of urns I,II and III as follows:
 - 1 white, 2 black and 3 red balls.
 - 2 white, 1 black and 1 red balls.
 - 4 white ,5 black and 3 red balls

One urn is chosen at random and two balls drawn. They happen to be white and red. What is the probability that they came from urn II.

- b) A company produces machine components which pass through an automatic testing machine. 5% of the components entering the testing machine are defective. However, the machine is not entirely reliable. If a component is defective there is 4% probability that it will not be rejected. If a component is not defective there is 7% probability that it will be rejected.
- i) What fraction of all the components are rejected?
- ii) What fraction of the components rejected are actually not defective?

- iii) What fraction of those not rejected are defective?
- a) let X be a continuous random variable with p.d.f.

P(x) = ax $0 \le x \le 2$

 $2 \le x \le 4$ = a

= ax + 3a $4 \le x \le 6$

elsewhere

7

7

8

7

i. Determine the constant 'a'.

ii. find p($X \le 1.5$) and p($1.5 \le X \le 2.5$)

iii. Obtain E(X).

b) Joint probability distribution of X and Y is given by;

Otherwise

$$f(x,y) = 4xy e^{-(x^2+y^2)} : x > 0, y \ge 0$$

- i) Test whether X and Y are independent or not?
- ii) Find the conditional density of X given Y=y.
- The number of accident in a year attributed to taxi driver in a city is poisson distribution with mean 3.Out of 1000 taxi driver find approximately the number of taxi drivers with i)more than 3 accidents in a year) less than 2 accidents in a year.
- In an examination, 25% of the student got marks more than 80 and 30% of the students got marks less than 45. Assuming the marks to be normally distributed, find mean and standard deviation of the marks of the students.
- What do you mean by unbiased estimator? Consider a population of 5 units a) with 4, 2, 10, 6 and 8. Show that sample mean of size 2 is unbiased estimator of population mean.
- The quantity demanded of a certain product before advertisement and after b) 8 advertisement is given below:

Before	50	54	60	58	52	48	53
After	52	56	58	62	55	52	53

Is advertisement effective? Test at 5% Level of significance.

A manufacture of gun powder has developed a new powder which is designed to produce a muzzle velocity equal to 3000 ft/sec. seven shells are loaded with the charge and muzzle velocities measured. The resulting velocities are as follows: 3005,2935,2965,2905, 2995 and 3905.Does these data present sufficient evidence to indicate that the average velocity differs from 3,000 ft/sec?

b) The following tables gives the ages and blood pressure of 10 women.

~)										
Age(X)	56	42	36	47	49	42	60	72	63	55
Blood	147	125	118	128	145	140	155	160	149	150
Pressure(Y)						_				

- i) Find the coefficient of determination and interpret it.
- ii) Find the regression equation Y on X.
- iii) Find the standard error.
- iv) Estimate the blood pressure of a women whose age is 45 years.

7. Write short notes on: (Any two)

2×5

- a) Applications of statistics in engineering
- b) Binomial distribution and condition to apply
- c) Sampling and estimation with criteria of good estimator

2020 Fall- PAS

Level: Bachelor

Semester - Spring

Year: 2020

Program: BE

Full Marks: 70 Pass Marks: 31.5

Course: Probability and Statistics

Time

2 hrs.

Candidates are required to answer in their own words as far as practicable. The figures in the margin indicate full marks.

Attempt all the questions.

Section - A: (5×10=50)

O. N. 1 The daily wages of 201 workers are given below:

4+3+3

1110 0011) 11-6-1					
Daily wages	0-20	20-40	40-60	60-80	80-100
No of workers	41	51	64	38	7

- Draw less than and more than Ogives for the given data and use it to find the value of median.
- ii) Plot a histogram and use it to find the value of mode.
- iii) Would you feel the given series is symmetric? If so why?

OR

3+5+2

The following are scores of two batsmen A and B in a series of innings

THE TO	lowing	are seon	C3 OI IN	o outsii						
A:	12	115	6	73	7	19	119	36	84	29
B:	47	.12	16	42	4	51	37	48	43	0

Find

- i) Who is the better run scorer?
- ii) Who is more consistent?
- iii) Would you find any model value of the score of two batsmen if no why?
- Q. N. 2 a) An office switchboard receives telephone calls at the rate of 3 calls per minute on an average. If receiving of calls follows a Poisson distribution, find the probability of receiving:
 - i) No calls in one minute interval.
 - ii) At least 3 call in a one minute interval.
 - iii) At most 2 call in 5 minute interval.
 - b) The average height of students of universal engineering and science college is 165 cm and standard deviation is 10 cm. find the percentage of students whose height is i)less than 172 cm. ii) between 150 and 180 cm. iii) for what value of variable X, P(X<x₁)=0.10 holds?

1+2+2

1+2+2

Q. N. 3 The joint probability distribution of a pair (x,y) of random variables is given by the following table.

y x	1	2	3
1	1/16	2/16	2/16
2	2/16	3/16	1/16
3	3/16	1/16	1/16

10

10

10

10

Find i) the marginal probability density of x ii) the conditional probability distribution of x/y=1 iii) E(x), E(Y), V(X) and Cov(X,Y) iv) F(1,3), F(2,2)

- Q. N. 4 Write the assumptions for the test. The heights of six randomly selected sailors are in inches: 63, 65, 68, 69, 71, and 72. Those of 10 randomly selected soldiers are 61, 62, 65, 66, 69, 69, 70, 71, 72, and 73. Construct 95% confidence interval for difference of two population means. Test the hypothesis that the height of sailors are, on average, taller than soldiers. Use $\alpha = 0.05$.
- Q. N. 5 Define Karl Pearson's correlation coefficient and way out the technique of interpreting its value. The following table presents the heights in inches of fathers (X) and heights in inches of their sons (Y).

X: 65 66 67 67 68 69 70 72 Y: 67 68 65 68 72 72 69 71

Fit regression equation of Y on X and X on Y, also estimate the value of Y when X=74 inches.

Section - B: (1×20=20)

- Q. N. 6 a) Write down the criteria of good estimator. The population consists of value of 1, 2, 3, 6,8. Prove that sample mean of size 3 is unbiased estimate of population mean. (without replacement)
 - b) Describe the importance of sampling and hypothesis in the field of engineering. The sales data of steel for a steel factory in six shops before and after a special promotional campaign are as under:

Shops	Α	В	С	D	E	F
Before campaign	53	28	31	48	50	42
After campaign	58	29	30	55 ·	56	45

Can the campaign be judged to be a success? Test at 5% level of significance?

Level: Bachelor

Semester: Fall

: 2021

Programme: BE

Full Marks: 100 Pass Marks: 45

Year

Course: Probability and Statistics

Time : 3hrs.

Candidates are required to give their answers in their own words as far as practicable.

The figures in the margin indicate full marks.

Attempt all the questions.

1. a) From the following frequency distribution.

Obtained Marks	10-20	20-30	30-40	40-50	50-60	60-70	70-80
No. Of students:	7	12	19	. 26	11	. 8	6

Construct an ogive that will help you the answer to find the number of students securing marks.

- i. Less than 45 marks
- ii. Between 30 and 70 marks.
- iii. More than 35 marks.
- b) The life of two model A and B of polythene bags in a recent survey shown below.

D (15)	No. of Polythene bags			
Bursting pressure (in lb.)	А	В		
5-10	2	9		
10-15	9	11		
15-20	29	18		
20-25	44	32		
25-30	11	17		
30-35	5	13		

- i. What is the average life of each model?
- ii. Which model has greater uniformality and why?

- 2. a) From a group of 4 engineers, 2 physicists and 3 economists, 3 persons are selected at randomly. Find the probability that:
 - i. Consist of each kind.
 - ii 1 engineer and 2 economists.
 - iii. At least one physicist.
 - b) State Baye's theorem and discuss its applications. The probability that the person has COVID is 0.03. PCR tests are available to determine whether the person actually has COVID. If COVID actually present, the probability that the PCR test will give a positive result (indicating that disease is present) is 0.09. If COVID is not actually present, the probability of a positive test result (indicating that it is present) is 0.02. What is the probability that COVID is actually present if a positive result has occurred (indicating the disease is present)?
- 3. a) A Random variable X had the following probability function.

X	-2	-1	0	1	2
P(X)	0.2	K	0.4	2k	k

- i) Find the value of K
- ii) E(X), E(4X+5), Var. (X) and Var (4X+5)
- b) An experiment succeeds twice as often as it fails. Find the chance that in the next six trials there will be at least 4 successes. (Binomial distribution)
- 4. a) In an examination 15% of the candidates got first class (60% marks or above), while 40% failed (securing below 40% marks). Assuming the marks to be normally distributed, estimate the mean and standard deviation.
 - b) If two random variables have the joint probability density function. $F(x,y)=\frac{2}{3}(x+2y)$; 0 < x < 1, 0 < y < 1.
 - i) Find marginal density function of X&Y.
 - ii) Find the conditional density of X given that Y=y.
 - iii) Are X and Y independent.
- 5. a) A random sample of size 64 has been drawn from a population with standard deviation 20. The mean of the sample is 80. Calculate 95% confidence limits for the population mean. How does the width of the confidence interval change if sample size is 256 instead?

- b) 1000 articles from factory A are examined and found 97% of good quality, 1500 similar articles from factory B are found only 98% of good quality. Would you conclude that products of factory B are superior to those of factory A. Test the hypothesis at $\alpha = 5\%$.
 - An I.Q. test was administrated to 5 persons before and after they were trained. The results are given below:

Candidates:	Ι.	II	ÌII	. IV	V
IQ before training:	110	120	123	132	125
IQ After training:	120	118	125	136	121

Test at 5% level of significance that the training was success.

- b) A chemical company wishing to study the effect of extraction time on the efficiency of an extraction operation obtained the data as follows:

 Extraction time in minute (x): 27, 45, 41, 19, 35, 39, 19

 Extraction efficiency in %(y): 57, 64, 80, 46, 62, 72, 52
 - i) Find the regression equation of y on x and estimate the y if x=40
 - ii) Find the coefficient of correlation between x and y
 - iii) Determine coefficient of determination and interpret it.
 - iv) Compute standard error of estimate.
- 7. Write short notes on: (Any Two)

6.

.

 2×5

- a) Error in hypothesis testingb) Probability and non-Probability Sampling
- c) Application of statistics in engineering

Level: Bachelor

Semester: Spring

Year : 2021

Programme: BE

Full Marks: 100

Course: Probability and Statistics

Pass Marks: 45

Time : 3 hrs.

Candidates are required to give their answers in their own words as far as practicable.

The figures in the margin indicate full marks.

Attempt all the questions.

The following are the marks obtained by two students A and B in 10 1. a) tests 100 marks in each:

10 5 6 Test 3 1 90 80 72 68 56 80 76 77 65 44 Marks by A 57 66 69 72 51 75 54 60 63 Marks 48 by B

Determine i) who is better student? ii) who is more consistent?

A random sample was taken of the thickness of insulation in b) transformer windings, and the following thickness in mm were recorded:

18	21	22	29	25	31	37	38	41	39
44-	48-	54.	<i>-</i> 56	56	57	47	38	. 35-	36
29	37	32	42	43	40	48	36	37.	37

- i) Prepare a stem and leaf display
- ii) Prepare a box and whisker plot and interpret the shape of the distribution.
- a) A bag contains 10 balls, 2 of which are red, 3 blue and five black. Three balls are drawn at random from the bag. What is the probability that?
 - The three balls are of different colours
 - Only two balls are of the same colours ii)
 - iii) The balls are all of same colour?
 - b) The chances of X, Y, Z becoming manager of a certain company are 4:2:3. The probabilities that bonus scheme will be introduced if X, Y, Z becomes manager are 0.3, 0.5 and 0.8 respectively. If the bonus scheme has been introduced, what is the probability that:

- i) X is appointed as the manager?
- ii) Y is appointed as the manager?
- 3. a) Let X be continuous random variable with probability density function.

$$f(x) = ax,$$
 $0 \le x \le 2$
= a $2 \le x \le 4$
= $ax + 3a$ $4 \le x \le 6$

- = 0, otherwise
- i) Find the value of 'a'.
- ii) Find $P(X \le 1.5)$ and $P(1.5 \le X \le 2.5)$
- b) Test for impurities commonly found drinking water from private wells showed that 30% of all wells in a particular have impurity A. if a random sample of 5 wells is selected from the large number of wells in the country, what is the probability that:

8

7

- i. Exactly 3 wells have impurity A?
- ii. At least 3 wells have impurity A?
- iii. Fewer than 3 wells have impurity A?
- 4. a) As a result of tests on 20,000 electric bulbs manufactured by a company it was found that the life time of the bulb was normally distributed with an average of 2040 hours and the standard deviation of 60 hours. On the basis of the information:
 - i) Estimate the number of bulbs that are expected to burn for less than 1960 hours.
 - ii) Estimate the number of bulbs that are expected to burn in between 1860 hours to 2120 hours.
 - iii) Find the minimum lifetime of 2,000 bulbs which have greater lifetime
 - b) Suppose X and Y have the following joint probability mass function

X	2	3
Y		
1	0.1	0.15
2	0.2	0.3
3	0.1	0.15

Find

- i) The marginal distribution of X and Y
- ii) The conditional probability of Y given that X=3
- iii) F(2,2) and F(3,2)
- iv) Variance of X and variance of Y

- a) A random sample of 100 articles selected from a hatch of 2000 article shows that the average diameter of the article is 0.354 with standard deviation 0.048. Find the 95% confidence interval for the average of batch of 2000 articles.
- b) A manufacture of gun powder has developed a new powder which is designed to produce a muzzle velocity equal to 3000 ft/sec. seven shells are loaded with the charge and muzzle velocities measured. The resulting velocities are as follows: 3005,2935,2965,2905, 2995 and 3905.Does these data present sufficient evidence to indicate that the average velocity differs from 3,000 ft/sec?
- 6. a) For a random sample of 10 pigs fed on diet A the increase in weight (in lbs) in a certain period was 10, 17, 13, 12, 9, 8, 14, 15, 6, and 16. For another random sample of 12 pigs fed on diet B, the increase in weight in the same period were 14, 18, 8, 21, 23, 10, 17, 12, 22, 15, 7, 13. Test whether diets A and B differ significantly as regards their effect on an increase in weight.
 - b) In the United States, during the fall harvest season Pumpkin are sold in the large quantities at the farm stands. Often instead of weighing the Pumpkin prior to sale, the farm stand operators will just place the Pumpkin in the appropriate circular cut out on the counter. When asked why this was done one farmer replied, "I can tell the weight of the pumpkin from its circumference". To determine whether this was really true; a sample of 8 Pumpkin's circumference and weights were measured:

Circumference in cm	50	55	54	52	37	52	53	47
Weight in grams (00)	12	20	15	17	9	14	16	14

- i) Develop the estimating linear regression equation to predict the weight of the pumpkin that is 60 cm in circumference.
- ii) Calculate the Standard error of the estimate and interpret the result.
- iii) What percentage of the total variation in weight of the pumpkin is explained by the circumference of the pumpkin?
- 7. Write short notes on: (Any two)
 - a) Error in hypothesis testing
 - b) Gamma and Beta distribution
 - c) Baye's Theorem

PRS-2021SP

2×5

Level: Bachelor

Semester: Fall

: 2022 Year

Programme: BE

Course: Probability and Statistics

Full Marks: 100

Pass Marks: 45

Time : 3hrs.

Candidates are required to give their answers in their own words as far as practicable.

The figures in the margin indicate full marks.

Attempt all the questions.

From the following distribution of 500 students of a college, find the marks if only 20% students had failed and also find the minimum marks obtained by the top 25% of the students.

80-100 60 - 80Marks 0 - 2020 - 4040 - 5050 - 6050 90 60 100 150 No. of 50 students

86

Also represent the data by histogram and locate the mode.

b) The scores of two golfers for 10 rounds each are:

92

52

8

8

65

59 58 A: B: 84 56 60 54

52 66 44

78

69 75 54

78 68

Which may be regarded as the more consistent player?

- Define the mathematical definition of probability. From a group of 3 engineers, 4 economists and 5 statisticians, a sub-group of 4 persons are selected at random from the group. Find the probability that the sub - group will consist of
 - 2 engineers and 2 economists i.
 - 1 engineer, 1 economist and 2 statistician ii.
 - iii All statisticians.
 - b) Customers who purchase a certain make of car can order an engine in any of three sizes. Of all cars sold, 45% have the smallest engine, 35% have the medium-sized one, and 20% have the largest. Of cars with the smallest engine, 10% fail an emissions test within two years of purchase, while 12% of those with the medium size and 15% of those with the largest engine fail. What is the probability that a randomly chosen car will fail an emissions test within two years?

3. a) a random variable X has the following probability function,

X: 2 3

4 5 6

6 7

F(X): 0.1 K 0.2 2K 0.3

Find the value of K and find mean and variance.

- b) In a certain factory turning out optical lenses, there is a small chance 1/500 for any lens to be defective. The lenses are supplied in a packet of 10. Use Poisson distribution to calculate the approximate number of packets containing no defective, one defective, two defective and three defective lenses respectively in a consignment of 10,000 packets.
- 4. a) In a class quiz, 8% of the students obtained marks below 25 and 90% of the students got below 85 marks. Assuming that the marks are normally distributed, find the mean and standard deviation of the distribution.
 - b) Let X and Y be two continuous random variables with joint probability density function

$$f(x, y) = Axy;$$
 0 < x < 1 and 0 < y < x

- i. Find the constant A.
- ii. Find the marginal density functions of X and Y.
- iii. Find the conditional density function of Y given X = x.
- iv. Check the independency of X and Y.
- 5. a) A random sample of 8 envelops is taken from letter box of post office and their weights in gms are found to be 12.1, 11.9, 12.3, 11.9, 12.1, 12.4, 12.1, and 11.5. Find 99% fiducial limits for the mean weight of envelops received at the post office.
 - b) What do you mean by p-value? In a factory 2% fans were found to be defectives in a lot of 3000 fans and in other factory 3% fans were found to be defective in a lot of 2500 fans. Do you find that the fans in secondary factory are significantly inferior compared to the fans in the first factory? (Use $\alpha=5\%$)
- 6. a) Resistors labeled as hundred ohm are purchased from two different vendors. The specification for this type of resistor is that its actual resistance be within 5% of its labeled resistance. In a sample of 180 resistors from vendor A, 150 of them met the specification. In a sample of 270 resistors purchased from vendor B, 233 of them met the specification. Vendor A is the current supplier, but if the data demonstrate convincingly that a greater proportion of the resistors from vendor B meet the specification, a change will be made.
 - i. State null and alternative hypothesis.

ii. Calculate test statistic and draw a conclusion that a change should be made? (Use $\alpha=5\%$)

b) The following table presents shear strengths (in kN/mm) and weld

diameters (in mm) for a sample of spot welds.

Diamete	er 4	1.2	4.4	4.6	4.8	5.0	5.2	5.4
Strengtl	1 5	51	54	69	81	75	79	89

i. Compute the least-squares line for predicting strength from diameter.

2×5

ii. Predict the strength for a diameter of 5.5 mm.

7. Write short notes on: (Any two)

- a) Error of hypothesis testing
- b) Confidence Interval
- c) Probability Sampling

P25-2022 Fall

Level: Bachelor

Semester: Spring

: 2023 Year.

Programme: BE

Full Marks: 100 Pass Marks: 45

Course: Probability and Statistics

Time

: 3hrs.

Candidates are required to give their answers in their own words as far as practicable.

The figures in the margin indicate full marks.

Attempt all the questions.

In a survey, it was found that 64 families bought milk in litre. A frequency distribution is given as

Milk in litres	Frequenc
5 - 9	7
10 - 14	10
15 - 19	13
20 - 24	18
25 - 29	* * 8
30 - 34	5
35 - 39	. 3

Construct the histogram and frequency polygon of the distribution.

The average electricity consumption and standard deviation of two sets of households are as follows.

	Set I	Set II
Mean	65 units	72 units
Standard deviation	13 units	18 units
Number of households	50	40

- Which set is more variable? i.
- Calculate the coefficient of variation of the combined set.
- 2. a) From a group of 3 Nepalese 4 Indians and 5 Americans a committee of 4 persons are selected at randomly. Find the probability that the committee consists
 - 3 Nepalese and 1 Indian i.
 - 1 Nepalese, 1 Indian and American ii.

iii. 4 Americans

b) In a certain factory machines, I, II, and III are all producing springs of the same length of their production machine I, II and III produces 1%,2%,3% defective springs respectively. Of the total production the machine I, II and III produces 35%,25% and 40% respectively. if one spring is selected at random from total springs produce in a day, find

i. The probability that it is defective

- ii. The conditional probability that it was produced by machine
- 3. a) Define Mathematical Expectation. An unbiased coin is tossed until a head appears. What is the expectation of number of tosses required to get first head?
 - b) Define Standard Normal distribution. In a normal distribution 31% of the items are under 45 and 8% are over 64. Find the mean and standard deviation of the distribution

7

- 4. a) The number of accidents in a year attributed to taxi driver in a city is
 Poisson distribution with mean 3. out of 1000 taxi driver find the
 number of taxi drivers
 - i. More than 3 accidents in a year.
 - ii. Less the 2 accidents in a year.
 - iii. No accidents in a year.
 - b) Define joint and marginal probability density functions. Two random variables X and Y have the following probability density function.

$$f(x,y) = \begin{cases} 8xy & 0 < x < y < 1 \\ 0 & otherwise \end{cases}$$

Find:

- i. Marginal probability density functions of x and Y
- ii. Conditional functions of X on y Y on X
- 5. a) Define Interval estimation. A random sample of 100 articles selected from a batch of 2000 articles shows that the average diameter of the article is 0.354 with standard deviation 0.048. Find 95% confidence limits for the average diameter of this batch of 2000 articles.
 - b) In a random sample of 400 students of the university teaching departments, it was found that 300 students failed in the examination. In another random sample of 500 students of the affiliated colleges, the number of failures in the same examination was found to be 300. Find

out whether the proportion of failures in the university teaching departments is significantly greater than that of affiliated colleges. Use $\alpha=0.05$.

6. a) An I.Q. test was administered to 5 persons before and after they were trained. The resultis given below:

Candidates	1	2	3	4	5 ;
IQ before Training	110	120	123	132	125
IQ after training	120	118	125	136	121

Is the training effective at 5% level of significance?

b) The following are marks obtained by 9 students in Mathematics (X) and Statistics (Y):

X	40	65	60	25	85	35	45	70	80
Y	30	85	65	35	90	35	75	75	45

- i. Develop the estimating regression equation of X on Y.
- ii. Find the correlation coefficient
- iii. Find Coefficient of determination.
- 7. Write short notes on: (Any two)
 - a) Properties of a good Estimator.
 - b) Error in hypothesis testing.
 - c) Methods of primary data collection.

PRS -2023 5pning

2×5