AI-driven campus shuttle optimization

"How can AI and machine learning optimize campus shuttle scheduling, fleet allocation, and passenger waiting times using predicted transportation demand, vehicle capacity, academic timetables, and real-time passenger data? Investigate dynamic scheduling algorithms, demand-responsive transportation, resource optimization, and cost reduction, identifying research gaps and scalable opportunities for intelligent mobility management across universities and large institutional campuses." *Generated by LeapSpace*

AI and Machine Learning for Campus Shuttle Scheduling and Fleet Optimization at a Glance

Key Findings Table

Key finding	What it means for campuses	Population / setting	Evidence
Best-performing demand prediction uses multimodal, context-aware inputs	Campuses should forecast shuttle demand with ridership, AVL/GPS, occupancy, weather, event/holiday signals, and academic-calendar-like features rather than historical counts alone [1] [2] [3]	Campus shuttles and broader transit demand forecasting	[1] [2] [3]
Dynamic control outperforms static planning in changing conditions	Rolling-horizon dispatch, insertion heuristics, and lookahead control are better suited than fixed schedules for intraday demand swings and uncertain travel times [4] [5] [6]	Shared mobility, buses, first/last-mile shuttles, DRT	[4] [5] [6]
Waiting-time reduction requires optimization tied to live passenger/request data	Real-time routes and assignments should react to new requests, transfer conditions, and occupancy constraints, not just static timetables [7] [8] [9]	First/last-mile shuttle and dynamic ridesharing settings	[7] [8] [9]

The main planning trade-off is service quality versus cost/fleet size/energy use	More frequency and capacity reduce waiting but increase operating and energy cost; flexible capacity and hybrid services can soften this trade-off [10] [11] [12]	Bus, feeder, shuttle, and on-demand systems	[10] [11] [12]
Hybrid fixed-route plus demand-responsive service is promising	Campuses with strong peak/off-peak swings should combine fixed trunk routes with flexible feeders or off-peak microtransit rather than choosing only one service type [13] [14] [15]	University and feeder-service contexts	[13] [14] [15]
Event days and disruptions are a major failure point	Ordinary weekly-seasonal models break on non-normal days; campuses need explicit event-aware forecasting and adaptive resupply logic [16] [17] [18]	Special-event transit and disturbance conditions	[16] [17] [18]
Direct campus evidence is thinner than transferable transit evidence	Practical recommendations are supportable, but end-to-end campus validation remains limited, especially for timetable-aware forecasting and deployed AI dispatch [19] [20] [21]	University shuttle literature	[19] [20] [21]

Direct Answer

AI and machine learning can optimize campus shuttle scheduling most effectively through an integrated **predict-then-optimize** architecture: first forecast stop- and time-specific demand using historical ridership, AVL/GPS, weather, events, and campus calendar signals; then feed those forecasts into rolling-horizon optimization that continuously adjusts headways, route patterns, vehicle assignments, and in some cases service mode selection [1] [4] [7] [22].

For **fleet allocation**, the strongest evidence supports **multi-objective optimization** that jointly chooses fleet size, vehicle capacity, and service frequency while balancing waiting/travel time against operating or energy cost [10] [11] [23]. For **passenger waiting time**, real-time passenger and request streams should drive rolling-horizon dispatch, slack-aware insertion heuristics, or reservation-based DRT logic that protects previously promised arrivals while accepting new riders [5] [24] [25]. For **cost reduction**, campuses should usually avoid purely fixed or purely flexible service and instead adopt **hybrid networks** with high-frequency trunk corridors and demand-responsive feeders or off-peak microtransit [13] [15] [26].

Taken together, the evidence suggests a scalable campus mobility stack with four layers: **data integration** (AVL/GTFS-RT, occupancy, app requests, academic calendar), **multimodal forecasting**, **rolling-horizon optimization**, and **passenger information/notification tools** [27] [28] [29]. The largest research gap is that this architecture is well supported by transferable transit and DRT studies but only weakly validated in direct university-shuttle deployments [19] [21] [30].

Confidence level: High - The core recommendation is strongly supported across forecasting, dispatch, and optimization literatures, though campus-specific validation is limited [1] [4] [10].

Study Scope

- **Time period covered:** retrieved studies span roughly 2017-2025, with emphasis on 2018-2025 applied forecasting, dispatch, DRT, fleet-sizing, and real-time operations [4] [31] [32] [33].
- **Domains covered:** campus shuttles, university transit, feeder buses, microtransit, dial-a-ride, shared autonomous vehicles, and real-time passenger information systems [7] [13] [15].
- **Methods covered:** LSTM and multimodal deep learning, graph-based spatiotemporal models, rolling-horizon optimization, approximate dynamic programming, reinforcement-learning-guided routing, MILP/MINLP, NSGA-II, PSO, GA, and heuristic insertion methods [3] [22] [33] [34] [35].

Assumptions & Limitations

- The campus-specific evidence base is sparse relative to the broader transit and DRT literature, so several recommendations are **transferable inferences** rather than directly demonstrated university-shuttle results [19] [20] [36].
- No retrieved study explicitly combines academic timetables, exams, holidays, campus events, and historical ridership/GPS in one campus shuttle forecasting pipeline with standard forecast metrics for that exact setup [19] [36] [37].

- Campus dispatch case studies rarely report strong before/after operational outcomes for waiting time, punctuality, or operating cost after live AI deployment [20] [30] [38].

Suggested Further Research

- Build campus datasets that jointly include **academic timetables, exams, events, AVL/GPS, occupancy, and app-request data**, then benchmark forecasting models with standard metrics [19] [36].
- Validate **end-to-end predict-then-optimize systems** by measuring how forecast gains translate into reduced waits, better load balance, fewer vehicles, or lower cost [21] [39].
- Compare **fixed-route, hybrid, and fully flexible** campus shuttle systems under the same demand scenarios and policy constraints [13] [15] [40].
- Develop event-day and disruption protocols for **graduation, sports, open days, and weather closures** [16] [18].
- Replace weighted-sum-only optimization with **explicit Pareto-front tools** for administrator-facing service-cost trade-off decisions [33] [35] [41].

Full Report Body

1. Introduction and Problem Context

Campus shuttle systems face a characteristic combination of operational problems: sharp peaks around class changes, localized surges around residence halls and parking lots, limited fleets, and pressure to reduce both waits and operating cost [1] [36] [42] [43]. Fixed timetables struggle because campus demand is not merely periodic; it is shaped by academic schedules, weather, events, and disruptions that create within-day volatility [1] [18] [44] [45].

AI and ML matter because they can turn heterogeneous data streams into operational decisions. Forecasting models can estimate near-term demand or arrival conditions from historical patterns plus exogenous context, while optimization models can reassign vehicles, adjust headways, and change routes or stop patterns accordingly [1] [2] [4] [7]. In practice, this shifts campus mobility from static planning toward continuous control [5] [34].

Confidence level: High - The problem framing is consistent across campus, feeder, and DRT studies [10] [13] [42].

2. Foundational Context: What an Intelligent Campus Shuttle System Must Do

A useful conceptual split is between four linked functions:

1. **Predict demand and conditions** - estimate boarding demand, travel times, or arrivals using historical and real-time signals [1] [2] [31].
2. **Plan capacity and headways** - decide how many vehicles of what size should serve each period or corridor [11] [23].
3. **Dispatch dynamically** - reoptimize routes or assignments as requests and traffic conditions change [4] [24].
4. **Inform passengers** - provide ETAs, live tracking, alerts, and transfer protection that directly improve actual or perceived waiting experience [28] [29].

This architecture is increasingly supported by the literature. Forecasting alone improves information quality, but measurable user benefit depends on coupling predictions to optimization and live operations [4] [33] [39]. Taken together, these findings suggest that campuses should avoid treating prediction, scheduling, and rider information as separate projects [27] [28] [39].

Confidence level: High - The predict-then-optimize pattern is directly supported and recurrent across topics [4] [39] [41].

3. Demand Forecasting for Campus Shuttles

3.1 Timetable-aware and calendar-aware demand signals

The most campus-relevant gap is also one of the clearest findings: no retrieved paper directly demonstrates a shuttle-demand forecasting system that combines class schedules, exams, holidays, events, and ridership/GPS data with standard forecast reporting for that exact campus setup [19] [36] [37]. Still, nearby evidence shows that calendar-like variables matter. One university study used annual ridership and student class times to support shuttle scheduling and reported up to a 25% reduction in total shuttle runs, though not formal forecast metrics [36]. Related evidence also indicates that temporal and calendar effects shape university transit demand [44] [45].

So the direct evidence is incomplete, but the operational implication is strong: academic timetables should be treated as high-value exogenous variables analogous to day-of-week, holidays, and planned events in wider transit forecasting [1] [2] [46].

3.2 Multimodal forecasting models

Multimodal fusion is the strongest forecasting pattern in the evidence base. A campus shuttle arrival model using LSTM with GPS, traffic, weather, and event/holiday indicators reportedly reduced prediction error by roughly 30-40% relative to ARIMA, SARIMA, and SVR baselines and handled disturbances better [1]. Broader transit studies reinforce this: STKGformer combines topology, geography, passenger-flow similarity, semantics, weather, and weekend indicators with ablations showing each component contributes [3]. Other architectures such as ST-ResNet, FCL-Net, and related multimodal models show that external factors complement temporal and spatial signals and improve short-term demand prediction [2] [46].

Graph-based spatiotemporal models are especially transferable to campuses because shuttle stops and routes form a network. STGCN, ASTGCN, and T-GCN model topology plus temporal dependence and outperform simpler baselines in broader transport forecasting [22] [31] [47]. This pattern implies that campuses with multiple routes, transfer nodes, and correlated dorm-class flows should model stop interactions explicitly rather than forecasting each stop independently [22] [31].

3.3 Event-driven and non-normal day prediction

Non-normal days are a major forecasting failure mode. Event-day demand is rare, multimodal, and strongly shaped by external conditions, so routine-condition models often lag sudden surges or produce biased forecasts [16] [17] [48]. Robust alternatives explicitly encode planned-event information, event semantics, and external covariates such as weather [18] [49].

For campuses, this directly translates to move-in days, exams, games, graduation, open days, and weather disruptions [16] [18]. A calendar-aware digital twin is therefore a plausible high-value design pattern: ingest future class schedules, room assignments, event calendars, and weather to pre-position supply before spikes rather than reacting after queues form [18] [50] [51]. **Inferred:** this is promising but not directly validated in retrieved campus shuttle deployment studies.

Confidence level: Medium-High - Strong evidence supports multimodal and event-aware forecasting generally, but direct campus timetable fusion remains a gap [1] [18] [19].

4. Dynamic Scheduling and Real-Time Dispatch

4.1 Real-time routing and schedule updates

The operations literature shows clear movement away from fixed schedules toward rolling-horizon control. Rolling-horizon dispatch outperforms myopic bus-trip timing under travel-time and demand fluctuations while remaining computationally tractable in some formulations [4]. Similar rolling-time-horizon dispatch markedly reduces average waiting time relative to request-driven dispatch in nonextreme conditions [5]. Real-time shuttle and first/last-mile systems also update routes each time step as new information arrives [52].

For campuses, this means timetable structure should not disappear, but it should be continuously revised intraday. A class-transition peak at 9:50 may justify temporary short turns, stop skipping, or vehicle reassignment even if the published timetable remains fixed [9] [53].

4.2 Demand-responsive and reservation-based transit

Reservation-based DRT and microtransit provide a practical template for campus services outside dense trunk corridors. IATRS uses a slack-time variable plus separate vehicle-choosing and routing algorithms, explicitly guaranteeing that adding new passengers will not delay already reserved riders beyond announced arrivals [24]. Related algorithms accept requests only if a vehicle can still honor the guaranteed time window [54]. Chance-constrained dial-a-ride formulations also improve request fulfillment while limiting adjustment costs under uncertain future demand [55].

These mechanisms are well matched to off-peak campus periods, night safety shuttles, medical campuses, or peripheral parking lots where fully fixed service is wasteful [13] [14]. Evidence on cost is mixed but directionally useful: hybrid fixed-route plus DRT can save cost, whereas fully flexible DRT may reduce efficiency in some university settings [13].

4.3 Objective functions for waiting-time reduction

Real-time dispatch models reduce waiting through explicit objective design. One first/last-mile model chooses the route minimizing generalized user cost for current and future riders [7]. Another dynamic ridesharing model treats transfer waiting as a direct routing penalty [8]. Transfer-synchronization dispatch uses recent link travel-time observations to improve transfer protection and reduce missed connections [9]. A shuttle optimization extension minimizes a convex combination of total transit time and shuttle trips, reducing both rider waiting and consolidation burden [56].

For campuses, this suggests average waiting time alone is too narrow. A better campus objective may include transfer penalties, missed class starts, accessibility obligations, and late-evening safety service [9] [56]. **Inferred:** campuses may benefit from optimizing “probability of arriving before lecture start,” but this objective is proposed rather than directly evaluated in the supplied campus literature [9] [44] [57].

4.4 Deployment patterns for live operations

Operational platforms matter because real-time information itself improves waiting outcomes. Real-time arrival systems ingest AVL and GTFS-RT streams through microservice or streaming backends [27]. Live location displays, route alerts, notifications, and passenger verification are recurrent features in deployment-oriented systems [28] [58]. Across transit information studies, live information reduces actual waiting, improves perceived waiting, and increases satisfaction and reliability perceptions [29] [59] [60].

The main evidence gap is that campus-specific deployments seldom report quantified before/after effects on punctuality or ridership retention [20] [38].

Confidence level: High - The dynamic-dispatch direction is strongly supported, though quantified campus outcomes are limited [4] [24] [28].

5. Fleet Allocation, Capacity Matching, and Optimization

5.1 Fleet sizing and capacity matching

Fleet allocation is consistently framed as a trade-off problem. Bi-objective and cost-minimizing formulations jointly optimize waiting/travel time and fleet size or operating cost [10] [61]. Several models explicitly optimize headway and vehicle capacity together, sometimes also including fleet size and energy cost [23] [62] [63]. Where demand varies by time period, planning across multiple periods can imply a larger fleet but smaller vehicle sizes than peak-only planning, exposing a utilization-versus-service trade-off [64].

For campuses with steep peaks, flexible or variable-capacity designs are therefore attractive because they match supply more closely to demand swings [23] [63].

5.2 Headway and timetable optimization

Headway optimization studies directly support timetable redesign for campus contexts. Integer nonlinear and MILP-type models minimize combinations of operating cost, passenger waiting, transfer burden, and travel cost [63] [64] [65]. One weighted-sum formulation jointly optimizes service headway, vehicle size, and capacity or budget constraints [11]. Another formulation includes headways, vehicle size, fleet size, zoning, and slack times in one cost function [57].

These results support a practical rule: campus headways should vary by period and corridor rather than being uniform network-wide [64] [66]. During semester peaks, high-frequency trunk routes may deserve shorter headways and larger vehicles; shoulder or evening periods may require smaller vehicles or flexible modes [40] [67].

5.3 Multi-objective and Pareto-front methods

A key methodological issue is that many studies still collapse trade-offs into weighted sums, which hides decision alternatives [35] [41]. More informative methods generate Pareto solution sets. NSGA-II, PSO, enhanced NSGA-II, and hybrid search methods are used to trade waiting time, operating cost, transfer loss, and fleet requirements [33] [68] [69] [70]. This is especially relevant for campus administrators, who often need transparent policy choices rather than a single mathematically “optimal” point [33] [35].

Taken together, these findings suggest universities should ask for dashboards that expose frontiers such as:

- lower waits / higher cost,
- fewer vehicles / lower resilience,
- better coverage / lower utilization, rather than a single recommended schedule [33] [35].

5.4 Route redesign and variable-capacity service

Route redesign can materially reduce operational burden. A campus/institutional redesign replacing an existing system with one main circular route plus feeder routes reduced total distance and operating time while expanding coverage [26]. On-demand shuttle planning that jointly optimizes capacity, time-dependent routes, fleet size, waiting limits, and battery range outperformed rule-based operations on travel time and energy [12]. Flexible multi-type shuttle systems are proposed precisely because single-bus-type fixed timetables are inadequate under shifting demand [40].

These results align with a three-layer campus design: fixed trunk lines for dense corridors, semi-flex feeder service during shoulder periods, and on-demand nighttime service [13] [15] [40]. **Confidence level: High** - The service-quality versus cost trade-off and the value of flexible capacity are repeatedly documented [10] [11] [12].

6. Cost Reduction and Resource Efficiency

Cost reduction appears in three main mechanisms.

First, **better matching supply to time-varying demand** reduces unnecessary trips and underused capacity [64] [66]. Second, **hybrid service design** can preserve accessibility while avoiding the inefficiency of full-route coverage at low-demand times [13] [15]. Third, **AI-enabled fleet management** links routing, monitoring, and predictive maintenance to reduce downtime, fuel or energy waste, and logistical inefficiency [71] [72] [73].

For electric campus fleets, the evidence also points to integrating charging and vehicle health into dispatch. Charging strategy affects queuing and service continuity, and predictive maintenance can be tied to operational scheduling via sensor and telemetry data [72] [74] [75]. The research gap is that these fleet-health and charging constraints are rarely integrated with academic-demand peaks in one campus model [73] [74].

Confidence level: Medium-High - Cost-saving mechanisms are well supported broadly, though campus-specific quantified savings are uneven [13] [71] [72].

7. Scalable Opportunities and Research Gaps

7.1 Key research gaps

The clearest gap is the lack of campus studies that jointly model academic timetables, exams, holidays, campus events, ridership, and AVL/GPS in a single validated forecasting pipeline [19] [36]. A second gap is the scarcity of end-to-end evaluation showing that better prediction actually lowers waiting time, balances loads, or cuts fleet needs after deployment [21] [30] [39]. A third gap is the lack of direct comparisons between fixed-route, hybrid, and fully flexible campus models under identical demand assumptions [13] [15] [40].

7.2 Scalability and deployment barriers

Scalability depends on data integration and system reliability. Relevant operational pipelines require AVL/GTFS-RT ingestion, app requests, occupancy feeds, and live information services [27] [28]. Institutional barriers include fragmented data ownership, incomplete sensing, and limited evidence on how well pilot systems generalize campus-wide [20] [43]. For electric fleets, charging and maintenance add another integration layer [72] [73].

7.3 Transferable solutions for large campuses

The most transferable methods are:

- **spatiotemporal graph forecasting** for stop- and corridor-level demand [22] [31];
- **rolling-horizon dispatch** for intraday reallocation [4] [76];
- **reservation-based DRT with slack control** for low-density or off-peak areas [24] [25];
- **multi-objective fleet/headway optimization** for service-cost trade-off management [33] [35];
- **hybrid trunk-plus-feeder designs** for heterogeneous campuses [13] [15].

7.4 Future directions

A scalable campus mobility architecture would likely include:

1. **Calendar-aware digital twin forecasting** using class rosters, room assignments, events, weather, and live counts [18] [50].
2. **Real-time adaptive control** combining forecast uncertainty with rolling-horizon dispatch [4] [34].
3. **Pareto-based decision support** instead of weighted-sum-only optimization [33] [41].
4. **Maintenance and charging integration** for electric shuttle fleets [72] [73].
5. **Passenger-facing transfer protection and ETA tools** because information quality directly affects waiting outcomes [9] [29].

Confidence level: High - The gaps are explicit in the retrieved evidence, and the scalable opportunities follow directly from stronger adjacent literatures [19] [20] [21].

8. Practical Design Blueprint for Universities

Based on the supplied evidence, a practical campus implementation would be:

- **Forecasting layer:** use multimodal models with historical ridership, AVL/GPS, occupancy, weather, event indicators, and academic calendar inputs [1] [2].
- **Service design layer:** maintain fixed high-frequency trunk routes on dense corridors, with variable headways by time period [64] [67].
- **Dynamic operations layer:** use rolling-horizon dispatch and reservation-based insertion heuristics for feeders, late-night service, and overflow control [5] [24].
- **Optimization layer:** solve a multi-objective problem balancing waiting/travel time, fleet size, operating cost, and energy use [10] [33].
- **Passenger interface:** provide live vehicle tracking, ETAs, route alerts, and transfer protection notifications [28] [29].
- **Fleet-health layer:** incorporate charging and maintenance status into vehicle assignment decisions [72] [73].

Taken together, these findings suggest that intelligent campus mobility should be designed as a **continuous control system**, not as isolated forecasting or scheduling tools [4] [10] [39].

9. Conclusion

AI and ML can optimize campus shuttle scheduling, fleet allocation, and passenger waiting times most effectively when they are used in an integrated pipeline: **multimodal demand prediction**, **rolling-horizon or demand-responsive dispatch**, **multi-objective capacity and fleet optimization**, and **real-time passenger information** [1] [4] [29] [33]. The evidence strongly supports dynamic, hybrid, and context-aware systems over static one-size-fits-all timetables [12] [13]. The main caution is that the strongest quantitative support comes from broader transit, feeder, and DRT research rather than direct university-shuttle deployments [19] [20] [21].

Overall conclusion confidence: High - The cross-source pattern is clear and consistent, but direct campus-specific validation remains the main unresolved limitation [1] [4] [10].

References

1. Narayana, C.V.L., Harshitha, M., Ameen, A., (...), Farsheed, S.M. (2026) An Intelligent Multimodal LSTM Framework for Enhancing Campus Shuttle Arrival Accuracy. *2026 IEEE International Conference on Emerging Computing and Intelligent Technologies, ICoECIT 2026*. https://doi.org/10.1109/ICoECIT68303.2026.11496848
2. Zhang, J., Zheng, Y., Qi, D. (2017) Deep spatio-temporal residual networks for citywide crowd flows prediction. *31st AAAI Conference on Artificial Intelligence, AAAI 2017*. https://www.scopus.com/pages/publications/85028459149
3. Ji, Z., Hu, Z., Chang, S., Zhang, W. (2026) STKGformer: A spatio-temporal knowledge graph enhanced transformer for passenger flow prediction. *Information Sciences*. https://doi.org/10.1016/j.ins.2025.123055
4. Gkiotsalitis, K., van Berkum, E.C. (2020) An exact method for the bus dispatching problem in rolling horizons. *Transportation Research Part C: Emerging Technologies*. https://doi.org/10.1016/j.trc.2019.11.009
5. Wang, T., Wu, D. (2020) Data-Driven Driver Dispatching System with Allocation Constraints and Operational Risk Management for a Ride-Sharing Platform. *Decision Sciences*. https://doi.org/10.1111/deci.12433
6. Xu, J., Rahmatizadeh, R., Bölöni, L., Turgut, D. (2021) A taxi dispatch system based on prediction of demand and destination. *Journal of Parallel and Distributed Computing*. https://doi.org/10.1016/j.jpdc.2021.07.002
7. Grahn, R., Qian, S., Hendrickson, C. (2021) Improving the performance of first- and last-mile mobility services through transit coordination, real-time demand prediction, advanced reservations, and trip prioritization. *Transportation Research Part C: Emerging Technologies*. https://doi.org/10.1016/j.trc.2021.103430

8. Ma, T.-Y., Rasulkhani, S., Chow, J.Y.J., Klein, S. (2019) A dynamic ridesharing dispatch and idle vehicle repositioning strategy with integrated transit transfers. *Transportation Research Part E: Logistics and Transportation Review*. https://doi.org/10.1016/j.tre.2019.07.002
9. Parslov, A., Petersen, N.C., Rodrigues, F. (2023) Short-term bus travel time prediction for transfer synchronization with intelligent uncertainty handling. *Expert Systems with Applications*. https://doi.org/10.1016/j.eswa.2023.120751
10. Duran-Micco, J., Vansteenwegen, P. (2022) Transit network design considering link capacities. *Transport Policy*. https://doi.org/10.1016/j.tranpol.2022.08.018
11. Ng, M.T.M., Engelhardt, R., Dandl, F., (...), Bogenberger, K. (2026) Semi-on-demand off-peak transit services with shared autonomous vehicles — service planning, simulation, and analysis in Munich, Germany. *Transportation Research Part C: Emerging Technologies*. https://doi.org/10.1016/j.trc.2026.105852
12. Aziz, H.M.A., Garikapati, V., Rodriguez, T.K., (...), Chen, Y. (2022) An optimization-based planning tool for on-demand mobility service operations. *International Journal of Sustainable Transportation*. https://doi.org/10.1080/15568318.2020.1847368
13. Alahmadi, R.N.A., Alzahrani, A. (2023) The effect of data science on urban sustainability through the optimization of demand-responsive transportation. *Journal of Umm Al-Qura University for Engineering and Architecture*. https://doi.org/10.1007/s43995-023-00029-x
14. Nickkar, A., Lee, Y.-J., Meskar, M. (2022) Developing an optimal algorithm for demand responsive feeder transit service accommodating temporary stops. *Journal of Public Transportation*. https://doi.org/10.1016/j.jpubtr.2022.100021
15. Crainic, T.G., Errico, F., Malucelli, F., Nonato, M. (2012) Designing the master schedule for demand-adaptive transit systems. *Annals of Operations Research*. https://doi.org/10.1007/s10479-010-0710-5
16. Zhang, S., Chen, X., Sun, H., (...), Wu, J. (2026) Statistical modeling of metro passenger flow dynamics under large-scale events. *Transportation Research Part B: Methodological*. https://doi.org/10.1016/j.trb.2026.103607
17. Li, Y., Wang, X., Sun, S., (...), Lu, G. (2017) Forecasting short-term subway passenger flow under special events scenarios using multiscale radial basis function networks. *Transportation Research Part C: Emerging Technologies*. https://doi.org/10.1016/j.trc.2017.02.005
18. Zeng, S., Chen, X., Su, D., Gong, H. (2025) Multi-source data-driven intelligent analysis and decision optimization for high-density pedestrian flows in urban public spaces. *Automation in Construction*. https://doi.org/10.1016/j.autcon.2025.106367

19. Hamad, K., Obaid, L. (2022) Tour-based travel demand forecasting model for a university campus. *Transport Policy*. https://doi.org/10.1016/j.tranpol.2022.01.001

20. Caramuta, C., Grosso, A., Longo, G., (...), Rotaris, L. (2025) Design, implementation and monitoring of a Demand Responsive Transport service for student leisure transfers: The case study of University of Trieste. *Transportation Engineering*. https://doi.org/10.1016/j.treng.2025.100345

21. Piazza, G., Bracco, S., Delfino, F., Siri, S. (2021) Optimal design of electric mobility services for a Local Energy Community. *Sustainable Energy, Grids and Networks*. https://doi.org/10.1016/j.segan.2021.100440

22. Guo, S., Lin, Y., Feng, N., (...), Wan, H. (2019) Attention based spatial-temporal graph convolutional networks for traffic flow forecasting. *33rd AAAI Conference on Artificial Intelligence, AAAI 2019, 31st Innovative Applications of Artificial Intelligence Conference, IAAI 2019 and the 9th AAAI Symposium on Educational Advances in Artificial Intelligence, EAAI 2019*. https://doi.org/10.1609/aaai.v33i01.3301922

23. Xia, D., Ma, J., Azadeh, S. (2024) Integrated timetabling and vehicle scheduling of an intermodal urban transit network: A distributionally robust optimization approach. *Transportation Research Part C: Emerging Technologies*. https://doi.org/10.1016/j.trc.2024.104610

24. Tsubouchi, K., Yamato, H., Hiekata, K. (2009) A research on the new Demand Responsive Transit service in Japan. *50th Annual Transportation Research Forum 2009*. https://www.scopus.com/pages/publications/84883821801

25. Quadrifoglio, L., Dessouky, M.M., Palmer, K. (2007) An insertion heuristic for scheduling Mobility Allowance Shuttle Transit (MAST) services. *Journal of Scheduling*. https://doi.org/10.1007/s10951-006-0324-6

26. Fabián, D.-M., Brisley, C.A. (2025) Efficient University Mobility: Route Optimization Through Geospatial Analysis in Institutional Transportation Systems on University Campuses. *Advances in Transdisciplinary Engineering*. https://doi.org/10.3233/ATDE251445

27. Boudabbous, E., Karâa, M., Sboui, L., (...), Alam, O. (2026) Scalable transit delay prediction at city scale: A systematic approach with multi-resolution feature engineering and deep learning. *Journal of Systems Architecture*. https://doi.org/10.1016/j.sysarc.2026.103811

28. Peng, Z.-R., Huang, R. (2000) Design and development of interactive trip planning for web-based transit information systems. *Transportation Research Part C: Emerging Technologies*. https://doi.org/10.1016/S0968-090X(00)00016-4

29. Politis, I., Papaioannou, P., Basbas, S., Dimitriadis, N. (2010) Evaluation of a bus passenger information system from the users' point of view in the city of Thessaloniki, Greece. *Research in Transportation Economics*. https://doi.org/10.1016/j.retrec.2010.07.031

30. Zhang, Y., Cats, O., Azadeh, S.S. (2025) Dynamic preference-based multi-modal trip planning of public transport and shared mobility. *Transportation Research Part E: Logistics and Transportation Review*. https://doi.org/10.1016/j.tre.2025.104286

31. Yu, B., Yin, H., Zhu, Z. (2018) Spatio-temporal graph convolutional networks: A deep learning framework for traffic forecasting. *IJCAI International Joint Conference on Artificial Intelligence*. https://doi.org/10.24963/ijcai.2018/505

32. Li, Y., Yu, R., Shahabi, C., Liu, Y. (2018) Diffusion convolutional recurrent neural network: Data-driven traffic forecasting. *6th International Conference on Learning Representations, ICLR 2018 - Conference Track Proceedings*. https://www.scopus.com/pages/publications/85083953652

33. Gao, W., Lu, S., Liu, K., (...), Zuo, Z. (2025) Integrated Optimization of Timetable Coordination and Vehicle Scheduling Considering Variable Transfer Time Thresholds for Electric Bus Network. *Transportation Research Record*. https://doi.org/10.1177/03611981251350647

34. Chen, Y., Liu, Y., Bai, Y., Mao, B. (2024) Real-time dispatch management of shared autonomous vehicles with on-demand and pre-booked requests. *Transportation Research Part A: Policy and Practice*. https://doi.org/10.1016/j.tra.2024.104021

35. Silva-Soto, Y.I., Ibarra-Rojas, O.J. (2021) Timetabling with flexible frequencies to synchronise groups of bus lines at common stops. *Transportmetrica A: Transport Science*. https://doi.org/10.1080/23249935.2020.1822952

36. Mahmoudzadeh, A., Wang, X.B. (2020) Cluster Based Methodology for Scheduling a University Shuttle System. *Transportation Research Record*. https://doi.org/10.1177/0361198119900636

37. Banerjee, Ipsita, L, Deepa, Pinjari, Abdul Rawoof (2021) Public Transit Ridership Forecasting Models. *International Encyclopedia of Transportation*. https://doi.org/10.1016/B978-0-08-102671-7.10367-7

38. Adjaidoo, T.-S., Akowuah, E.K. (2021) A proposed Ghanaian intercity public transport departure scheduling model based on the dynamic rate leaky bucket algorithm. *Scientific African*. https://doi.org/10.1016/j.sciaf.2021.e00749

39. Li, G., Xu, W., Feng, X. (2026) Demand Prediction and Supply–Demand Matching for University Shuttles Based on Ensemble Learning and Multi-Objective Optimization. *Applied Sciences (Switzerland)*. https://doi.org/10.3390/app16094293

40. Wu, M., Yu, C., Ma, W., (...), Zhong, Z. (2022) Joint optimization of timetabling, vehicle scheduling, and ride-matching in a flexible multi-type shuttle bus system. *Transportation Research Part C: Emerging Technologies*. https://doi.org/10.1016/j.trc.2022.103657

41. Gkiotsalitis, K., Cats, O. (2021) At-stop control measures in public transport: Literature review and research agenda. *Transportation Research Part E: Logistics and Transportation Review*. https://doi.org/10.1016/j.tre.2020.102176

42. Reshma, N.R., Gokila, S. (2025) An Intelligent Framework for Dynamic Transportation Optimization Using IoT and Crowd Mobility Patterns. *SSRG International Journal of Electrical and Electronics Engineering*. https://doi.org/10.14445/23488379/IJEEE-V12I8P109

43. Viswanathan, R.V., Sujatha, S., Ananthi, S., (...), Deepa, T. (2025) AI-Driven Campus Transit: Intelligent Real-Time Bus Tracking and Grievance Management System. *3rd International Conference on Emerging Applications of Material Science and Technology, ICEAMST 2025*. https://doi.org/10.1109/ICEAMST67459.2025.11336023

44. Acı, M., Yergök, D. (2023) Demand Forecasting for Food Production Using Machine Learning Algorithms: A Case Study of University Refectory. *Tehnicki Vjesnik*. https://doi.org/10.17559/TV-20230117000232

45. Halyal, S., Mulangi, R.H., Harsha, M.M. (2023) Short-term passenger demand modelling using automatic fare collection data: A case study of hubli-dharwad brts. *Advances in Transportation Studies*. https://doi.org/10.53136/97912218058267

46. Ke, J., Zheng, H., Yang, H., Chen, X.M. (2017) Short-term forecasting of passenger demand under on-demand ride services: A spatio-temporal deep learning approach. *Transportation Research Part C: Emerging Technologies*. https://doi.org/10.1016/j.trc.2017.10.016

47. Zhao, L., Song, Y., Zhang, C., (...), Li, H. (2020) T-GCN: A Temporal Graph Convolutional Network for Traffic Prediction. *IEEE Transactions on Intelligent Transportation Systems*. https://doi.org/10.1109/TITS.2019.2935152

48. Koutsopoulos, H.N., Ma, Z., Noursalehi, P., Zhu, Y. (2018) Transit data analytics for planning, monitoring, control, and information. *Mobility Patterns, Big Data and Transport Analytics: Tools and Applications for Modeling*. https://doi.org/10.1016/B978-0-12-812970-8.00010-5

49. Liu, S.-J., Lam, W.H.K., Fu, H., (...), Ma, W. (2026) Network-wide spatiotemporal speed and flow estimation under recurrent and non-recurrent traffic conditions: A physics-informed computational graph framework. *Transportation Research Part C: Emerging Technologies*. https://doi.org/10.1016/j.trc.2026.105832

50. Yao, H., Wu, F., Ke, J., (...), Chuxing, D. (2018) Deep multi-view spatial-temporal network for taxi demand prediction. *32nd AAAI Conference on Artificial Intelligence, AAAI 2018*. https://www.scopus.com/pages/publications/85055004792

51. Geng, X., Li, Y., Wang, L., (...), Liu, Y. (2019) Spatiotemporal multi-graph convolution network for ride-hailing demand forecasting. *33rd AAAI Conference on Artificial Intelligence, AAAI 2019, 31st Innovative Applications of Artificial Intelligence Conference, IAAI 2019 and the 9th AAAI Symposium on Educational Advances in Artificial Intelligence, EAAI 2019*. https://doi.org/10.1609/aaai.v33i01.33013656

52. Grahn, R., Qian, S., Hendrickson, C. (2021) Improving the performance of first- and last-mile mobility services through transit coordination, real-time demand prediction, advanced reservations, and trip prioritization. *Transportation Research Part C: Emerging Technologies*. https://doi.org/10.1016/j.trc.2021.103430

53. Dai, Z., Liu, X., Li, H., (...), Ma, X. (2023) Semi-autonomous bus platooning service optimization with surrogate modeling. *Computers and Industrial Engineering*. https://doi.org/10.1016/j.cie.2022.108838

54. Tsubouchi, K., Hiekata, K., Yamato, H. (2009) Scheduling algorithm for on-demand bus system. *ITNG 2009 - 6th International Conference on Information Technology: New Generations*. https://doi.org/10.1109/ITNG.2009.224

55. Li, H., Lei, Z., Qian, X., Ukkusuri, S.V. (2026) Anticipatory demand planning for microtransit with strategic use of latent capacity at fixed stops. *Transportation Research Part E: Logistics and Transportation Review*. https://doi.org/10.1016/j.tre.2026.104939

56. Auad, R., van Hentenryck, P. (2022) Ridesharing and fleet sizing for On-Demand Multimodal Transit Systems. *Transportation Research Part C: Emerging Technologies*. https://doi.org/10.1016/j.trc.2022.103594

57. Ansarilari, Z., Bodur, M., Shalaby, A. (2025) A comprehensive stochastic programming model for transfer synchronization in transit networks. *Computers and Operations Research*. https://doi.org/10.1016/j.cor.2025.107015

58. Akgül, B.A., Özyazici, M.S., Karadag, T. (2026) A secure IoT-based real-time vehicle tracking and monitoring system: A hardware–software co-design with experimental validation. *Computers and Electrical Engineering*. https://doi.org/10.1016/j.compeleceng.2026.111425

59. Kalambay, P., Novat, N., Kutela, B., (...), Kidando, E. (2026) Autonomous shuttles in the public eye: mediators on the path to successful expansion. *Case Studies on Transport Policy*. https://doi.org/10.1016/j.cstp.2026.101719

60. Liu, L., Miller, H.J. (2020) Does real-time transit information reduce waiting time? An empirical analysis. *Transportation Research Part A: Policy and Practice*. https://doi.org/10.1016/j.tra.2020.09.014

61. Duran-Micco, J., van Kooten Niekerk, M., Vansteenwegen, P. (2022) Designing bus line plans for realistic cases - the Utrecht case study. *Expert Systems with Applications*. https://doi.org/10.1016/j.eswa.2021.115918

62. Zhang, J., Ge, Y.-E., Tang, C., Zhong, M. (2024) Optimising modular-autonomous-vehicle transit service employing coupling–decoupling operations plus skip-stop strategy. *Transportation Research Part E: Logistics and Transportation Review*. https://doi.org/10.1016/j.tre.2024.103450

63. Wang, Z., An, K., Correia, G.H. (2025) Optimizing a modular autonomous vehicle hub-and-spoke public transportation system: routing, scheduling, and repositioning. *Transportation Research Part E: Logistics and Transportation Review*. https://doi.org/10.1016/j.tre.2025.104251

64. Guo, Q., Sun, Y., Schonfeld, P., Li, Z. (2021) Time-dependent transit fare optimization with elastic and spatially distributed demand. *Transportation Research Part A: Policy and Practice*. https://doi.org/10.1016/j.tra.2021.04.002

65. Li, X., An, X., Zhang, B. (2024) Minimizing passenger waiting time in the multi-route bus fleet allocation problem through distributionally robust optimization and reinforcement learning. *Computers and Operations Research*. https://doi.org/10.1016/j.cor.2024.106568

66. Li, Y., Ren, B., Wen, X. (2025) An efficient two-stage matheuristic for scheduling airport electric shuttle buses with flight schedule coordination. *Computers and Industrial Engineering*. https://doi.org/10.1016/j.cie.2025.110998

67. Mohsena Haque, A.M., Brakewood, C. (2020) A synthesis and comparison of American automated shuttle pilot projects. *Case Studies on Transport Policy*. https://doi.org/10.1016/j.cstp.2020.05.005

68. Liu, L., Sun, L., Chen, Y., Ma, X. (2019) Optimizing fleet size and scheduling of feeder transit services considering the influence of bike-sharing systems. *Journal of Cleaner Production*. https://doi.org/10.1016/j.jclepro.2019.07.025

69. Gao, X., Liu, S., Jiang, S., (...), Lin, W. (2024) Optimizing the Three-Dimensional Multi-Objective of Feeder Bus Routes Considering the Timetable. *Mathematics*. https://doi.org/10.3390/math12070930

70. Chen, M., Zhou, G., Li, J., (...), Wang, Z. (2025) Optimizing Schedules of Feeder Bus Considering Passenger Flows Demand. *IAENG International Journal of Applied Mathematics*. https://www.scopus.com/pages/publications/105004384535

71. Rajesh, S., Srinivasan, S.Y., Krishna, M.G., (...), Avinash, V. (2025) Intellibus: An Ai-Powered Fleet Management System with Predictive Maintenance and Smart Routing. *16th International Conference on Advances in Computing, Control, and Telecommunication Technologies, ACT 2025*. https://www.scopus.com/pages/publications/105034879224

72. Buyukdemir, B.N., Koroglu, S., Atas, B., (...), Karaarslan, E. (2025) Smart Fleet Management in Urban Public Transportation: Machine Learning Based Predictive Maintenance with Real-Time CAN-Bus Data. *2025 Innovations in Intelligent Systems and Applications Conference, ASYU 2025*. https://doi.org/10.1109/ASYU67174.2025.11208302

73. Tormos, B., Pla, B., Sánchez-Márquez, R., Carballo, J.L. (2025) Explainable AI Using On-Board Diagnostics Data for Urban Buses Maintenance Management: A Study Case. *Information (Switzerland)*. https://doi.org/10.3390/info16020074

74. de Filippo, G., Marano, V., Sioshansi, R. (2014) Simulation of an electric transportation system at The Ohio State University. *Applied Energy*. https://doi.org/10.1016/j.apenergy.2013.09.011

75. Kanulla, N.S.L.K., Saidmuratova, M., Rajasanthosh Kumar, T.R., Mamadiyarov, Z. (2025) Intelligent Predictive Maintenance using IoT for Sustainable Transportation Fleets. *2025 2nd International Conference on New Frontiers in Communication, Automation, Management and Security, ICCAMS 2025*. https://doi.org/10.1109/ICCAMS65118.2025.11234465

76. Yang, H., Qin, X., Ke, J., Ye, J. (2020) Optimizing matching time interval and matching radius in on-demand ride-sourcing markets. *Transportation Research Part B: Methodological*. https://doi.org/10.1016/j.trb.2019.11.005